

# Computational Magma Dynamics

Matthew Knepley  $\in$  PETSc Team

Computation Institute  
University of Chicago

SIAM Computational Science & Engineering  
Salt Lake City, UT    March 16, 2015



## Magma Dynamics Collaboration



Richard Katz

## Timestepping Collaboration



Jed Brown

What am I going to talk about?

- Magma Dynamics Model
- FEM formulation and solver
- FEM+FVM formulation and solver

## Why is this important?

- It is difficult to compare meshes, discretizations, and multilevel solvers
- **Comparison** is essential for making informed algorithmic choices
- Comparison in a **single code** seems necessary

# Outline

- 1 Problem Definition
- 2 Solvers for FEM Formulation
- 3 Solvers for FEM+FVM Formulation

# Dimensional Formulation

$$\nabla p - \nabla \zeta_\phi (\nabla \cdot \vec{v}^S) - \nabla \cdot (2\eta_\phi \dot{\epsilon}^S) = 0$$

$$\nabla \cdot \left( -\frac{K_\phi}{\mu} \nabla p + \vec{v}^S \right) = 0$$

$$\frac{\partial \phi}{\partial t} - \nabla \cdot (1 - \phi) \vec{v}^S = 0$$

# Closure Conditions

$$K_{\phi} = K_0 \left( \frac{\phi}{\phi_0} \right)^n$$

$$\eta_{\phi} = \eta_0 \exp(-\lambda(\phi - \phi_0))$$

$$\zeta_{\phi} = \zeta_0 \left( \frac{\phi}{\phi_0} \right)^{-m}$$

# Nondimensional Formulation

$$\nabla p - \nabla \cdot \left( \left( \frac{\phi}{\phi_0} \right)^{-m} \nabla \cdot \vec{v}^S \right) - \nabla \cdot \left( 2e^{-\lambda(\phi - \phi_0)} \dot{\epsilon}^S \right) = 0$$

$$\nabla \cdot \left( -\frac{R^2}{r_\zeta + 4/3} \left( \frac{\phi}{\phi_0} \right)^n \nabla p + \vec{v}^S \right) = 0$$

$$\frac{\partial \phi}{\partial t} - \nabla \cdot (1 - \phi) \vec{v}^S = 0$$



# Initial and Boundary conditions

Initially

$$\phi = \phi_0 + A \cos(\vec{k} \cdot \vec{x})$$

where

$$A \ll \phi_0$$

and on the top and bottom boundary

$$K_\phi \nabla p \cdot \hat{n} = 0$$

$$\vec{v}^S = \pm \frac{\dot{\gamma}}{2} \hat{x}$$

# Mechanical Benchmarks

## Benchmark 0: $\lambda = 0$

There is no porosity feedback, and the initial pattern is stably advected:

$$\vec{k}(t) = \vec{k}_0 \left( \hat{\vec{x}} \sin \theta_0 + \hat{\vec{y}} (\cos \theta_0 - t \sin \theta_0) \right)$$

## Benchmark 1: $\lambda > 0$


The porosity feedback causes localization, with initial compaction rate:

$$C = \nabla \cdot \vec{v}_S|_{t=0} = \frac{A\lambda\phi_0 \sin(2\theta_0)}{r_\zeta + 4/3} \cos(\vec{k} \cdot \vec{x})$$

# Initial Porosity



# Initial Velocity



# Outline

- 1 Problem Definition
- 2 Solvers for FEM Formulation**
- 3 Solvers for FEM+FVM Formulation

# Mesh

With PETSc's DMPLex, we can use

- Simplices,
- Hexes,
- 2D and 3D,

changing nothing but mesh creation.

I do this in **SNES ex62**

# Output

PETSc Viewers can output

- Meshes
- Solutions,
- Auxiliary and derived fields,

to HDF5/Xdmf using simple options.

# Output

## PETSc Viewers can output

```
-dm_view hdf5:sol_fv_1.h5  
-magma_view_solution hdf5:sol_fv_1.h5::append  
-compaction_vec_view hdf5:sol_fv_1.h5:HDF5_VIZ:append
```

to HDF5/Xdmf using simple options.



# Discretization

Using continuous FE spaces,  
  
which satisfy an inf-sup stability condition.

# Discretization

Using continuous FE spaces,

$Q_2$       velocity

$Q_1$       pressure

$Q_1$       porosity

which satisfy an inf-sup stability condition.

# Discretization

Using continuous FE spaces,

```
-velocity_petscspace_order 2  
  -velocity_petscspace_poly_tensor  
-pressure_petscspace_order 1  
  -pressure_petscspace_poly_tensor  
-porosity_petscspace_order 1  
  -porosity_petscspace_poly_tensor
```

which satisfy an inf-sup stability condition.

# Discretization

Using continuous/discontinuous FE spaces,

$Q2$       velocity

$P1_{\text{disc}}$       pressure

$Q1$       porosity

which satisfy an inf-sup stability condition.

# Discretization

Using continuous/discontinuous FE spaces,

```
-velocity_petscspace_order 2  
  -velocity_petscspace_poly_tensor  
-pressure_petscspace_order 1  
  -pressure_petscdualspace_lagrange_continuity 0  
-porosity_petscspace_order 1  
  -porosity_petscspace_poly_tensor
```

which satisfy an inf-sup stability condition.

# Solver Organization

## Timestepping

We will use simple Backward Euler:

$$\nabla p^{k+1} - \nabla \left( \left( \frac{\phi^{k+1}}{\phi_0} \right)^{-m} \nabla \cdot \vec{v}^{k+1} \right) - \nabla \cdot \left( 2e^{-\lambda(\phi^{k+1} - \phi_0)} \dot{\epsilon}^{k+1} \right) = 0$$

$$\nabla \cdot \left( -\frac{R^2}{r_\zeta + 4/3} \left( \frac{\phi^{k+1}}{\phi_0} \right)^n \nabla p^{k+1} + \vec{v}^{k+1} \right) = 0$$

$$\frac{\phi^{k+1} - \phi^k}{\Delta t} - \nabla \cdot (1 - \phi^{k+1}) \vec{v}^{k+1} = 0$$

# Solver Organization

## Newton-Krylov

Begin with a Newton-Krylov solve with line search:

$\mathcal{N} \backslash K - L$  NRICH

Optimal linear preconditioner in  
Rhebergen, Wells, Wathen, and Katz, SISC.

# Solver Organization

Newton-Krylov without Porosity

We can separate the Stokes-like solve from the porosity advection:

$$\begin{array}{cc|c}
 A \oplus \text{Schur } L & & 0 \\
 & & 0 \\
 \hline
 F & 0 & I + G
 \end{array}$$



# Solver Organization

## Newton-Krylov

```
-pc_type fieldsplit
  -pc_fieldsplit_0_fields 0,1 -pc_fieldsplit_1_fields 2
  -pc_fieldsplit_type multiplicative
    -fieldsplit_0_pc_type fieldsplit
    -fieldsplit_0_pc_fieldsplit_type schur
    -fieldsplit_0_pc_fieldsplit_schur_precondition selfp
    -fieldsplit_0_pc_fieldsplit_schur_factorization_type full
    -fieldsplit_0_fieldsplit_velocity_pc_type lu
    -fieldsplit_0_fieldsplit_pressure_ksp_rtol 1.0e-9
    -fieldsplit_0_fieldsplit_pressure_pc_type gamg
      -fieldsplit_0_fieldsplit_pressure_ksp_monitor
      -fieldsplit_0_fieldsplit_pressure_ksp_gmres_restart 100
    -fieldsplit_fieldsplit_0_pressure_ksp_max_it 200
```

# Solver Organization

Newton-Krylov with Porosity

Or we can incorporate the porosity advection into the Stokes-like solve:

$$\begin{array}{c|c} A & E \\ \hline F & I+G \end{array} \oplus \text{Schur } L$$

# Newton options

## Newton-Krylov with Porosity

```
-snes_monitor -snes_converged_reason  
-snes_type newtonls -snes_linesearch_type bt  
-snes_fd_color -snes_fd_color_use_mat -mat_coloring_type greedy  
-ksp_rtol 1.0e-10 -ksp_monitor -ksp_gmres_restart 200  
-pc_type fieldsplit  
-pc_fieldsplit_0_fields 0,2 -pc_fieldsplit_1_fields 1  
-pc_fieldsplit_type schur -pc_fieldsplit_schur_precondition selfp  
-pc_fieldsplit_schur_factorization_type full  
-fieldsplit_0_pc_type lu  
-fieldsplit_pressure_ksp_rtol 1.0e-9 -fieldsplit_pressure_pc_type gamg  
-fieldsplit_pressure_ksp_monitor  
-fieldsplit_pressure_ksp_gmres_restart 100  
-fieldsplit_pressure_ksp_max_it 200
```

# Early Newton convergence

```

0 TS dt 0.01 time 0
  0 SNES Function norm 5.292194079127e-03
    Linear pressure_ solve converged due to CONVERGED_RTOL its 10
    0 KSP Residual norm 4.618093146920e+00
      Linear pressure_ solve converged due to CONVERGED_RTOL its 10
      1 KSP Residual norm 3.018153330707e-03
        Linear pressure_ solve converged due to CONVERGED_RTOL its 11
        2 KSP Residual norm 4.274869628519e-13
      Linear solve converged due to CONVERGED_RTOL its 2
    1 SNES Function norm 2.766906985362e-06
      Linear pressure_ solve converged due to CONVERGED_RTOL its 8
      0 KSP Residual norm 2.555890235972e-02
        Linear pressure_ solve converged due to CONVERGED_RTOL its 8
        1 KSP Residual norm 1.638293944976e-07
          Linear pressure_ solve converged due to CONVERGED_RTOL its 8
          2 KSP Residual norm 1.771928779400e-14
        Linear solve converged due to CONVERGED_RTOL its 2
      2 SNES Function norm 1.188754322734e-11
        Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 2
1 TS dt 0.01 time 0.01

```

# Later Newton convergence

```

0 TS dt 0.01 time 0.63
  0 SNES Function norm 9.366565251786e-03
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
    Linear pressure_ solve converged due to CONVERGED_RTOL its 16
  Linear solve converged due to CONVERGED_RTOL its 2
  1 SNES Function norm 4.492625910272e-03
    Linear solve converged due to CONVERGED_RTOL its 2
  2 SNES Function norm 3.666181450068e-03
    Linear solve converged due to CONVERGED_RTOL its 2
  3 SNES Function norm 2.523116582272e-03
    Linear solve converged due to CONVERGED_RTOL its 2
  4 SNES Function norm 3.022638159491e-04
    Linear solve converged due to CONVERGED_RTOL its 2
  5 SNES Function norm 9.761317324448e-06
    Linear solve converged due to CONVERGED_RTOL its 2
  6 SNES Function norm 1.147944474432e-08
    Linear solve converged due to CONVERGED_RTOL its 2
  7 SNES Function norm 8.729160299009e-14
    Nonlinear solve converged due to CONVERGED_FNORM_RELATIVE its 7
1 TS dt 0.01 time 0.64

```

# Newton failure

```

0 TS dt 0.01 time 0.64
Time 0.64 L_2 Error: 0.494811 [0.0413666, 0.491642, 0.0376071]
  0 SNES Function norm 9.682733054059e-03
  Linear solve converged due to CONVERGED_RTOL iterations 2
  1 SNES Function norm 6.841434267123e-03
  Linear solve converged due to CONVERGED_RTOL iterations 3
  2 SNES Function norm 4.412420553822e-03
  Linear solve converged due to CONVERGED_RTOL iterations 5
  3 SNES Function norm 3.309326919835e-03
  Linear solve converged due to CONVERGED_RTOL iterations 6
  4 SNES Function norm 3.022494350289e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
  5 SNES Function norm 2.941050948582e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
  :
  9 SNES Function norm 2.631941422878e-03
  Linear solve converged due to CONVERGED_RTOL iterations 7
10 SNES Function norm 2.631897334054e-03
  Linear solve converged due to CONVERGED_RTOL iterations 10
11 SNES Function norm 2.631451174722e-03
  Linear solve converged due to CONVERGED_RTOL iterations 15
  :

```

# Solver Organization

## Preconditioned Newton-Krylov

We can combine Newton-Krylov with Nonlinear CG:

$$(\text{NCG} -_L \text{NRICH}) * (\mathcal{N} \setminus \text{K} -_L \text{NRICH})$$

# NCG\*Newton options

```
-snes_monitor -snes_converged_reason
-snes_type composite -snes_composite_type multiplicative
-snes_composite_sneses ncg,newtonls
  -sub_0_snes_monitor -sub_1_snes_monitor
  -sub_0_snes_type ncg -sub_0_snes_linesearch_type cp
    -sub_0_snes_max_it 5
  -sub_1_snes_linesearch_type bt -sub_1_snes_fd_color
    -sub_1_snes_fd_color_use_mat -mat_coloring_type greedy
  -sub_1_ksp_rtol 1.0e-10 -sub_1_ksp_monitor -sub_1_ksp_gmres_restart 200
  -sub_1_pc_type fieldsplit -sub_1_pc_fieldsplit_0_fields 0,2
    -sub_1_pc_fieldsplit_1_fields 1
  -sub_1_pc_fieldsplit_type schur
    -sub_1_pc_fieldsplit_schur_precondition selfp
  -sub_1_pc_fieldsplit_schur_factorization_type full
    -sub_1_fieldsplit_0_pc_type lu
  -sub_1_fieldsplit_pressure_ksp_rtol 1.0e-9
    -sub_1_fieldsplit_pressure_pc_type gamg
  -sub_1_fieldsplit_pressure_ksp_gmres_restart 100
  -sub_1_fieldsplit_pressure_ksp_max_it 200
```



# NCG\*Newton convergence

```

0 TS dt 0.01 time 0.64
  0 SNES Function norm 9.682733054059e-03
    0 SNES Function norm 9.682733054059e-03
    1 SNES Function norm 3.705698943518e-02
    2 SNES Function norm 4.981898384331e-02
    3 SNES Function norm 5.710183285964e-02
    4 SNES Function norm 5.476973798534e-02
    5 SNES Function norm 6.464724668855e-02
  0 SNES Function norm 6.464724668855e-02
    0 KSP Residual norm 1.021155502263e+00
    1 KSP Residual norm 9.145207488003e-05
    2 KSP Residual norm 3.899752904206e-09
    3 KSP Residual norm 1.001750831581e-12
  1 SNES Function norm 8.940296814443e-03
1 1 SNES Function norm 8.940296814443e-03
  2 SNES Function norm 4.290429277269e-02
  3 SNES Function norm 1.154466745956e-02
  4 SNES Function norm 2.938816182982e-03
  5 SNES Function norm 4.148507767082e-04
  6 SNES Function norm 1.892807106900e-05
  7 SNES Function norm 4.912654244547e-08
  8 SNES Function norm 3.851626525260e-13
1 TS dt 0.01 time 0.65

```

# Solver Organization

## Full Approximation Scheme

We can use Newton-Krylov as a level solver for FAS:

$$\text{FAS}(\mathcal{N} \setminus K, \mathcal{N} \setminus K)$$

# FAS-Newton options

## Top level

```
-snes_monitor -snes_converged_reason
-snes_type fas -snes_fas_type full -snes_fas_levels 4
-fas_levels_3_snes_monitor -fas_levels_3_snes_converged_reason
-fas_levels_3_snes_atol 1.0e-9 -fas_levels_3_snes_max_it 2
-fas_levels_3_snes_type newtonls -fas_levels_3_snes_linesearch_type bt
-fas_levels_3_snes_fd_color -fas_levels_3_snes_fd_color_use_mat
-fas_levels_3_ksp_rtol 1.0e-10 -mat_coloring_type greedy
-fas_levels_3_ksp_gmres_restart 50 -fas_levels_3_ksp_max_it 200
-fas_levels_3_pc_type fieldsplit
-fas_levels_3_pc_fieldsplit_0_fields 0,2
-fas_levels_3_pc_fieldsplit_1_fields 1
-fas_levels_3_pc_fieldsplit_type schur
-fas_levels_3_pc_fieldsplit_schur_precondition selfp
-fas_levels_3_pc_fieldsplit_schur_factorization_type full
-fas_levels_3_fieldsplit_0_pc_type lu
-fas_levels_3_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_levels_3_fieldsplit_pressure_pc_type gamg
-fas_levels_3_fieldsplit_pressure_ksp_gmres_restart 100
-fas_levels_3_fieldsplit_pressure_ksp_max_it 200
```

# FAS-Newton options

## 2nd level

```
-fas_levels_2_snes_monitor -fas_levels_2_snes_converged_reason  
-fas_levels_2_snes_atol 1.0e-9 -fas_levels_2_snes_max_it 2  
-fas_levels_2_snes_type newtonls -fas_levels_2_snes_linesearch_type bt  
-fas_levels_2_snes_fd_color -fas_levels_2_snes_fd_color_use_mat  
-fas_levels_2_ksp_rtol 1.0e-10 -fas_levels_2_ksp_gmres_restart 50  
-fas_levels_2_pc_type fieldsplit  
-fas_levels_2_pc_fieldsplit_0_fields 0,2  
-fas_levels_2_pc_fieldsplit_1_fields 1  
-fas_levels_2_pc_fieldsplit_type schur  
-fas_levels_2_pc_fieldsplit_schur_precondition selfp  
-fas_levels_2_pc_fieldsplit_schur_factorization_type full  
-fas_levels_2_fieldsplit_0_pc_type lu  
-fas_levels_2_fieldsplit_pressure_ksp_rtol 1.0e-9  
-fas_levels_2_fieldsplit_pressure_pc_type gamg  
-fas_levels_2_fieldsplit_pressure_ksp_gmres_restart 100  
-fas_levels_2_fieldsplit_pressure_ksp_max_it 200
```

# FAS-Newton options

## 1st level

```
-fas_levels_1_snes_monitor -fas_levels_1_snes_converged_reason  
-fas_levels_1_snes_atol 1.0e-9  
-fas_levels_1_snes_type newtonls -fas_levels_1_snes_linesearch_type bt  
-fas_levels_1_snes_fd_color -fas_levels_1_snes_fd_color_use_mat  
-fas_levels_1_ksp_rtol 1.0e-10 -fas_levels_1_ksp_gmres_restart 50  
-fas_levels_1_pc_type fieldsplit  
-fas_levels_1_pc_fieldsplit_0_fields 0,2  
-fas_levels_1_pc_fieldsplit_1_fields 1  
-fas_levels_1_pc_fieldsplit_type schur  
-fas_levels_1_pc_fieldsplit_schur_precondition selfp  
-fas_levels_1_pc_fieldsplit_schur_factorization_type full  
-fas_levels_1_fieldsplit_0_pc_type lu  
-fas_levels_1_fieldsplit_pressure_ksp_rtol 1.0e-9  
-fas_levels_1_fieldsplit_pressure_pc_type gamg
```

# FAS-Newton options

## Coarse level

```
-fas_coarse_snes_monitor -fas_coarse_snes_converged_reason  
-fas_coarse_snes_atol 1.0e-9  
-fas_coarse_snes_type newtonls -fas_coarse_snes_linesearch_type bt  
-fas_coarse_snes_fd_color -fas_coarse_snes_fd_color_use_mat  
-fas_coarse_ksp_rtol 1.0e-10 -fas_coarse_ksp_gmres_restart 50  
-fas_coarse_pc_type fieldsplit  
-fas_coarse_pc_fieldsplit_0_fields 0,2  
-fas_coarse_pc_fieldsplit_1_fields 1  
-fas_coarse_pc_fieldsplit_type schur  
-fas_coarse_pc_fieldsplit_schur_precondition selfp  
-fas_coarse_pc_fieldsplit_schur_factorization_type full  
-fas_coarse_fieldsplit_0_pc_type lu  
-fas_coarse_fieldsplit_pressure_ksp_rtol 1.0e-9  
-fas_coarse_fieldsplit_pressure_pc_type gamg
```

# FAS-Newton convergence

```

0 TS dt 0.01 time 0.64
  0 SNES Function norm 9.682733054059e-03
    2 SNES Function norm 4.412420553822e-03
      2 SNES Function norm 8.022096211721e-15
        1 SNES Function norm 2.773743832538e-04
          1 SNES Function norm 5.627093528843e-11
            1 SNES Function norm 4.405884464849e-10
              2 SNES Function norm 8.985059910030e-08
                1 SNES Function norm 4.672651281994e-15
                  0 SNES Function norm 3.160322858961e-15
                    0 SNES Function norm 4.672651281994e-15
                      1 SNES Function norm 1.046571008046e-14
                        2 SNES Function norm 1.804845173803e-02
                          2 SNES Function norm 2.776600115290e-12
                            0 SNES Function norm 1.354009326059e-12
                              0 SNES Function norm 5.881604627760e-13
                                0 SNES Function norm 1.354011456281e-12
                                  0 SNES Function norm 2.776600115290e-12
                                    2 SNES Function norm 9.640723411562e-05
                                      1 SNES Function norm 9.640723411562e-05
                                        2 SNES Function norm 1.057876040732e-08
                                          3 SNES Function norm 5.623618219189e-11
1 TS dt 0.01 time 0.65

```

# Solver Organization

## Full Approximation Scheme

On fine levels, we can replace Newton-Krylov with  
Nonlinear Gauss-Siedel:

$$\text{FAS}(\text{NGS}, \mathcal{N} \setminus K)$$



# FAS-NGS options

## Top level

```
-snes_monitor -snes_converged_reason  
-snes_type fas -snes_fas_type full -snes_fas_levels 4  
-fas_levels_3_snes_monitor -fas_levels_3_snes_converged_reason  
-fas_levels_3_snes_atol 1.0e-9 -fas_levels_3_snes_max_it 10  
-fas_levels_3_snes_type ngs -fas_levels_3_snes_linesearch_type nleqerr
```

# FAS-NGS convergence

```

0 TS dt 0.01 time 0.64
Time 0.64 L_2 Error: 0.494811 [0.0413666, 0.491642, 0.0376071]
  0 SNES Function norm 9.68e-03 [1.96e-03, 1.71e-14, 9.65e-03]
    0 SNES Function norm 9.682733054059e-03
      3 SNES Function norm 9.069944580453e-01
        3 SNES Function norm 3.790367845975e-11
          0 SNES Function norm 1.884126634610e+00
            1 SNES Function norm 6.752057466899e-02
              2 SNES Function norm 3.799909413083e-11
                0 SNES Function norm 1.450032375835e-01
                  1 SNES Function norm 2.567674743706e-04
                    0 SNES Function norm 1.027806561203e+00
                      3 SNES Function norm 1.582489644172e+00
                        1 SNES Function norm 4.847533456932e-01
                          3 SNES Function norm 7.366666076108e-15
                            1 SNES Function norm 1.744390611632e-02
                              3 SNES Function norm 1.473321454964e+00
                                1 SNES Function norm 1.47e+00 [1.44e+00, 2.92e-01, 8.82e-04]
                                  0 SNES Function norm 9.962396109825e+03
                                    1 SNES Function norm 3.189537494940e+86
Nonlinear fas_levels_2_ solve did not converge, DIVERGED_FNORM_NAN
Nonlinear solve did not converge due to DIVERGED_INNER

```

# Outline

- 1 Problem Definition
- 2 Solvers for FEM Formulation
- 3 Solvers for FEM+FVM Formulation

# Discretization

Using continuous FE spaces and simple FV,

*Q2* velocity

*Q1* pressure

*FV* porosity

which we connect by cell/face interpolants.

---

```

/* Set discretization object */
if (user->useFV) {
    PetscDSSetDiscretization(prob, 2, fv);
} else {
    PetscDSSetDiscretization(prob, 2, fe[2]);
}
/* Set pointwise residual functions */
PetscDSSetResidual(prob, 2, f0_advection, f1_scalar_zero);
PetscDSSetRiemannSolver(prob, 2, riemann_coupled_advection);
  
```

---

# Discretization

Using continuous FE spaces and simple FV,

```
-velocity_petscspace_order 2
  -velocity_petscspace_poly_tensor
-pressure_petscspace_order 1
  -pressure_petscspace_poly_tensor
-use_fv
```

which we connect by cell/face interpolants.

---

```
/* Set discretization object */
if (user->useFV) {
  PetscDSSetDiscretization(prob, 2, fv);
} else {
  PetscDSSetDiscretization(prob, 2, fe[2]);
}
/* Set pointwise residual functions */
PetscDSSetResidual(prob, 2, f0_advection, f1_scalar_zero);
PetscDSSetRiemannSolver(prob, 2, riemann_coupled_advection);
```

---

# Discretization

Using continuous FE spaces and simple FV,

*Q2* velocity

*Q1* pressure

*FV* porosity

which we connect by cell/face interpolants.

---

```

/* Set discretization object */
if (user->useFV) {
    PetscDSSetDiscretization(prob, 2, fv);
} else {
    PetscDSSetDiscretization(prob, 2, fe[2]);
}
/* Set pointwise residual functions */
PetscDSSetResidual(prob, 2, f0_advection, f1_scalar_zero);
PetscDSSetRiemannSolver(prob, 2, riemann_coupled_advection);

```

---

# Solver Organization

## Timestepping

We can use a simple split scheme:

$$\nabla p^{k+1} - \nabla \left( \left( \frac{\phi^k}{\phi_0} \right)^{-m} \nabla \cdot \vec{v}^{k+1} \right) - \nabla \cdot \left( 2e^{-\lambda(\phi^k - \phi_0)} \dot{\epsilon}^{k+1} \right) = 0$$

$$\nabla \cdot \left( -\frac{R^2}{r_\zeta + 4/3} \left( \frac{\phi^k}{\phi_0} \right)^n \nabla p^{k+1} + \vec{v}^{k+1} \right) = 0$$

$$\frac{\phi^{k+1} - \phi^k}{\Delta t} - \nabla \cdot (1 - \phi^k) \vec{v}^{k+1} = 0$$

# Solver Organization

## Timestepping

Or one that couples the algebraic and evolution equations:

$$\nabla p^{k+1} - \nabla \left( \left( \frac{\phi^{k+1}}{\phi_0} \right)^{-m} \nabla \cdot \vec{v}^{k+1} \right) - \nabla \cdot \left( 2e^{-\lambda(\phi^{k+1} - \phi_0)} \dot{\epsilon}^{k+1} \right) = 0$$

$$\nabla \cdot \left( -\frac{R^2}{r_\zeta + 4/3} \left( \frac{\phi^{k+1}}{\phi_0} \right)^n \nabla p^{k+1} + \vec{v}^{k+1} \right) = 0$$

$$\frac{\phi^{k+1} - \phi^k}{\Delta t} - \nabla \cdot (1 - \phi^k) \vec{v}^{k+1} = 0$$



# Newton options

```
-snes_atol 1.0e-10 -snes_monitor_field -snes_converged_reason  
-snes_linesearch_type basic -snes_fd_color -snes_fd_color_use_mat  
-mat_coloring_type greedy -mat_coloring_greedy_symmetric 0  
-ksp_rtol 1.0e-10 -ksp_monitor -ksp_gmres_restart 200  
-pc_type fieldsplit  
-pc_fieldsplit_0_fields 0,2 -pc_fieldsplit_1_fields 1  
-pc_fieldsplit_type schur -pc_fieldsplit_schur_precondition selfp  
-pc_fieldsplit_schur_factorization_type full  
-fieldsplit_0_ksp_rtol 1.0e-8 -fieldsplit_0_pc_type lu  
-fieldsplit_pressure_ksp_rtol 1.0e-9 -fieldsplit_pressure_pc_type svd
```

# Early Newton convergence

```
5 TS dt 0.005 time 0.025
  0 SNES Function norm 6.52e-02 [1.46e-14, 4.91e-16, 6.52e-02]
    0 KSP Residual norm 4.26e-04
      1 KSP Residual norm 1.78e-17
    1 SNES Function norm 2.19e-03 [2.96e-08, 3.91e-09, 2.19e-03]
    2 SNES Function norm 7.51e-05 [3.40e-11, 4.55e-12, 7.51e-05]
    3 SNES Function norm 2.58e-06 [2.46e-13, 1.28e-14, 2.58e-06]
    4 SNES Function norm 8.86e-08 [1.39e-14, 6.64e-16, 8.86e-08]
6 TS dt 0.005 time 0.03
```

# Late Newton convergence

```

0 TS dt 0.005 time 0.825
  0 SNES Function norm 2.14e+00 [ 1.40e-14, 3.67e-16, 2.14e+00]
    0 KSP Residual norm 3.53e-01
    1 KSP Residual norm 1.03e-10
    2 KSP Residual norm 2.82e-16
  1 SNES Function norm 5.13e-02 [ 2.01e-04, 1.47e-04, 5.13e-02]
  2 SNES Function norm 2.47e-02 [ 9.20e-06, 7.73e-06, 2.47e-02]
  3 SNES Function norm 7.81e-03 [ 2.13e-06, 1.67e-06, 7.81e-03]
  4 SNES Function norm 2.12e-03 [ 1.81e-07, 1.41e-07, 2.12e-03]
  5 SNES Function norm 4.72e-04 [ 1.08e-08, 8.28e-09, 4.72e-04]
  6 SNES Function norm 1.12e-04 [ 5.76e-10, 4.41e-10, 1.12e-04]
  7 SNES Function norm 2.63e-05 [ 3.21e-11, 2.50e-11, 2.63e-05]
  8 SNES Function norm 6.17e-06 [ 1.77e-12, 1.26e-12, 6.17e-06]
  9 SNES Function norm 1.45e-06 [ 1.07e-13, 9.84e-14, 1.45e-06]
10 SNES Function norm 3.40e-07 [ 1.78e-14, 4.74e-15, 3.40e-07]
11 SNES Function norm 7.99e-08 [ 1.36e-14, 1.88e-15, 7.99e-08]
12 SNES Function norm 1.88e-08 [ 1.34e-14, 5.72e-16, 1.88e-08]
1 TS dt 0.005 time 0.83

```

# FAS-Newton options

## Top level

```
-snes_atol 1.0e-9 -snes_monitor_field -snes_converged_reason
-snes_type fas -snes_fas_type full -snes_fas_levels 3
-fas_levels_2_snes_monitor -fas_levels_2_snes_converged_reason
-fas_levels_2_snes_atol 1.0e-9 -fas_levels_2_snes_max_it 2
-fas_levels_2_snes_type newtonls
-fas_levels_2_snes_linesearch_type basic
-fas_levels_2_snes_fd_color -fas_levels_2_snes_fd_color_use_mat
-fas_levels_2_ksp_rtol 1.0e-10 -fas_levels_2_ksp_gmres_restart 50
-fas_levels_2_pc_type fieldsplit
-fas_levels_2_pc_fieldsplit_0_fields 0,2
-fas_levels_2_pc_fieldsplit_1_fields 1
-fas_levels_2_pc_fieldsplit_type schur
-fas_levels_2_pc_fieldsplit_schur_precondition selfp
-fas_levels_2_pc_fieldsplit_schur_factorization_type full
-fas_levels_2_fieldsplit_0_pc_type lu
-fas_levels_2_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_levels_2_fieldsplit_pressure_pc_type svd
-fas_levels_2_fieldsplit_pressure_ksp_gmres_restart 100
-fas_levels_2_fieldsplit_pressure_ksp_max_it 200
```

# FAS-Newton options

## Coarse level

```
-fas_coarse_snes_max_it 10 -fas_coarse_snes_max_linear_solve_fail 10
-fas_coarse_snes_atol 1.0e-9
-fas_coarse_snes_monitor -fas_coarse_snes_converged_reason
-fas_coarse_snes_type newtonls -fas_coarse_snes_linesearch_type bt
-fas_coarse_snes_fd_color -fas_coarse_snes_fd_color_use_mat
-fas_coarse_ksp_rtol 1.0e-10 -fas_coarse_ksp_gmres_restart 50
-fas_coarse_pc_type fieldsplit
-fas_coarse_pc_fieldsplit_0_fields 0,2
-fas_coarse_pc_fieldsplit_1_fields 1
-fas_coarse_pc_fieldsplit_type schur
-fas_coarse_pc_fieldsplit_schur_precondition selfp
-fas_coarse_pc_fieldsplit_schur_factorization_type full
-fas_coarse_fieldsplit_0_pc_type lu
-fas_coarse_fieldsplit_pressure_ksp_rtol 1.0e-9
-fas_coarse_fieldsplit_pressure_pc_type svd
```

# FAS-Newton convergence

```

0 TS dt 0.005 time 0.825
  0 SNES Function norm 2.14e+00 [1.40e-14, 3.67e-16, 2.14e+00]
    0 SNES Function norm 2.136811983007e+00
      2 SNES Function norm 2.467490038458e-02
        0 SNES Function norm 2.892788645925e-02
          5 SNES Function norm 6.686368379854e-11
        0 SNES Function norm 5.034219273717e-02
          1 SNES Function norm 1.054842559307e-03
            0 SNES Function norm 1.663080254945e-03
              4 SNES Function norm 2.126370356882e-10
            0 SNES Function norm 2.599480303180e-03
              1 SNES Function norm 9.990047497418e-05
            0 SNES Function norm 4.798584798600e-02
              2 SNES Function norm 1.288870672992e-03
                1 SNES Function norm 3.770621359658e-05
                  2 SNES Function norm 1.127970439777e-08
                1 SNES Function norm 1.008431552413e-06
            0 SNES Function norm 2.502531975042e-03
              2 SNES Function norm 4.730240156687e-05
                1 SNES Function norm 4.73e-05 [1.04e-10, 7.85e-11, 4.73e-05]
                2 SNES Function norm 3.98e-09 [1.38e-14, 4.18e-16, 3.98e-09]
1 TS dt 0.005 time 0.83

```

# FAS-NGS options

## Top level

```
-snes_atol 1.0e-9 -snes_monitor_field -snes_converged_reason  
-snes_type fas -snes_fas_type full -snes_fas_levels 3  
  -fas_levels_2_snes_monitor -fas_levels_2_snes_converged_reason  
  -fas_levels_2_snes_atol 1.0e-9 -fas_levels_2_snes_max_it 10  
  -fas_levels_2_snes_type ngs -fas_levels_2_snes_linesearch_type bt
```

# FAS-NGS convergence

0 TS dt 0.005 time 0.825

|    |      |          |      |          |            |           |           |
|----|------|----------|------|----------|------------|-----------|-----------|
| 0  | SNES | Function | norm | 2.14e+00 | [1.39e-14, | 3.66e-16, | 2.13e+00] |
| 1  | SNES | Function | norm | 2.87e-04 | [2.08e-04, | 4.80e-06, | 1.98e-04] |
| 2  | SNES | Function | norm | 3.15e-05 | [2.30e-05, | 9.56e-07, | 2.19e-05] |
| 3  | SNES | Function | norm | 1.65e-05 | [1.14e-05, | 5.44e-07, | 1.21e-05] |
| 4  | SNES | Function | norm | 1.07e-05 | [7.38e-06, | 3.48e-07, | 7.89e-06] |
| 5  | SNES | Function | norm | 7.06e-06 | [4.85e-06, | 2.26e-07, | 5.20e-06] |
| 6  | SNES | Function | norm | 4.67e-06 | [3.20e-06, | 1.48e-07, | 3.44e-06] |
| 7  | SNES | Function | norm | 3.09e-06 | [2.12e-06, | 9.82e-08, | 2.27e-06] |
| 8  | SNES | Function | norm | 2.05e-06 | [1.40e-06, | 6.52e-08, | 1.50e-06] |
| 9  | SNES | Function | norm | 1.36e-06 | [9.35e-07, | 4.34e-08, | 1.00e-06] |
| 10 | SNES | Function | norm | 9.03e-07 | [6.21e-07, | 2.89e-08, | 6.64e-07] |
| 11 | SNES | Function | norm | 6.00e-07 | [4.13e-07, | 1.94e-08, | 4.41e-07] |
| 12 | SNES | Function | norm | 3.99e-07 | [2.75e-07, | 1.30e-08, | 2.94e-07] |
| 13 | SNES | Function | norm | 2.67e-07 | [1.84e-07, | 8.84e-09, | 1.96e-07] |
| 14 | SNES | Function | norm | 1.78e-07 | [1.23e-07, | 6.01e-09, | 1.31e-07] |
| 15 | SNES | Function | norm | 1.20e-07 | [8.31e-08, | 4.12e-09, | 8.80e-08] |
| 16 | SNES | Function | norm | 8.12e-08 | [5.64e-08, | 2.85e-09, | 5.94e-08] |
| 17 | SNES | Function | norm | 5.55e-08 | [3.87e-08, | 1.99e-09, | 4.05e-08] |
| 18 | SNES | Function | norm | 3.86e-08 | [2.70e-08, | 1.41e-09, | 2.80e-08] |
| 19 | SNES | Function | norm | 2.74e-08 | [1.93e-08, | 1.01e-09, | 1.97e-08] |
| 20 | SNES | Function | norm | 2.00e-08 | [1.43e-08, | 7.48e-10, | 1.44e-08] |

1 TS dt 0.005 time 0.83



# What does this mean?

- PETSc allows comparison between  
Meshes,  
Discretizations, and  
Solvers
- Can allow more robust, scalable solves
- Can allow better physical fidelity

<http://www.mcs.anl.gov/petsc>

# What does this mean?

There are a bunch of unanswered analytical questions:

- Is the hybrid method stable? Working on a proof.
- Can we use the Implicit-Input/Explicit-Output scheme to increase the timestep?
- What is the accuracy/degree of freedom?

<http://www.mcs.anl.gov/petsc>