

CSE 113 A

September 28 – October 2, 2009

Announcements

- ⊙ No classes held on Monday, 9/28 until 6:00pm – university holiday.
- ⊙ Lab 1 due 10/2
- ⊙ Exam Review 10/5 in lecture – see posted review questions
- ⊙ Exam 1 10/7

2



Instance Variables

- ⊙ Sometimes, we need our objects to keep track of certain data
- ⊙ Syntax for declaring an instance variable (this goes inside the class, but outside any method definitions)

private type identifier;

- ⊙ **private** is a keyword that is needed – we'll discuss more about it later
- ⊙ **type** is the type of the variable – what kind of information are we going to store?
- ⊙ **identifier** is the name of the variable – programmer chooses the names of variables

3



Instance Variables

- ⊙ When we have instance variables, we need to use the constructor to give those variables initial values.
- ⊙ To assign a value to a variable, we need to use the assignment operator (which is the equals sign)
- ⊙ It is important to remember that assignment statements work right to left – the right hand side of the statement is evaluated first and then that value is stored in the variable given on the left hand side

4



If-else statements

- In our first conditional statement:

```
if(condition)
```

```
{
```

```
}
```

- Execution worked in the following way, if the condition was true, the code in the {} was executed. If it was false, nothing happened.



5

If-else statements

- We are going to add another clause to the if-statement, the "else" clause allows for a different kind of interaction – it allows for two possibilities – one to execute when the condition is true and one to execute when it is false.

- Syntax

```
if (condition)
```

```
{
```

```
}
```

```
else
```

```
{
```

```
}
```



6