


LECTURE - V  
**CPU SCHEDULING - I**

Tevfik Koşar

University at Buffalo  
September 13<sup>th</sup>, 2011

## Roadmap

- CPU Scheduling
  - Basic Concepts
  - Scheduling Criteria & Metrics
  - Different Scheduling Algorithms
    - FCFS
    - SJF
    - Priority
    - RR




2

## Basic Concepts

- Multiprogramming is needed for efficient CPU utilization
- CPU Scheduling: deciding which processes to execute when
- Process execution begins with a **CPU burst**, followed by an **I/O burst**
- CPU-I/O Burst Cycle - Process execution consists of a *cycle* of CPU execution and I/O wait


3

## Alternating Sequence of CPU And I/O Bursts



4


## Histogram of CPU-burst Durations



5

## Process State

- As a process executes, it changes *state*
  - **new**: The process is being created
  - **ready**: The process is waiting to be assigned to a process
  - **running**: Instructions are being executed
  - **waiting**: The process is waiting for some event to occur
  - **terminated**: The process has finished execution



6

## CPU Scheduler

- Selects from among the processes in memory that are ready to execute, and allocates the CPU to one of them  
→ short-term scheduler
- CPU scheduling decisions may take place when a process:
  - Switches from running to waiting state
  - Switches from running to ready state
  - Switches from waiting to ready
  - Terminates
  - A new process arrives
- Scheduling under 1 and 4 is *nonpreemptive/cooperative*
  - Once a process gets the CPU, keeps it until termination/switching to waiting state/release of the CPU
- All other scheduling is *preemptive*
  - Most OS use this
  - Cost associated with access to shared data
  - i.e. time quota expires

7

## Dispatcher

- Dispatcher module gives control of the CPU to the process selected by the short-term scheduler;  
Its function involves:
  - switching context
  - switching to user mode
  - jumping to the proper location in the user program to restart that program
- Dispatch latency* - time it takes for the dispatcher to stop one process and start another running

8

## Scheduling Criteria

- CPU utilization** - keep the CPU as busy as possible  
--> **maximize**
- Throughput** - # of processes that complete their execution per time unit --> **maximize**
- Turnaround time** - amount of time passed to finish execution of a particular process --> **minimize**
  - i.e. execution time + waiting time
- Waiting time** - total amount of time a process has been waiting in the ready queue --> **minimize**
- Response time** - amount of time it takes from when a request was submitted until the first response is produced, **not output** (for time-sharing environment) --> **minimize**

9

## Optimization Criteria


- Maximize CPU utilization
- Maximize throughput
- Minimize turnaround time
- Minimize waiting time
- Minimize response time

10

## Scheduling Metrics

### Scheduling metrics


- ✓ arrival time  $t_a$  = time the process became "Ready" (again)
- ✓ wait time  $T_w$  = time spent waiting for the CPU
- ✓ service time  $T_s$  = time spent executing in the CPU
- ✓ turnaround time  $T_r$  = total time spent waiting and executing



11

## First-Come, First-Served (FCFS) Scheduling

- ✓ processes are assigned the CPU in the order they request it
- ✓ when the running process blocks, the first "Ready" is run next
- ✓ when a process gets "Ready", it is put at the end of the queue



12

## FCFS Scheduling - Example

Process	Burst Time
$P_1$	24
$P_2$	3
$P_3$	3

- Suppose that the processes arrive in the order:  $P_1, P_2, P_3$

The Gantt Chart for the schedule is:



- Waiting time for  $P_1 = 0$ ;  $P_2 = 24$ ;  $P_3 = 27$
- Average waiting time:  $(0 + 24 + 27)/3 = 17$

13

## FCFS Scheduling - Example

Suppose that the processes arrive in the order

$P_2, P_3, P_1$

- The Gantt chart for the schedule is:



- Waiting time for  $P_1 = 6$ ;  $P_2 = 0$ ;  $P_3 = 3$
- Average waiting time:  $(6 + 0 + 3)/3 = 3$
- Much better than previous case
- Convo effect** short process behind long process

14


## Shortest-Job-First (SJF) Scheduling

- Associate with each process the length of its next CPU burst. Use these lengths to schedule the process with the shortest time
- Two schemes:
  - nonpreemptive** - once CPU given to the process it cannot be preempted until completes its CPU burst
  - preemptive** - if a new process arrives with CPU burst length less than remaining time of current executing process, preempt. --> This scheme is known as the **Shortest-Remaining-Time-First (SRTF)**
- SJF is optimal - gives minimum average waiting time for a given set of processes

15

## Non-Preemptive SJF

- nonpreemptive, assumes the run times are known in advance
- among several equally important “Ready” jobs (or CPU bursts), the scheduler picks the one that will finish the earliest




Stalling, W. (2004) Operating Systems: Internals and Design Principles (5th Edition).

16

## Non-Preemptive SJF - Example

Process	Arrival Time	Burst Time
$P_1$	0.0	7
$P_2$	2.0	4
$P_3$	4.0	1
$P_4$	5.0	4

- SJF (non-preemptive) Gantt Chart




- Average waiting time =  $(0 + 6 + 3 + 7)/4 = 4$

17

## Preemptive SJF (SRT)

### Shortest Remaining Time (SRT)

- preemptive version of SJF, also assumes known run time
- choose the process whose remaining run time is shortest
- allows new short jobs to get good service




Stalling, W. (2004) Operating Systems: Internals and Design Principles (5th Edition).

18

## Example of Preemptive SJF

Process	Arrival Time	Burst Time
$P_1$	0.0	7
$P_2$	2.0	4
$P_3$	4.0	1
$P_4$	5.0	4

- SJF (preemptive) Gantt Chart



19

## Priority Scheduling

- A priority number (integer) is associated with each process
- The CPU is allocated to the process with the highest priority (smallest integer = highest priority)
  - Preemptive
  - nonpreemptive
- SJF is a priority scheduling where priority is the predicted next CPU burst time
- Problem = **Starvation** - low priority processes may never execute
- Solution = **Aging** - as time progresses increase the priority of the process

20

## Example of Priority

Process	Arrival Time	Burst Time	Priority
$P_1$	0.0	7	2
$P_2$	2.0	4	1
$P_3$	4.0	1	4
$P_4$	5.0	4	3

- Priority (non-preemptive)
  - $P_1 \rightarrow P_2 \rightarrow P_4 \rightarrow P_3$
- Priority (preemptive)
  - ??

21


## Round Robin (RR)

- Each process gets a small unit of CPU time (**time quantum**), usually 10-100 milliseconds. After this time has elapsed, the process is preempted and added to the end of the ready queue.
- If there are  $n$  processes in the ready queue and the time quantum is  $q$ , then each process gets  $1/n$  of the CPU time in chunks of at most  $q$  time units at once. No process waits more than  $(n-1)q$  time units.
- Performance
  - $q$  large  $\Rightarrow$  FIFO
  - $q$  small  $\Rightarrow$   $q$  must be large with respect to context switch, otherwise overhead is too high

22

## Round Robin (RR)


- ✓ preemptive FCFS, based on a timeout interval, the **quantum  $q$**
- ✓ the running process is interrupted by the clock and put last in a FIFO "Ready" queue; then, the first "Ready" process is run instead



## Example of RR with Time Quantum = 20

Process	Burst Time
$P_1$	53
$P_2$	17
$P_3$	68
$P_4$	24


- For  $q=20$ , the Gantt chart is:



Typically, higher average turnaround than SJF, but better response


25

## Time Quantum and Context Switch Time



26

## Turnaround Time Varies With The Time Quantum



27

## Exercise

Process ID	Arrival Time	Priority	Burst Time
A	0	3	20
B	5	1	15
C	10	2	10
D	15	4	5

- Draw gantt charts, find average turnaround and waiting times for above processes, considering:
  - 1) First Come First Served Scheduling
  - 2) Shortest Job First Scheduling (non-preemptive)
  - 3) Shortest Job First Scheduling (preemptive)
  - 4) Round-Robin Scheduling
  - 5) Priority Scheduling (non-preemptive)
  - 6) Priority Scheduling (preemptive)

28

## Summary

- CPU Scheduling
  - Basic Concepts
  - Scheduling Criteria & Metrics
  - Different Scheduling Algorithms
    - FCFS
    - SJF
    - Priority
    - RR
- Next Lecture: Project Overview
- Reading Assignment: Chapter 5 from Silberschatz.



29

## Acknowledgements

- “Operating Systems Concepts” book and supplementary material by A. Silberschatz, P. Galvin and G. Gagne
- “Operating Systems: Internals and Design Principles” book and supplementary material by W. Stallings
- “Modern Operating Systems” book and supplementary material by A. Tanenbaum
- R. Doursat and M. Yuksel from UNR

30