

Large-Scale Bayesian Learning with Stochastic Gradient Markov Chain Monte Carlo

Changyou Chen

Department of Electrical and Computer Engineering, Duke University
cc448@duke.edu

Xidian University
August 19, 2016

Stochastic gradient Markov chain Monte Carlo:

- A new technique for approximate Bayesian sampling.
- It is about **scalable** Bayesian learning for **big data**.
- It draws samples $\{\theta\}$'s from $p(\theta; \mathbf{D})$ where $p(\theta; \mathbf{D})$ is too expensive to be evaluated in each iteration.

Outline

- 1 Basics on Bayesian Modeling
- 2 Stochastic Gradient Markov Chain Monte Carlo
- 3 SG-MCMC for Stochastic Optimization

Large-Scale Bayesian Learning with Stochastic Gradient Markov Chain Monte Carlo Methods

Part One: Basics on Bayesian Modeling

- 1 Basics on Bayesian Modeling
 - Bayesian modeling
 - Markov chain Monte Carlo

- 1 Basics on Bayesian Modeling
 - Bayesian modeling
 - Markov chain Monte Carlo

Background

- 1 We are in an era of abundant data:
 - ▶ text, images, videos from the Internet; raw medical notes from doctors, *etc*
- 2 We need tools for modeling, searching, visualizing, and understanding large-scale data sets.
- 3 We want our modeling tools:
 - ▶ faithfully represent uncertainty in our model structure and parameters
 - ▶ automatically deal with noise in our data
 - ▶ exhibit robustness
- 4 Modeling from two aspects: Bayesian and Frequentist.

Background

- 1 We are in an era of abundant data:
 - ▶ text, images, videos from the Internet; raw medical notes from doctors, *etc*
- 2 We need tools for modeling, searching, visualizing, and understanding large-scale data sets.
- 3 We want our modeling tools:
 - ▶ faithfully represent uncertainty in our model structure and parameters
 - ▶ automatically deal with noise in our data
 - ▶ exhibit robustness
- 4 Modeling from two aspects: Bayesian and Frequentist.

Bayesian vs. Frequentist

- When generating data:

Frequentist:

- 1 Data are a repeatable random sample:
 - ▶ there is a frequency
 - 2 Underlying parameters remain constant during this repeatable process.
 - 3 Parameters are fixed.
 - 4 Task is to learn values of the unknown parameters.
- 1 Data are observed from the realized samples.
 - 2 Parameters are unknown and described probabilistically.
 - 3 Data are fixed.
 - 4 Task is to learn distributions of the unknown parameters.
- In Bayesian modeling, parameters are treated as random variables. The prior is just the prior belief about these parameters.

Bayesian vs. Frequentist

- When generating data:

Frequentist:

- 1 Data are a repeatable random sample:
 - ▶ there is a frequency
- 2 Underlying parameters remain constant during this repeatable process.
- 3 Parameters are fixed.
- 4 Task is to learn values of the unknown parameters.

Bayesian:

- 1 Data are observed from the realized samples.
- 2 Parameters are unknown and described probabilistically.
- 3 Data are fixed.
- 4 Task is to learn distributions of the unknown parameters.

- In Bayesian modeling, parameters are treated as random variables. The prior is just the prior belief about these parameters.

Bayesian vs. Frequentist

- When generating data:

Frequentist:

- 1 Data are a repeatable random sample:
 - ▶ there is a frequency
- 2 Underlying parameters remain constant during this repeatable process.
- 3 Parameters are fixed.
- 4 Task is to learn values of the unknown parameters.

Bayesian:

- 1 Data are observed from the realized samples.
- 2 Parameters are unknown and described probabilistically.
- 3 Data are fixed.
- 4 Task is to learn distributions of the unknown parameters.

- In Bayesian modeling, parameters are treated as random variables. The prior is just the prior belief about these parameters.

Bayes' rule

$$p(\mathcal{M}|\mathcal{D}) = \frac{p(\mathcal{D}, \mathcal{M})}{p(\mathcal{D})} = \frac{p(\mathcal{M})p(\mathcal{D}|\mathcal{M})}{\int p(\mathcal{M})p(\mathcal{D}|\mathcal{M})d\mathcal{M}} = \frac{p(\mathcal{M})p(\mathcal{D}|\mathcal{M})}{p(\mathcal{D})},$$

where \mathcal{M} and \mathcal{D} are **events**

- $p(\mathcal{M})$ and $p(\mathcal{D})$: the **probabilities** of observing \mathcal{M} and \mathcal{D}
- $p(\mathcal{D}|\mathcal{M})$, a **conditional probability**, the probability of observing event \mathcal{D} given that \mathcal{M} is true
- $p(\mathcal{M}|\mathcal{D})$: the **probability** of observing event \mathcal{M} given that \mathcal{D} is true



Bayes' rule in machine learning

- 1 Let \mathcal{D} be a given data set; \mathcal{M} be a model.

$$p(\mathcal{M}|\mathcal{D}) = \frac{p(\mathcal{M})p(\mathcal{D}|\mathcal{M})}{p(\mathcal{D})}$$

$p(\mathcal{M})$: prior probability of \mathcal{M}
 $p(\mathcal{D}|\mathcal{M})$: likelihood of \mathcal{M} on data
 $p(\mathcal{M}|\mathcal{D})$: posterior probability
 $p(\mathcal{D})$: marginal likelihood

- 2 Model comparison: $\mathbb{M} = \{\mathcal{M}\}$.

$$p(\mathbb{M}|\mathcal{D}) = \frac{p(\mathcal{D}|\mathbb{M})p(\mathbb{M})}{p(\mathcal{D})}, \quad p(\mathcal{D}|\mathbb{M}) = \int p(\mathcal{D}|\mathcal{M}, \mathbb{M})p(\mathcal{M}|\mathbb{M})d\mathcal{M}$$

- 3 Prediction under posterior distribution:

$$p(\mathbf{x}|\mathcal{D}, \mathbb{M}) = \int p(\mathbf{x}|\mathcal{M}, \mathcal{D}, \mathbb{M})p(\mathcal{M}|\mathcal{D}, \mathbb{M})d\mathcal{M}$$

► $p(\mathbf{x}|\mathcal{M}, \mathcal{D}, \mathbb{M}) = p(\mathbf{x}|\mathcal{M})$ for most models

Bayes' rule in machine learning

- 1 Let \mathcal{D} be a given data set; \mathcal{M} be a model.

$$p(\mathcal{M}|\mathcal{D}) = \frac{p(\mathcal{M})p(\mathcal{D}|\mathcal{M})}{p(\mathcal{D})}$$

$p(\mathcal{M})$: prior probability of \mathcal{M}
 $p(\mathcal{D}|\mathcal{M})$: likelihood of \mathcal{M} on data
 $p(\mathcal{M}|\mathcal{D})$: posterior probability
 $p(\mathcal{D})$: marginal likelihood

- 2 Model comparison: $\mathbb{M} = \{\mathcal{M}\}$.

$$p(\mathbb{M}|\mathcal{D}) = \frac{p(\mathcal{D}|\mathbb{M})p(\mathbb{M})}{p(\mathcal{D})}, \quad p(\mathcal{D}|\mathbb{M}) = \int p(\mathcal{D}|\mathcal{M}, \mathbb{M})p(\mathcal{M}|\mathbb{M})d\mathcal{M}$$

- 3 Prediction under posterior distribution:

$$p(\mathbf{x}|\mathcal{D}, \mathbb{M}) = \int p(\mathbf{x}|\mathcal{M}, \mathcal{D}, \mathbb{M})p(\mathcal{M}|\mathcal{D}, \mathbb{M})d\mathcal{M}$$

- $p(\mathbf{x}|\mathcal{M}, \mathcal{D}, \mathbb{M}) = p(\mathbf{x}|\mathcal{M})$ for most models

Why be Bayesian?

Theoretically:

1 Infinite Exchangeability:

$$\forall n, \forall \pi \text{ (permutation)}, p(\mathbf{x}_1, \dots, \mathbf{x}_n) = p(\mathbf{x}_{\pi(1)}, \dots, \mathbf{x}_{\pi(n)})$$

2 Infinite exchangeability means:

- ▶ The way data items are ordered or indexed does not matter
- ▶ Model is unaffected by existence of additional unobserved data items, *e.g.*, test items
 - ★ to predict m additional test items, we need

$$p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{x}_{n+1}, \dots, \mathbf{x}_{n+m})$$

- ★ if not infinitely exchangeable, predictive probabilities will be different for different ordering of training data

3 Exchangeability is a common assumption for most models.

Why be Bayesian?

Theoretically:

1 Infinite Exchangeability:

$$\forall n, \forall \pi \text{ (permutation)}, p(\mathbf{x}_1, \dots, \mathbf{x}_n) = p(\mathbf{x}_{\pi(1)}, \dots, \mathbf{x}_{\pi(n)})$$

2 Infinite exchangeability means:

- ▶ The way data items are ordered or indexed does not matter
- ▶ Model is unaffected by existence of additional unobserved data items, *e.g.*, test items
 - ★ to predict m additional test items, we need

$$p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{x}_{n+1}, \dots, \mathbf{x}_{n+m})$$

- ★ if not infinitely exchangeable, predictive probabilities will be different for different ordering of training data

3 Exchangeability is a common assumption for most models.

Why be Bayesian?

Theoretically:

1 Infinite Exchangeability:

$$\forall n, \forall \pi \text{ (permutation)}, p(\mathbf{x}_1, \dots, \mathbf{x}_n) = p(\mathbf{x}_{\pi(1)}, \dots, \mathbf{x}_{\pi(n)})$$

2 Infinite exchangeability means:

- ▶ The way data items are ordered or indexed does not matter
- ▶ Model is unaffected by existence of additional unobserved data items, *e.g.*, test items
 - ★ to predict m additional test items, we need

$$p(\mathbf{x}_1, \dots, \mathbf{x}_n, \mathbf{x}_{n+1}, \dots, \mathbf{x}_{n+m})$$

- ★ if not infinitely exchangeable, predictive probabilities will be different for different ordering of training data

3 Exchangeability is a common assumption for most models.

Why be Bayesian?

Theoretically:

- 1 Infinite Exchangeability:

$$\forall n, \forall \pi \text{ (permutation)}, p(\mathbf{x}_1, \dots, \mathbf{x}_n) = p(\mathbf{x}_{\pi(1)}, \dots, \mathbf{x}_{\pi(n)})$$

- 2 De Finetti's Theorem (1955): if $(\mathbf{x}_1, \mathbf{x}_2, \dots)$ are infinitely exchangeable, then $\forall n$,

$$p(\mathbf{x}_1, \dots, \mathbf{x}_n) = \int \prod_{i=1}^n p(\mathbf{x}_i | \mathcal{M}) dP(\mathcal{M})$$

for some random variable \mathcal{M} with probability measure $P(\mathcal{M})$

- ▶ \mathcal{M} is the model in Bayes' rule, with prior measure P

Why be Bayesian?

Practically:

- 1 Model parameter uncertainty in prediction:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\mathcal{M}$$

- ▶ an effective way to deal with overfitting

- 2 In frequentist, the data are generated from a fixed model \mathcal{M}^* , the prediction is:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})\delta(\mathcal{M} = \mathcal{M}^*)d\mathcal{M} = p(\mathbf{x}|\mathcal{M}^*)$$

where \mathcal{M}^* is usually obtained using optimization

- ▶ easily get overfitting when optimizing \mathcal{M}^*

Why be Bayesian?

Practically:

- 1 Model parameter uncertainty in prediction:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\mathcal{M}$$

- ▶ an effective way to deal with overfitting

- 2 In frequentist, the data are generated from a fixed model \mathcal{M}^* , the prediction is:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})\delta(\mathcal{M} = \mathcal{M}^*)d\mathcal{M} = p(\mathbf{x}|\mathcal{M}^*)$$

where \mathcal{M}^* is usually obtained using optimization

- ▶ easily get overfitting when optimizing \mathcal{M}^*

Challenges for being Bayesian

- 1 Computing integrals could be computationally intractable.
- 2 Prediction:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\mathcal{M}$$

- 3 The presence of latent variables results in additional dimensions that need to be marginalized out.

$$p(\mathbf{x}|\mathcal{D}) = \int \int p(\mathbf{x}, \theta|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\theta d\mathcal{M}$$

Challenges for being Bayesian

- 1 Computing integrals could be computationally intractable.
- 2 Prediction:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\mathcal{M}$$

- 3 The presence of latent variables results in additional dimensions that need to be marginalized out.

$$p(\mathbf{x}|\mathcal{D}) = \int \int p(\mathbf{x}, \theta|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\theta d\mathcal{M}$$

Challenges for being Bayesian

- 1 Computing integrals could be computationally intractable.
- 2 Prediction:

$$p(\mathbf{x}|\mathcal{D}) = \int p(\mathbf{x}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\mathcal{M}$$

- 3 The presence of latent variables results in additional dimensions that need to be marginalized out.

$$p(\mathbf{x}|\mathcal{D}) = \int \int p(\mathbf{x}, \boldsymbol{\theta}|\mathcal{M})p(\mathcal{M}|\mathcal{D})d\boldsymbol{\theta} d\mathcal{M}$$

Approximation methods for marginalization¹

- 1 Laplace approximation
- 2 Bayesian Information Criterion (BIC)
- 3 Variational inference
- 4 Expectation Propagation (EP)
- 5 Markov chain Monte Carlo methods (MCMC)
- 6 ...

¹from Zoubin Ghahramani's talk

Approximation methods for marginalization¹

- 1 Laplace approximation
- 2 Bayesian Information Criterion (BIC)
- 3 Variational inference
- 4 Expectation Propagation (EP)
- 5 Markov chain Monte Carlo methods (MCMC)**
- 6 ...

¹from Zoubin Ghahramani's talk

- 1 Basics on Bayesian Modeling
 - Bayesian modeling
 - Markov chain Monte Carlo


Monte Carlo methods

- Monte Carlo method is about drawing a set of samples:

$$\theta_l \sim p(\theta), \quad l = 1, 2, \dots, L$$

- Approximate the target distribution $p(\theta)$ as count frequency:

$$p(\theta) \approx \frac{1}{L} \sum_{l=1}^L \delta(\theta, \theta_l)$$



- An intractable integration is approximated as:

$$\int f(\theta)p(\theta) \approx \frac{1}{L} \sum_{l=1}^L f(\theta_l)$$

- In Bayesian modeling, $p(\theta)$ is usually a posterior distribution, the integral is a predicted quantity.


Monte Carlo methods

- Monte Carlo method is about drawing a set of samples:

$$\theta_l \sim p(\theta), \quad l = 1, 2, \dots, L$$

- Approximate the target distribution $p(\theta)$ as count frequency:

$$p(\theta) \approx \frac{1}{L} \sum_{l=1}^L \delta(\theta, \theta_l)$$



- An intractable integration is approximated as:

$$\int f(\theta)p(\theta) \approx \frac{1}{L} \sum_{l=1}^L f(\theta_l)$$

- In Bayesian modeling, $p(\theta)$ is usually a posterior distribution, the integral is a predicted quantity.


Monte Carlo methods

- Monte Carlo method is about drawing a set of samples:

$$\theta_l \sim p(\theta), \quad l = 1, 2, \dots, L$$

- Approximate the target distribution $p(\theta)$ as count frequency:

$$p(\theta) \approx \frac{1}{L} \sum_{l=1}^L \delta(\theta, \theta_l)$$



- An intractable integration is approximated as:

$$\int f(\theta)p(\theta) \approx \frac{1}{L} \sum_{l=1}^L f(\theta_l)$$

- In Bayesian modeling, $p(\theta)$ is usually a posterior distribution, the integral is a predicted quantity.


Monte Carlo methods

- Monte Carlo method is about drawing a set of samples:

$$\theta_l \sim p(\theta), \quad l = 1, 2, \dots, L$$

- Approximate the target distribution $p(\theta)$ as count frequency:

$$p(\theta) \approx \frac{1}{L} \sum_{l=1}^L \delta(\theta, \theta_l)$$



- An intractable integration is approximated as:

$$\int f(\theta)p(\theta) \approx \frac{1}{L} \sum_{l=1}^L f(\theta_l)$$

- In Bayesian modeling, $p(\theta)$ is usually a posterior distribution, the integral is a predicted quantity.

How does the approximation work?

- 1 An intractable integration is approximated as:

$$\int f(\boldsymbol{\theta})p(\boldsymbol{\theta}) \approx \frac{1}{L} \sum_{l=1}^L f(\boldsymbol{\theta}_l) \triangleq \tilde{f}$$

- 2 If $\{\boldsymbol{\theta}_l\}$'s are independent:

$$\mathbb{E}\tilde{f} = \mathbb{E}f, \quad \text{Var}(\tilde{f}) = \frac{1}{L}\text{Var}(f)$$

- ▶ the variance decreases linearly w.r.t. the number of samples, and independent of the dimension of $\boldsymbol{\theta}$
- 3 However, obtaining independent samples is hard:
- ▶ usually resort to drawing dependent samples with **Markov chain Monte Carlo** (MCMC)

How does the approximation work?

- 1 An intractable integration is approximated as:

$$\int f(\boldsymbol{\theta})p(\boldsymbol{\theta}) \approx \frac{1}{L} \sum_{l=1}^L f(\boldsymbol{\theta}_l) \triangleq \tilde{f}$$

- 2 If $\{\boldsymbol{\theta}_l\}$'s are independent:

$$\mathbb{E}\tilde{f} = \mathbb{E}f, \quad \text{Var}(\tilde{f}) = \frac{1}{L}\text{Var}(f)$$

- ▶ the variance decreases linearly w.r.t. the number of samples, and independent of the dimension of $\boldsymbol{\theta}$

- 3 However, obtaining independent samples is hard:

- ▶ usually resort to drawing dependent samples with **Markov chain Monte Carlo** (MCMC)

How does the approximation work?

- 1 An intractable integration is approximated as:

$$\int f(\boldsymbol{\theta})p(\boldsymbol{\theta}) \approx \frac{1}{L} \sum_{l=1}^L f(\boldsymbol{\theta}_l) \triangleq \tilde{f}$$

- 2 If $\{\boldsymbol{\theta}_l\}$'s are independent:

$$\mathbb{E}\tilde{f} = \mathbb{E}f, \quad \text{Var}(\tilde{f}) = \frac{1}{L}\text{Var}(f)$$

- ▶ the variance decreases linearly w.r.t. the number of samples, and independent of the dimension of $\boldsymbol{\theta}$
- 3 However, obtaining independent samples is hard:
- ▶ usually resort to drawing dependent samples with **Markov chain Monte Carlo** (MCMC)

MCMC example: a Gaussian model

- 1 Assume the following generative process (with $\alpha = 5, \beta = 1$):

$$\begin{aligned}x_i | \mu, \tau &\sim N(\mu, 1/\tau), \quad i = 1, \dots, n = 1000 \\ \mu | \tau, \{x_i\} &\sim N(\mu_0, 1/\tau), \\ \tau &\sim \text{Gamma}(\alpha, \beta)\end{aligned}$$

- 2 Posterior distribution:

$$p(\mu, \tau | \{x_i\}) \propto \left[\prod_{i=1}^n N(x_i; \mu, 1/\tau) \right] N(\mu; \mu_0, 1/\tau) \text{Gamma}(\tau; \alpha, \beta)$$

- 3 Marginal posterior distributions for μ and τ are available:

$$p(\mu | \{x_i\}) \propto \left(2\beta + (\mu - \mu_0)^2 + \sum_i (x_i - \mu)^2 \right)^{-\alpha - (n+1)/2}$$

$$p(\tau | \{x_i\}) = \text{Gamma} \left(\alpha + \frac{n}{2}, \beta + \frac{1}{2} \sum_i (x_i - \bar{x})^2 + \frac{n}{2(n+1)} (\bar{x} - \mu_0)^2 \right)$$

- $p(\mu | \{x_i\})$ is a non-standardized Student's t -distribution with mean $(\sum_i x_i + \mu_0) / (n + 1)$

MCMC example: a Gaussian model

- 1 Assume the following generative process (with $\alpha = 5, \beta = 1$):

$$\begin{aligned}x_i | \mu, \tau &\sim N(\mu, 1/\tau), \quad i = 1, \dots, n = 1000 \\ \mu | \tau, \{x_i\} &\sim N(\mu_0, 1/\tau), \\ \tau &\sim \text{Gamma}(\alpha, \beta)\end{aligned}$$

- 2 Posterior distribution:

$$p(\mu, \tau | \{x_i\}) \propto \left[\prod_{i=1}^n N(x_i; \mu, 1/\tau) \right] N(\mu; \mu_0, 1/\tau) \text{Gamma}(\tau; \alpha, \beta)$$

- 3 Marginal posterior distributions for μ and τ are available:

$$p(\mu | \{x_i\}) \propto \left(2\beta + (\mu - \mu_0)^2 + \sum_i (x_i - \mu)^2 \right)^{-\alpha - (n+1)/2}$$

$$p(\tau | \{x_i\}) = \text{Gamma} \left(\alpha + \frac{n}{2}, \beta + \frac{1}{2} \sum_i (x_i - \bar{x})^2 + \frac{n}{2(n+1)} (\bar{x} - \mu_0)^2 \right)$$

- $p(\mu | \{x_i\})$ is a non-standardized Student's t -distribution with mean $(\sum_i x_i + \mu_0)/(n+1)$

MCMC example: a Gaussian model

- 1 Assume the following generative process (with $\alpha = 5, \beta = 1$):

$$\begin{aligned}x_i | \mu, \tau &\sim N(\mu, 1/\tau), \quad i = 1, \dots, n = 1000 \\ \mu | \tau, \{x_i\} &\sim N(\mu_0, 1/\tau), \\ \tau &\sim \text{Gamma}(\alpha, \beta)\end{aligned}$$

- 2 Posterior distribution:

$$p(\mu, \tau | \{x_i\}) \propto \left[\prod_{i=1}^n N(x_i; \mu, 1/\tau) \right] N(\mu; \mu_0, 1/\tau) \text{Gamma}(\tau; \alpha, \beta)$$

- 3 Marginal posterior distributions for μ and τ are available:

$$p(\mu | \{x_i\}) \propto \left(2\beta + (\mu - \mu_0)^2 + \sum_i (x_i - \mu)^2 \right)^{-\alpha - (n+1)/2}$$

$$p(\tau | \{x_i\}) = \text{Gamma} \left(\alpha + \frac{n}{2}, \beta + \frac{1}{2} \sum_i (x_i - \bar{x})^2 + \frac{n}{2(n+1)} (\bar{x} - \mu_0)^2 \right)$$


- $p(\mu | \{x_i\})$ is a non-standardized Student's t -distribution with mean $(\sum_i x_i + \mu_0)/(n+1)$

1 Conditional distributions:

$$\mu|\tau, \{x_i\} \sim N\left(\frac{n}{n+1}\bar{x} + \frac{1}{n+1}\mu_0, \frac{1}{(n+1)\tau}\right)$$


$$\tau|\mu, \{x_i\} \sim \text{Gamma}\left(\alpha + \frac{n+1}{2}, \beta + \frac{\sum_i (x_i - \mu)^2 + (\mu - \mu_0)^2}{2}\right)$$

Trace plot for μ




Sample approximation for μ

- True posterior is a non-standardized Student's t -distribution.




Trace plot for τ



Sample approximation for τ

- True posterior is a Gamma distribution.



Markov chain Monte Carlo methods

- 1 We are interested in drawing samples from some desired distribution $p^*(\theta) = \frac{1}{Z} \tilde{p}^*(\theta)$.
- 2 Define a Markov chain:

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $\theta_0 \sim p_0(\theta)$, $\theta_1 \sim p_1(\theta)$, \dots , satisfying

$$p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta,$$

where $T(\theta \rightarrow \theta')$ is the Markov chain transition probability from θ to θ' .

- 3 We say $p^*(\theta)$ is an invariant (stationary) distribution of the Markov chain iff:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

Markov chain Monte Carlo methods

- 1 We are interested in drawing samples from some desired distribution $p^*(\theta) = \frac{1}{Z} \tilde{p}^*(\theta)$.
- 2 Define a Markov chain:

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $\theta_0 \sim p_0(\theta)$, $\theta_1 \sim p_1(\theta)$, \dots , satisfying

$$p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta,$$

where $T(\theta \rightarrow \theta')$ is the Markov chain transition probability from θ to θ' .

- 3 We say $p^*(\theta)$ is an invariant (stationary) distribution of the Markov chain iff:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

Markov chain Monte Carlo methods

- 1 We are interested in drawing samples from some desired distribution $p^*(\theta) = \frac{1}{Z} \tilde{p}^*(\theta)$.
- 2 Define a Markov chain:

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $\theta_0 \sim p_0(\theta)$, $\theta_1 \sim p_1(\theta)$, \dots , satisfying

$$p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta,$$

where $T(\theta \rightarrow \theta')$ is the Markov chain transition probability from θ to θ' .

- 3 We say $p^*(\theta)$ is an invariant (stationary) distribution of the Markov chain iff:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

Markov chain Monte Carlo methods

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta$.

- 1 An invariant (stationary) distribution satisfies:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

- 2 If the Markov chain is ergodic², we have:

$$\lim_{t \rightarrow \infty} p_t(\theta) = p^*(\theta)$$

- 3 The task is to design appropriate transition kernel $T(\theta \rightarrow \theta')$, so that its invariant distribution coincides $p^*(\theta)$.

²It could go from every state to every state.

Markov chain Monte Carlo methods

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta$.

- 1 An invariant (stationary) distribution satisfies:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

- 2 If the Markov chain is ergodic², we have:

$$\lim_{t \rightarrow \infty} p_t(\theta) = p^*(\theta)$$

- 3 The task is to design appropriate transition kernel $T(\theta \rightarrow \theta')$, so that its invariant distribution coincides $p^*(\theta)$.

²It could go from every state to every state.

Markov chain Monte Carlo methods

$$\theta_0 \rightarrow \theta_1 \rightarrow \theta_2 \rightarrow \theta_3 \rightarrow \theta_4 \rightarrow \theta_5 \rightarrow \dots$$

where $p_t(\theta') = \int p_{t-1}(\theta) T(\theta \rightarrow \theta') d\theta$.

- 1 An invariant (stationary) distribution satisfies:

$$p^*(\theta') = \int p^*(\theta) T(\theta \rightarrow \theta') d\theta$$

- 2 If the Markov chain is ergodic², we have:

$$\lim_{t \rightarrow \infty} p_t(\theta) = p^*(\theta)$$

- 3 The task is to design appropriate transition kernel $T(\theta \rightarrow \theta')$, so that its invariant distribution coincides $p^*(\theta)$.

²It could go from every state to every state.

Markov chain Monte Carlo methods

- 1 A sufficient (but not necessary) condition to guarantee an invariant distribution is the detailed balance condition:

$$p^*(\theta')T(\theta' \rightarrow \theta) = p^*(\theta)T(\theta \rightarrow \theta')$$

Markov chain Monte Carlo methods

- 1 A sufficient (but not necessary) condition to guarantee an invariant distribution is the detailed balance condition:

$$p^*(\theta')T(\theta' \rightarrow \theta) = p^*(\theta)T(\theta \rightarrow \theta')$$

Proof.

Taking integration on both sides over θ :

$$\begin{aligned}\int p^*(\theta')T(\theta' \rightarrow \theta)d\theta &= \int p^*(\theta)T(\theta \rightarrow \theta')d\theta \\ \implies p^*(\theta') \int T(\theta' \rightarrow \theta)d\theta &= \int p^*(\theta)T(\theta \rightarrow \theta')d\theta \\ \implies p^*(\theta') &= \int p^*(\theta)T(\theta \rightarrow \theta')d\theta ,\end{aligned}$$

by using the fact that $\int T(\theta' \rightarrow \theta)d\theta = 1$. □

Metropolis-Hasting algorithm

- 1 Design $T(\theta \rightarrow \theta')$ as the composition of a proposal distribution $q_t(\theta' | \theta)$ and an accept-reject mechanism.
- 2 At step t , draw a sample³ $\theta^* \sim q_t(\theta | \theta_{t-1})$, and accept it with probability:

$$A_t(\theta^*, \theta_{t-1}) = \min \left(1, \frac{\tilde{p}(\theta^*) q_t(\theta_{t-1} | \theta^*)}{\tilde{p}(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})} \right)$$

- 3 The acceptance can be done by:
 - ▶ draw a random variable $u \sim \text{Uniform}(0, 1)$
 - ▶ accept the sample if $A_t(\theta^*, \theta_{t-1}) > u$
- 4 The corresponding transition kernel satisfies the detailed balance condition, thus has an invariant probability $p^*(\theta)$.

³A standard setting of $q_t(\theta | \theta_{t-1})$ is a normal distribution with mean θ_{t-1} and tunable variance.

Metropolis-Hasting algorithm

- 1 Design $T(\theta \rightarrow \theta')$ as the composition of a proposal distribution $q_t(\theta' | \theta)$ and an accept-reject mechanism.
- 2 At step t , draw a sample³ $\theta^* \sim q_t(\theta | \theta_{t-1})$, and accept it with probability:

$$A_t(\theta^*, \theta_{t-1}) = \min \left(1, \frac{\tilde{p}(\theta^*) q_t(\theta_{t-1} | \theta^*)}{\tilde{p}(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})} \right)$$

- 3 The acceptance can be done by:
 - ▶ draw a random variable $u \sim \text{Uniform}(0, 1)$
 - ▶ accept the sample if $A_t(\theta^*, \theta_{t-1}) > u$
- 4 The corresponding transition kernel satisfies the detailed balance condition, thus has an invariant probability $p^*(\theta)$.

³A standard setting of $q_t(\theta | \theta_{t-1})$ is a normal distribution with mean θ_{t-1} and tunable variance.

Metropolis-Hasting algorithm

- 1 Design $T(\theta \rightarrow \theta')$ as the composition of a proposal distribution $q_t(\theta' | \theta)$ and an accept-reject mechanism.
- 2 At step t , draw a sample³ $\theta^* \sim q_t(\theta | \theta_{t-1})$, and accept it with probability:

$$A_t(\theta^*, \theta_{t-1}) = \min \left(1, \frac{\tilde{p}(\theta^*) q_t(\theta_{t-1} | \theta^*)}{\tilde{p}(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})} \right)$$

- 3 The acceptance can be done by:
 - ▶ draw a random variable $u \sim \text{Uniform}(0, 1)$
 - ▶ accept the sample if $A_t(\theta^*, \theta_{t-1}) > u$
- 4 The corresponding transition kernel satisfies the detailed balance condition, thus has an invariant probability $p^*(\theta)$.

³A standard setting of $q_t(\theta | \theta_{t-1})$ is a normal distribution with mean θ_{t-1} and tunable variance.

Metropolis-Hasting algorithm

- 1 Design $T(\theta \rightarrow \theta')$ as the composition of a proposal distribution $q_t(\theta' | \theta)$ and an accept-reject mechanism.
- 2 At step t , draw a sample³ $\theta^* \sim q_t(\theta | \theta_{t-1})$, and accept it with probability:

$$A_t(\theta^*, \theta_{t-1}) = \min \left(1, \frac{\tilde{p}(\theta^*) q_t(\theta_{t-1} | \theta^*)}{\tilde{p}(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})} \right)$$

- 3 The acceptance can be done by:
 - ▶ draw a random variable $u \sim \text{Uniform}(0, 1)$
 - ▶ accept the sample if $A_t(\theta^*, \theta_{t-1}) > u$
- 4 The corresponding transition kernel satisfies the detailed balance condition, thus has an invariant probability $p^*(\theta)$.

³A standard setting of $q_t(\theta | \theta_{t-1})$ is a normal distribution with mean θ_{t-1} and tunable variance.

Metropolis-Hasting algorithm

- 1 The corresponding transition kernel:

$$T(\theta \rightarrow \theta') = q_t(\theta^* | \theta_{t-1}) A_t(\theta^*, \theta_{t-1})$$

- 2 Satisfying the detailed balance condition:

$$\begin{aligned} & p(\theta_{t-1}) q_t(\theta^* | \theta_{t-1}) A_t(\theta^*, \theta_{t-1}) \\ &= \min(p(\theta_{t-1}) q_t(\theta^* | \theta_{t-1}), p(\theta^*) q_t(\theta_{t-1} | \theta^*)) \\ &= \min(p(\theta^*) q_t(\theta_{t-1} | \theta^*), p(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})) \\ &= p(\theta^*) q_t(\theta_{t-1} | \theta^*) \min\left(1, \frac{p(\theta_{t-1}) q_t(\theta^* | \theta_{t-1})}{p(\theta^*) q_t(\theta_{t-1} | \theta^*)}\right) \\ &= p(\theta^*) q_t(\theta_{t-1} | \theta^*) A_t(\theta_{t-1}, \theta^*) \end{aligned}$$

Metropolis-Hasting algorithm

- 1 The corresponding transition kernel:


$$T(\theta \rightarrow \theta') = q_t(\theta^* | \theta_{t-1})A_t(\theta^*, \theta_{t-1})$$

- 2 Satisfying the detailed balance condition:

$$\begin{aligned} & p(\theta_{t-1})q_t(\theta^* | \theta_{t-1})A_t(\theta^*, \theta_{t-1}) \\ &= \min(p(\theta_{t-1})q_t(\theta^* | \theta_{t-1}), p(\theta^*)q_t(\theta_{t-1} | \theta^*)) \\ &= \min(p(\theta^*)q_t(\theta_{t-1} | \theta^*), p(\theta_{t-1})q_t(\theta^* | \theta_{t-1})) \\ &= p(\theta^*)q_t(\theta_{t-1} | \theta^*) \min\left(1, \frac{p(\theta_{t-1})q_t(\theta^* | \theta_{t-1})}{p(\theta^*)q_t(\theta_{t-1} | \theta^*)}\right) \\ &= p(\theta^*)q_t(\theta_{t-1} | \theta^*)A_t(\theta_{t-1}, \theta^*) \end{aligned}$$

Discussion on the proposal distribution

- 1 Standard proposal distribution is an isotropic Gaussian center at the current state with variance σ :
 - ▶ small σ leads to high acceptance rate, but moves too slow
 - ▶ large σ moves fast, but leads to high rejection rate
- 2 How to choose better proposals?



Gibbs sampler

- 1 Assume θ is multi-dimensional⁴, $\theta = (\theta_1, \dots, \theta_k, \dots, \theta_K)$, denote $\theta_{-k} \triangleq \{\theta_j : j \neq k\}$.
- 2 Sample θ_k sequentially, with proposal distribution being the true conditional distribution:

$$q_k(\theta^* | \theta) = p(\theta_k^* | \theta_{-k})$$

- 3 Note $\theta_{-k}^* = \theta_{-k}$, $p(\theta) = p(\theta_k | \theta_{-k})p(\theta_{-k})$.
- 4 The MH acceptance probability is:

$$\begin{aligned} A(\theta^*, \theta) &= \frac{p(\theta^*)q_k(\theta | \theta^*)}{p(\theta)q_k(\theta^* | \theta)} = \frac{p(\theta_k^* | \theta_{-k}^*)p(\theta_{-k}^*)p(\theta_k | \theta_{-k}^*)}{p(\theta_k^* | \theta_{-k})p(\theta_{-k})p(\theta_k | \theta_{-k})} \\ &= 1 \end{aligned}$$

⁴One dimensional random variable is relatively easy to sample.

Gibbs sampler

- 1 Assume θ is multi-dimensional⁴, $\theta = (\theta_1, \dots, \theta_k, \dots, \theta_K)$, denote $\theta_{-k} \triangleq \{\theta_j : j \neq k\}$.
- 2 Sample θ_k sequentially, with proposal distribution being the true **conditional distribution**:

$$q_k(\theta^* | \theta) = p(\theta_k^* | \theta_{-k})$$

- 3 Note $\theta_{-k}^* = \theta_{-k}$, $p(\theta) = p(\theta_k | \theta_{-k})p(\theta_{-k})$.
- 4 The MH acceptance probability is:

$$\begin{aligned} A(\theta^*, \theta) &= \frac{p(\theta^*)q_k(\theta | \theta^*)}{p(\theta)q_k(\theta^* | \theta)} = \frac{p(\theta_k^* | \theta_{-k}^*)p(\theta_{-k}^*)p(\theta_k | \theta_{-k}^*)}{p(\theta_k^* | \theta_{-k})p(\theta_{-k})p(\theta_k | \theta_{-k})} \\ &= 1 \end{aligned}$$

⁴One dimensional random variable is relatively easy to sample.

Gibbs sampler

- 1 Assume θ is multi-dimensional⁴, $\theta = (\theta_1, \dots, \theta_k, \dots, \theta_K)$, denote $\theta_{-k} \triangleq \{\theta_j : j \neq k\}$.
- 2 Sample θ_k sequentially, with proposal distribution being the true conditional distribution:

$$q_k(\theta^* | \theta) = p(\theta_k^* | \theta_{-k})$$

- 3 Note $\theta_{-k}^* = \theta_{-k}$, $p(\theta) = p(\theta_k | \theta_{-k})p(\theta_{-k})$.
- 4 The MH acceptance probability is:

$$\begin{aligned} A(\theta^*, \theta) &= \frac{p(\theta^*)q_k(\theta | \theta^*)}{p(\theta)q_k(\theta^* | \theta)} = \frac{p(\theta_k^* | \theta_{-k}^*)p(\theta_{-k}^*)p(\theta_k | \theta_{-k}^*)}{p(\theta_k^* | \theta_{-k})p(\theta_{-k})p(\theta_k | \theta_{-k})} \\ &= 1 \end{aligned}$$

⁴One dimensional random variable is relatively easy to sample.

Discussion of Gibbs sampler

- 1 No acceptance step, very efficient.
- 2 Conditional distributions are not always easy to sample.
- 3 Mix not well when highly variables are correlated.





Figure: Sample path does not follow gradients. Figure from PRML, Bishop (2006)

The Metropolis-adjusted Langevin: a better proposal

- 1 Gibbs sampling travels the parameter space following a zipzag curve, which might be slow in high-dimensional space.
- 2 The Metropolis-adjusted Langevin uses a proposal that points directly to the center of the probabilistic contour.



The Metropolis-adjusted Langevin: a better proposal

- 1 Let $E(\theta) \triangleq -\log \tilde{p}(\theta)$, the direction of the contour is just the gradient: $-\nabla_{\theta} E(\theta)$.
- 2 In iteration l , define the proposal as a Gaussian centering at $\theta^* = \theta_{l-1} - \nabla_{\theta} E(\theta_{l-1})h_l$, where h_l is a small stepsize:

$$q(\theta_l | \theta_{l-1}) = N(\theta_l; \theta^*, \sigma^2) .$$

- 3 Need to do an accept-reject step:
 - ▶ calculate the acceptance probability:

$$A(\theta^*, \theta_{l-1}) = \frac{\tilde{p}(\theta^*)q(\theta_{l-1} | \theta^*)}{\tilde{p}(\theta)q(\theta^* | \theta_{l-1})}$$

- ▶ accept θ^* with probability $A(\theta^*, \theta_{l-1})$, otherwise set $\theta_l = \theta_{l-1}$

The Metropolis-adjusted Langevin: a better proposal

- 1 Let $E(\theta) \triangleq -\log \tilde{p}(\theta)$, the direction of the contour is just the gradient: $-\nabla_{\theta} E(\theta)$.
- 2 In iteration l , define the proposal as a Gaussian centering at $\theta^* = \theta_{l-1} - \nabla_{\theta} E(\theta_{l-1})h_l$, where h_l is a small stepsize:

$$q(\theta_l | \theta_{l-1}) = N(\theta_l; \theta^*, \sigma^2) .$$

- 3 Need to do an accept-reject step:
 - ▶ calculate the acceptance probability:

$$A(\theta^*, \theta_{l-1}) = \frac{\tilde{p}(\theta^*)q(\theta_{l-1} | \theta^*)}{\tilde{p}(\theta)q(\theta^* | \theta_{l-1})}$$

- ▶ accept θ^* with probability $A(\theta^*, \theta_{l-1})$, otherwise set $\theta_l = \theta_{l-1}$

Hamiltonian Monte Carlo

- 1 Design a proposal that follows the gradient of the target distribution $p^*(\theta) = \frac{1}{Z}\tilde{p}(\theta)$.
- 2 Construct a landscape with gravitational potential energy, $E(\theta) = -\log \tilde{p}(\theta)$.
- 3 Introduce velocity \mathbf{v} carrying kinetic energy $K(\mathbf{v}) = \mathbf{v}^T \mathbf{v} / 2$.
- 4 Let $H(\theta, \mathbf{v}) \triangleq E(\theta) + K(\mathbf{v})$. Hamiltonian's equation used to describe the evolution of the state (θ_t, \mathbf{v}_t) along time t ⁵:

$$\begin{aligned}\frac{d\theta}{dt} &= \frac{\partial H}{\partial \mathbf{v}} \\ \frac{d\mathbf{v}}{dt} &= -\frac{\partial H}{\partial \theta}\end{aligned}$$

⁵A continuous-time Markov chain.

Hamiltonian Monte Carlo

- 1 Design a proposal that follows the gradient of the target distribution $p^*(\theta) = \frac{1}{Z}\tilde{p}(\theta)$.
- 2 Construct a landscape with gravitational potential energy, $E(\theta) = -\log \tilde{p}(\theta)$.
- 3 Introduce velocity \mathbf{v} carrying kinetic energy $K(\mathbf{v}) = \mathbf{v}^T \mathbf{v} / 2$.
- 4 Let $H(\theta, \mathbf{v}) \triangleq E(\theta) + K(\mathbf{v})$. Hamiltonian's equation used to describe the evolution of the state (θ_t, \mathbf{v}_t) along time t^5 :

$$\begin{aligned}\frac{d\theta}{dt} &= \frac{\partial H}{\partial \mathbf{v}} \\ \frac{d\mathbf{v}}{dt} &= -\frac{\partial H}{\partial \theta}\end{aligned}$$

⁵A continuous-time Markov chain.

Hamiltonian Monte Carlo

- 1 Design a proposal that follows the gradient of the target distribution $p^*(\theta) = \frac{1}{Z}\tilde{p}(\theta)$.
- 2 Construct a landscape with gravitational potential energy, $E(\theta) = -\log \tilde{p}(\theta)$.
- 3 Introduce velocity \mathbf{v} carrying kinetic energy $K(\mathbf{v}) = \mathbf{v}^T \mathbf{v} / 2$.
- 4 Let $H(\theta, \mathbf{v}) \triangleq E(\theta) + K(\mathbf{v})$. Hamiltonian's equation used to describe the evolution of the state (θ_t, \mathbf{v}_t) along time t^5 :

$$\begin{aligned}\frac{d\theta}{dt} &= \frac{\partial H}{\partial \mathbf{v}} \\ \frac{d\mathbf{v}}{dt} &= -\frac{\partial H}{\partial \theta}\end{aligned}$$

⁵A continuous-time Markov chain.

Hamiltonian Monte Carlo

- 1 Design a proposal that follows the gradient of the target distribution $p^*(\theta) = \frac{1}{Z}\tilde{p}(\theta)$.
- 2 Construct a landscape with gravitational potential energy, $E(\theta) = -\log \tilde{p}(\theta)$.
- 3 Introduce velocity \mathbf{v} carrying kinetic energy $K(\mathbf{v}) = \mathbf{v}^T \mathbf{v} / 2$.
- 4 Let $H(\theta, \mathbf{v}) \triangleq E(\theta) + K(\mathbf{v})$. Hamiltonian's equation used to describe the evolution of the state (θ_t, \mathbf{v}_t) along time t ⁵:

$$\begin{aligned}\frac{d\theta}{dt} &= \frac{\partial H}{\partial \mathbf{v}} \\ \frac{d\mathbf{v}}{dt} &= -\frac{\partial H}{\partial \theta}\end{aligned}$$

⁵A continuous-time Markov chain.

Hamiltonian Monte Carlo

Physics point of view:

- 1 A dynamic system with total energy or Hamiltonian:
 $H = E(\boldsymbol{\theta}) + K(\mathbf{v})$.
- 2 Frictionless ball rolling
 $(\boldsymbol{\theta}, \mathbf{v}) \rightarrow (\boldsymbol{\theta}', \mathbf{v}')$ satisfies energy preserving,
 $H(\boldsymbol{\theta}', \mathbf{v}') = H(\boldsymbol{\theta}, \mathbf{v})$.
- 3 Hamiltonian's equation describes the equations of motion of the ball.
- 4 Ideal Hamiltonian dynamics are time reversible:
 - ▶ reverse \mathbf{v} and the ball will return to its start point

Figure: Rolling ball. Movie from Matthias Liepe

Hamiltonian Monte Carlo

Physics point of view:

- 1 A dynamic system with total energy or Hamiltonian:
$$H = E(\boldsymbol{\theta}) + K(\mathbf{v}).$$
- 2 Frictionless ball rolling
 $(\boldsymbol{\theta}, \mathbf{v}) \rightarrow (\boldsymbol{\theta}', \mathbf{v}')$ satisfies energy preserving,
 $H(\boldsymbol{\theta}', \mathbf{v}') = H(\boldsymbol{\theta}, \mathbf{v}).$
- 3 Hamiltonian's equation describes the equations of motion of the ball.
- 4 Ideal Hamiltonian dynamics are time reversible:
 - ▶ reverse \mathbf{v} and the ball will return to its start point

Figure: Rolling ball. Movie from Matthias Liepe

Hamiltonian Monte Carlo

Physics point of view:

- 1 A dynamic system with total energy or Hamiltonian:
$$H = E(\boldsymbol{\theta}) + K(\mathbf{v}).$$
- 2 Frictionless ball rolling
 $(\boldsymbol{\theta}, \mathbf{v}) \rightarrow (\boldsymbol{\theta}', \mathbf{v}')$ satisfies energy preserving,
 $H(\boldsymbol{\theta}', \mathbf{v}') = H(\boldsymbol{\theta}, \mathbf{v}).$
- 3 Hamiltonian's equation describes the equations of motion of the ball.
- 4 Ideal Hamiltonian dynamics are time reversible:
 - ▶ reverse \mathbf{v} and the ball will return to its start point

Figure: Rolling ball. Movie from Matthias Liepe

Hamiltonian Monte Carlo

Physics point of view:

- 1 A dynamic system with total energy or Hamiltonian:
$$H = E(\boldsymbol{\theta}) + K(\mathbf{v}).$$
- 2 Frictionless ball rolling
 $(\boldsymbol{\theta}, \mathbf{v}) \rightarrow (\boldsymbol{\theta}', \mathbf{v}')$ satisfies energy preserving,
 $H(\boldsymbol{\theta}', \mathbf{v}') = H(\boldsymbol{\theta}, \mathbf{v}).$
- 3 Hamiltonian's equation describes the equations of motion of the ball.
- 4 Ideal Hamiltonian dynamics are time reversible:
 - ▶ reverse \mathbf{v} and the ball will return to its start point

Figure: Rolling ball. Movie from Matthias Liepe

Hamiltonian Monte Carlo

Markov chain point of view:

- 1 Joint distribution: $p(\boldsymbol{\theta}, \mathbf{v}) \propto e^{-E(\boldsymbol{\theta})-K(\mathbf{v})} = e^{-H(\boldsymbol{\theta}, \mathbf{v})}$.
- 2 To generate a sample:
 - ▶ Gibbs sampling velocity \mathbf{v} from a Gaussian
 - ▶ evolving Hamiltonian dynamics by following Hamiltonian's equation for some time, then flip sign of velocity
 - ▶ the resulting $(\boldsymbol{\theta}, \mathbf{v})$ is a random sample from $p(\boldsymbol{\theta}, \mathbf{v})$
- 3 Proposal (evolving Hamiltonian dynamics) is deterministic and reversible: $q(\boldsymbol{\theta}', \mathbf{v}' | \boldsymbol{\theta}, \mathbf{v}) = q(\boldsymbol{\theta}, \mathbf{v} | \boldsymbol{\theta}', \mathbf{v}') = 1$.
- 4 Conservation of energy means $p(\boldsymbol{\theta}, \mathbf{v}) = p(\boldsymbol{\theta}', \mathbf{v}')$.
- 5 As a result, acceptance rate is always 1.

Hamiltonian Monte Carlo

Markov chain point of view:

- 1 Joint distribution: $p(\boldsymbol{\theta}, \mathbf{v}) \propto e^{-E(\boldsymbol{\theta})-K(\mathbf{v})} = e^{-H(\boldsymbol{\theta}, \mathbf{v})}$.
- 2 To generate a sample:
 - ▶ Gibbs sampling velocity \mathbf{v} from a Gaussian
 - ▶ evolving Hamiltonian dynamics by following Hamiltonian's equation for some time, then flip sign of velocity
 - ▶ the resulting $(\boldsymbol{\theta}, \mathbf{v})$ is a random sample from $p(\boldsymbol{\theta}, \mathbf{v})$
- 3 Proposal (evolving Hamiltonian dynamics) is deterministic and reversible: $q(\boldsymbol{\theta}', \mathbf{v}' | \boldsymbol{\theta}, \mathbf{v}) = q(\boldsymbol{\theta}, \mathbf{v} | \boldsymbol{\theta}', \mathbf{v}') = 1$.
- 4 Conservation of energy means $p(\boldsymbol{\theta}, \mathbf{v}) = p(\boldsymbol{\theta}', \mathbf{v}')$.
- 5 As a result, acceptance rate is always 1.

Hamiltonian Monte Carlo

Markov chain point of view:

- 1 Joint distribution: $p(\boldsymbol{\theta}, \mathbf{v}) \propto e^{-E(\boldsymbol{\theta})-K(\mathbf{v})} = e^{-H(\boldsymbol{\theta}, \mathbf{v})}$.
- 2 To generate a sample:
 - ▶ Gibbs sampling velocity \mathbf{v} from a Gaussian
 - ▶ evolving Hamiltonian dynamics by following Hamiltonian's equation for some time, then flip sign of velocity
 - ▶ the resulting $(\boldsymbol{\theta}, \mathbf{v})$ is a random sample from $p(\boldsymbol{\theta}, \mathbf{v})$
- 3 Proposal (evolving Hamiltonian dynamics) is deterministic and reversible: $q(\boldsymbol{\theta}', \mathbf{v}' | \boldsymbol{\theta}, \mathbf{v}) = q(\boldsymbol{\theta}, \mathbf{v} | \boldsymbol{\theta}', \mathbf{v}') = 1$.
- 4 Conservation of energy means $p(\boldsymbol{\theta}, \mathbf{v}) = p(\boldsymbol{\theta}', \mathbf{v}')$.
- 5 As a result, acceptance rate is always 1.

Hamiltonian Monte Carlo

Markov chain point of view:

- 1 Joint distribution: $p(\boldsymbol{\theta}, \mathbf{v}) \propto e^{-E(\boldsymbol{\theta})-K(\mathbf{v})} = e^{-H(\boldsymbol{\theta}, \mathbf{v})}$.
- 2 To generate a sample:
 - ▶ Gibbs sampling velocity \mathbf{v} from a Gaussian
 - ▶ evolving Hamiltonian dynamics by following Hamiltonian's equation for some time, then flip sign of velocity
 - ▶ the resulting $(\boldsymbol{\theta}, \mathbf{v})$ is a random sample from $p(\boldsymbol{\theta}, \mathbf{v})$
- 3 Proposal (evolving Hamiltonian dynamics) is deterministic and reversible: $q(\boldsymbol{\theta}', \mathbf{v}' | \boldsymbol{\theta}, \mathbf{v}) = q(\boldsymbol{\theta}, \mathbf{v} | \boldsymbol{\theta}', \mathbf{v}') = 1$.
- 4 Conservation of energy means $p(\boldsymbol{\theta}, \mathbf{v}) = p(\boldsymbol{\theta}', \mathbf{v}')$.
- 5 As a result, acceptance rate is always 1.

Except we can't simulate Hamiltonian dynamics exactly, *i.e.*,
 $p(\boldsymbol{\theta}, \mathbf{v}) \neq p(\boldsymbol{\theta}', \mathbf{v}')$

Solving Hamiltonian dynamics

- 1 Solving the continuous-time differential equation with discretized-time approximation:

$$\begin{cases} d\boldsymbol{\theta} &= \mathbf{v} dt \\ d\mathbf{v} &= \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}) dt \end{cases} \implies \begin{cases} \boldsymbol{\theta}_l &= \boldsymbol{\theta}_{l-1} + \mathbf{v}_{l-1} h_l \\ \mathbf{v}_l &= \mathbf{v}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) h_l \end{cases}$$

- ▶ proposals follow historical gradients of the distribution contour
- 2 Need an accept-reject test to design whether accept the proposal, because of the discretization error:
 - ▶ proposal is deterministic
 - ▶ acceptance probability: $\min(1, \exp\{H(\boldsymbol{\theta}_l, \mathbf{v}_l) - H(\boldsymbol{\theta}_{l+1}, \mathbf{v}_{l+1})\})$
 - 3 Almost identical to SGD with momentum:
 - ▶
$$\begin{cases} \boldsymbol{\theta}_l &= \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} \\ \mathbf{p}_l &= (1 - m) \mathbf{p}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) \epsilon_l \end{cases}$$
 - ▶ they will be make equivalent in the context of stochastic gradient MCMC

Solving Hamiltonian dynamics

- 1 Solving the continuous-time differential equation with discretized-time approximation:

$$\begin{cases} d\boldsymbol{\theta} &= \mathbf{v} dt \\ d\mathbf{v} &= \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}) dt \end{cases} \implies \begin{cases} \boldsymbol{\theta}_l &= \boldsymbol{\theta}_{l-1} + \mathbf{v}_{l-1} h_l \\ \mathbf{v}_l &= \mathbf{v}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) h_l \end{cases}$$

- ▶ proposals follow historical gradients of the distribution contour
- 2 Need an accept-reject test to design whether accept the proposal, because of the discretization error:
 - ▶ proposal is deterministic
 - ▶ acceptance probability: $\min(1, \exp\{H(\boldsymbol{\theta}_l, \mathbf{v}_l) - H(\boldsymbol{\theta}_{l+1}, \mathbf{v}_{l+1})\})$
 - 3 Almost identical to SGD with momentum:
 - ▶
$$\begin{cases} \boldsymbol{\theta}_l &= \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} \\ \mathbf{p}_l &= (1 - m) \mathbf{p}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) \epsilon_l \end{cases}$$
 - ▶ they will be make equivalent in the context of stochastic gradient MCMC

Solving Hamiltonian dynamics

- 1 Solving the continuous-time differential equation with discretized-time approximation:

$$\begin{cases} d\boldsymbol{\theta} = \mathbf{v} dt \\ d\mathbf{v} = \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}) dt \end{cases} \implies \begin{cases} \boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{v}_{l-1} h_l \\ \mathbf{v}_l = \mathbf{v}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) h_l \end{cases}$$

- ▶ proposals follow historical gradients of the distribution contour
- 2 Need an accept-reject test to design whether accept the proposal, because of the discretization error:
 - ▶ proposal is deterministic
 - ▶ acceptance probability: $\min(1, \exp\{H(\boldsymbol{\theta}_l, \mathbf{v}_l) - H(\boldsymbol{\theta}_{l+1}, \mathbf{v}_{l+1})\})$
 - 3 Almost identical to SGD with momentum:
 - ▶
$$\begin{cases} \boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} \\ \mathbf{p}_l = (1 - m) \mathbf{p}_{l-1} + \nabla_{\boldsymbol{\theta}} \log \tilde{p}(\boldsymbol{\theta}_l) \epsilon_l \end{cases}$$
 - ▶ they will be make equivalent in the context of stochastic gradient MCMC

Detailed balance

- 1 Verify that the detailed balance for HMC holds.
 - ▶ let the initial state be (θ, \mathbf{v}) , the state after Leap-frog simulation be (θ', \mathbf{v}')

$$\begin{aligned} & \frac{1}{Z} \exp(-H(\theta, \mathbf{v})) \min(1, \exp(-H(\theta', \mathbf{v}') + H(\theta, \mathbf{v}))) \\ &= \frac{1}{Z} \min(\exp(-H(\theta, \mathbf{v})), \exp(-H(\theta', \mathbf{v}')) \\ &= \frac{1}{Z} \exp(-H(\theta', \mathbf{v}')) \min(1, \exp(-H(\theta, \mathbf{v}) + H(\theta', \mathbf{v}')))) \end{aligned}$$

Hamiltonian Monte Carlo algorithm

Set $l = 0$

Random initialize a position state θ_0

for $l = 1, 2, \dots$ **do**

Sample a new initial momentum $\mathbf{v}_0 \sim e^{-K(\mathbf{v})}$ (Gaussian)

Set $\theta_0 = \theta_{l-1}$

Run Leap-frog algorithm starting at (θ_0, \mathbf{v}_0) for L steps to obtain proposed states (θ^*, \mathbf{v}^*)

Calculate the Metropolis acceptance probability:

$\alpha = \min(1, \exp(H(\theta_0, \mathbf{v}_0) - H(\theta^*, \mathbf{v}^*)))$

Draw $u \sim \text{Unif}(0, 1)$

if $u \leq \alpha$, $\theta_l = \theta^*$

else $\theta_l = \theta_{l-1}$

end

Demo: MH vs. HMC

- 1 Nine mixtures of Gaussians⁶.
- 2 Sequential of samples connected by yellow lines.

⁶Demo by T. Broderick and D. Duvenaud.

Discussion

- 1 All the above traditional MCMC methods are not scalable in a big-data setting⁷, in each iteration:
 - ▶ the whole data need to be used to generate a proposal
 - ▶ the whole data need to be used to calculate the acceptance probability
 - ▶ scales $O(N)$, where N is the number of data samples
- 2 Scalable MCMC uses sub-data in each iteration,
 - ▶ to calculate the acceptance probability⁸
 - ▶ to generate proposals with acceptance probability close to 1, and ignore the acceptance step – **stochastic gradient MCMC methods (SG-MCMC)**

⁷when the number of data samples are large.

⁸A. Korattikara, Y. Chen, and M. Welling. "Austerity in MCMC Land: Cutting the Metropolis-Hastings Budget". In: *ICML*. 2014; R. Bardenet, A. Doucet, and C. Holmes. "Towards scaling up Markov chain Monte Carlo: an adaptive subsampling approach". In: *ICML*. 2014.

Discussion

- 1 All the above traditional MCMC methods are not scalable in a big-data setting⁷, in each iteration:
 - ▶ the whole data need to be used to generate a proposal
 - ▶ the whole data need to be used to calculate the acceptance probability
 - ▶ scales $O(N)$, where N is the number of data samples
- 2 Scalable MCMC uses sub-data in each iteration,
 - ▶ to calculate the acceptance probability⁸
 - ▶ to generate proposals with acceptance probability close to 1, and ignore the acceptance step – **stochastic gradient MCMC methods (SG-MCMC)**

⁷when the number of data samples are large.

⁸A. Korattikara, Y. Chen, and M. Welling. "Austerity in MCMC Land: Cutting the Metropolis-Hastings Budget". In: *ICML. 2014*;
R. Bardenet, A. Doucet, and C. Holmes. "Towards scaling up Markov chain Monte Carlo: an adaptive subsampling approach".
In: *ICML. 2014*.

Large-Scale Bayesian Learning with Stochastic Gradient Markov Chain Monte Carlo Methods

Part Two: Stochastic Gradient Markov Chain Monte Carlo

- 2 Stochastic Gradient Markov Chain Monte Carlo
 - SG-MCMC algorithms
 - Theory

- 2 Stochastic Gradient Markov Chain Monte Carlo
 - SG-MCMC algorithms
 - Theory

Two key steps in SG-MCMC

- 1 Proposals typically follow stochastic gradients of log-posteriors:
 - ▶ make samples concentrate on the modes
- 2 Adding random Gaussian noise to proposals.
 - ▶ encourage algorithms to jump out of local modes, and to explore the parameter space




Figure: Proposals of Gibbs and SG-MCMC.

Basic setup

- Given data $\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$, a generative model (likelihood) $p(\mathbf{X} | \theta) = \prod_{i=1}^N p(\mathbf{x}_i | \theta)$ and prior $p(\theta)$, we want to sample from the posterior:

$$p(\theta | \mathbf{X}) \propto p(\theta)p(\mathbf{X} | \theta) = p(\theta) \prod_{i=1}^N p(\mathbf{x}_i | \theta)$$

- We are interested in the case when N is extremely large, so that computing $p(\mathbf{X} | \theta)$ is prohibitively expensive.
- Define the following two quantities (**unnormalized log-posterior** and **stochastic unnormalized log-posterior**):

$$U(\theta) \triangleq - \sum_{i=1}^N \log p(\mathbf{x}_i | \theta) - \log p(\theta)$$

$$\tilde{U}(\theta) \triangleq - \frac{N}{n} \sum_{i=1}^n \log p(\mathbf{x}_{\pi_i} | \theta) - \log p(\theta)$$

where (π_1, \dots, π_N) is a random permutation of $(1, \dots, N)$.

Basic setup

- Given data $\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$, a generative model (likelihood) $p(\mathbf{X} | \theta) = \prod_{i=1}^N p(\mathbf{x}_i | \theta)$ and prior $p(\theta)$, we want to sample from the posterior:

$$p(\theta | \mathbf{X}) \propto p(\theta)p(\mathbf{X} | \theta) = p(\theta) \prod_{i=1}^N p(\mathbf{x}_i | \theta)$$

- We are interested in the case when N is extremely large, so that computing $p(\mathbf{X} | \theta)$ is prohibitively expensive.
- Define the following two quantities (unnormalized log-posterior and stochastic unnormalized log-posterior):

$$U(\theta) \triangleq - \sum_{i=1}^N \log p(\mathbf{x}_i | \theta) - \log p(\theta)$$

$$\tilde{U}(\theta) \triangleq - \frac{N}{n} \sum_{i=1}^n \log p(\mathbf{x}_{\pi_i} | \theta) - \log p(\theta)$$

where (π_1, \dots, π_N) is a random permutation of $(1, \dots, N)$.

Basic setup

- 1 Given data $\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$, a generative model (likelihood) $p(\mathbf{X} | \theta) = \prod_{i=1}^N p(\mathbf{x}_i | \theta)$ and prior $p(\theta)$, we want to sample from the posterior:

$$p(\theta | \mathbf{X}) \propto p(\theta)p(\mathbf{X} | \theta) = p(\theta) \prod_{i=1}^N p(\mathbf{x}_i | \theta)$$

- 2 We are interested in the case when N is extremely large, so that computing $p(\mathbf{X} | \theta)$ is prohibitively expensive.
- 3 Define the following two quantities (**unnormalized log-posterior** and **stochastic unnormalized log-posterior**):

$$U(\theta) \triangleq - \sum_{i=1}^N \log p(\mathbf{x}_i | \theta) - \log p(\theta)$$

$$\tilde{U}(\theta) \triangleq - \frac{N}{n} \sum_{i=1}^n \log p(\mathbf{x}_{\pi_i} | \theta) - \log p(\theta)$$

where (π_1, \dots, π_N) is a random permutation of $(1, \dots, N)$.

Basic setup

- 1 SG-MCMC relies on the following quantity (stochastic gradient):

$$\nabla_{\theta} \tilde{U}(\theta) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta) - \nabla_{\theta} \log p(\theta) ,$$

- 2 $\nabla_{\theta} \tilde{U}(\theta)$ is an unbiased estimate of $\nabla_{\theta} U(\theta)$:
 - ▶ SG-MCMC samples parameters based on $\nabla_{\theta} \tilde{U}(\theta)$
 - ▶ very cheap to compute
 - ▶ bringing the name “stochastic gradient MCMC”

Basic setup

- 1 SG-MCMC relies on the following quantity (stochastic gradient):

$$\nabla_{\theta} \tilde{U}(\theta) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta) - \nabla_{\theta} \log p(\theta) ,$$

- 2 $\nabla_{\theta} \tilde{U}(\theta)$ is an unbiased estimate of $\nabla_{\theta} U(\theta)$:
 - ▶ SG-MCMC samples parameters based on $\nabla_{\theta} \tilde{U}(\theta)$
 - ▶ very cheap to compute
 - ▶ bringing the name “stochastic gradient MCMC”

Some facts about SG-MCMC

- 1 By ignoring the acceptance step:
 - ▶ the detailed balance condition typically not hold, and the algorithm is not reversible⁹
 - ▶ typically leads to biased, but controllable estimations
- 2 By using sub-data in each iteration:
 - ▶ yielding stochastic gradients
 - ▶ does not affect the convergence properties (*e.g.*, convergence rates), compared to using the whole data in each iteration

⁹These are not necessary conditions for a valid MCMC method.

Some facts about SG-MCMC

- 1 By ignoring the acceptance step:
 - ▶ the detailed balance condition typically not hold, and the algorithm is not reversible⁹
 - ▶ typically leads to biased, but controllable estimations
- 2 By using sub-data in each iteration:
 - ▶ yielding stochastic gradients
 - ▶ does not affect the convergence properties (*e.g.*, convergence rates), compared to using the whole data in each iteration

⁹These are not necessary conditions for a valid MCMC method.

Demo: the two key steps

- 1 Proposals follow stochastic gradients of log-posteriors:
 - ▶ stuck in a local mode

Demo: the two key steps

- 1 After adding random Gaussian noise:
 - ▶ it works !!

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

First attempt

- 1 A 1st-order method: directly update on the model parameter θ .
- 2 Use a proposal that follows the **stochastic gradient** of the log-posterior:

$$\theta_{l+1} = \theta_l - h_{l+1} \nabla_{\theta} \tilde{U}(\theta_l)$$

- ▶ h_l 's are the stepsizes, could be fixed ($\forall l, h_l = h$) or decreasing ($\forall l, h_l > h_{l+1}$)
- 3 Ignore the acceptance step.
 - 4 Resulting in Stochastic Gradient Descent (SGD).

First attempt

- 1 A 1st-order method: directly update on the model parameter θ .
- 2 Use a proposal that follows the **stochastic gradient** of the log-posterior:

$$\theta_{l+1} = \theta_l - h_{l+1} \nabla_{\theta} \tilde{U}(\theta_l)$$

- ▶ h_l 's are the stepsizes, could be fixed ($\forall l, h_l = h$) or decreasing ($\forall l, h_l > h_{l+1}$)
- 3 Ignore the acceptance step.
 - 4 Resulting in Stochastic Gradient Descent (SGD).

Random noise to the rescue

- 1 Need to make the algorithm explore the parameter space:
 - ▶ adding random Gaussian noise to the update¹⁰

$$\begin{aligned}\theta_{l+1} &= \theta_l - h_{l+1} \nabla_{\theta} \tilde{U}(\theta_l) + \sqrt{2h_{l+1}} \zeta_{l+1} \\ \zeta_{l+1} &\sim \mathcal{N}(\mathbf{0}, \mathbf{I})\end{aligned}$$

- 2 The magnitude of the Gaussian needs to be $\sqrt{2h_{l+1}}$ in order to guarantee a correct sampler:
 - ▶ reasons to be explained later
- 3 This is called stochastic gradient Langevin dynamics (SGLD).

¹⁰In the following, we will directly use $\mathcal{N}(\mathbf{0}, \mathbf{I})$ to represent a normal random variable with zero-mean and covariance matrix \mathbf{I} .

SGLD in algorithm

Input: Parameters $\{h_l\}$

Output: Approximate samples $\{\theta_l\}$

Initialize $\theta_0 \in \mathbb{R}^n$

for $l = 1, 2, \dots$ **do**

 Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch
 $\theta_l = \theta_{l-1} - \nabla \tilde{U}(\theta_{l-1}) h_l + \sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$

end

Return $\{\theta_l\}$

Algorithm 1: Stochastic Gradient Langevin Dynamics

Example¹¹

① A simple Gaussian mixture:

$$\theta_1 \sim \mathcal{N}(0, 10), \quad \theta_2 \sim \mathcal{N}(0, 1)$$
$$x_i \sim \frac{1}{2}\mathcal{N}(\theta_1, 2) + \frac{1}{2}\mathcal{N}(\theta_1 + \theta_2, 2), \quad i = 1, \dots, 100$$




Figure: Left: true posterior; Right: sample-based estimation.

¹¹M. Welling and Y. W. Teh. "Bayesian learning via stochastic gradient Langevin dynamics". In: *ICML*. 2011.

Stochastic Gradient Markov Chain Monte Carlo


1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- **Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)**
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

- 1 SGLD is slow when parameter space exhibits uneven curvatures.
- 2 Use the momentum idea to improve SGLD:
 - ▶ a generalization of the HMC, in that the ball is rolling on a friction surface
 - ▶ the ball follows the momentum instead of gradients, which is a summarization of historical gradients, thus could jump out local modes easier and move faster
 - ▶ needs a balance between these extra forces

- 1 SGLD is slow when parameter space exhibits uneven curvatures.
- 2 Use the momentum idea to improve SGLD:
 - ▶ a generalization of the HMC, in that the ball is rolling on a friction surface
 - ▶ the ball follows the momentum instead of gradients, which is a summarization of historical gradients, thus could jump out local modes easier and move faster
 - ▶ needs a balance between these extra forces



A naive approach to generalize HMC without friction


- 1 Simply using injected Gaussian noise (random wind) in SGD with momentum.

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l + \underbrace{\sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})}_{\text{random wind}}$$

- 2 Would not work:

- ▶ random wind tends to uniformize the location distribution¹²
- ▶ the probability of see the ball at any location is equal



¹²T. Chen, E. B. Fox, and C. Guestrin. "Stochastic Gradient Hamiltonian Monte Carlo". In: *ICML*. 2014.

A naive approach to generalize HMC without friction


- 1 Simply using injected Gaussian noise (random wind) in SGD with momentum.

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l + \underbrace{\sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})}_{\text{random wind}}$$

- 2 Would not work:

- ▶ random wind tends to uniformize the location distribution¹²
- ▶ the probability of see the ball at any location is equal



¹²T. Chen, E. B. Fox, and C. Guestrin. "Stochastic Gradient Hamiltonian Monte Carlo". In: *ICML*. 2014.

Adding a friction term

- 1 Without a friction term, the random Gaussian noise would drive the ball too far away from their stationary distribution.
- 2 After adding a friction term:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

where $A > 0$ is a constant¹³, controlling the magnitude of the friction.

- 3 The friction term penalize the momentum:
 - ▶ the more momentum, the more friction it has, thus slowing down the ball

¹³In the original SGHMC paper, A is decomposed into a known variance of injected noise and an unknown variance of stochastic gradients.

Adding a friction term

- 1 Without a friction term, the random Gaussian noise would drive the ball too far away from their stationary distribution.
- 2 After adding a friction term:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

where $A > 0$ is a constant¹³, controlling the magnitude of the friction.

- 3 The friction term penalize the momentum:
 - ▶ the more momentum, the more friction it has, thus slowing down the ball

¹³In the original SGHMC paper, A is decomposed into a known variance of injected noise and an unknown variance of stochastic gradients.

Adding a friction term

- 1 Without a friction term, the random Gaussian noise would drive the ball too far away from their stationary distribution.
- 2 After adding a friction term:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

where $A > 0$ is a constant¹³, controlling the magnitude of the friction.

- 3 The friction term penalize the momentum:
 - ▶ the more momentum, the more friction it has, thus slowing down the ball

¹³In the original SGHMC paper, A is decomposed into a known variance of injected noise and an unknown variance of stochastic gradients.

SGHMC in algorithm

Input: Parameters $A, \{h_l\}$

Output: Approximate samples $\{\theta_l\}$

Initialize $\theta_0 \in \mathbb{R}^n$

for $l = 1, 2, \dots$ **do**

 Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$\theta_l = \theta_{l-1} + \mathbf{p} h_l$

$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l - A \mathbf{p}_{l-1} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$

end

Return $\{\theta_l\}$

Algorithm 2: Stochastic Gradient Hamiltonian Monte Carlo




Example¹⁴

- 1 Sample from a 1D Gaussian distribution:

▶ $U(\theta) = \frac{1}{2} \theta^2$

- 2 Sample from a 2D Gaussian distribution:

▶ $U(\theta) = \frac{1}{2} \theta^T \Sigma^{-1} \theta$



¹⁴T. Chen, E. B. Fox, and C. Guestrin. "Stochastic Gradient Hamiltonian Monte Carlo". In: *ICML*. 2014.

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- **Stochastic Gradient Thermostats (SGNHT)**
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

Stochastic gradient Noé-Hoover thermostats

1 Revisit SGHMC:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

- 2 In the existence of stochastic gradient noise, e.g., $\nabla_{\theta} \tilde{U}(\theta_l) = \nabla_{\theta} U(\theta_l) + \mathcal{N}(\mathbf{0}, B\mathbf{I})$, the update of p :

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} U(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2(A+B) h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 3 The friction coefficient should be set to $A + B$ instead of A , to correctly sample from true posteriors¹⁵:
- ▶ B is usually unknown, needs a good estimation
 - ▶ could it be learned from the algorithm?

¹⁵According to the Fokker-Planck equation in stochastic differential equation theory.

Stochastic gradient Noé-Hoover thermostats

- 1 Revisit SGHMC:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

- 2 In the existence of stochastic gradient noise, e.g., $\nabla_{\theta} \tilde{U}(\theta_l) = \nabla_{\theta} U(\theta_l) + \mathcal{N}(\mathbf{0}, B\mathbf{I})$, the update of \mathbf{p} :

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} U(\theta_l) h_l - A \mathbf{p} h_l + \sqrt{2(A+B) h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 3 The friction coefficient should be set to $A+B$ instead of A , to correctly sample from true posteriors¹⁵:
- ▶ B is usually unknown, needs a good estimation
 - ▶ could it be learned from the algorithm?

¹⁵According to the Fokker-Planck equation in stochastic differential equation theory.

Stochastic gradient Noé-Hoover thermostats

- 1 Revisit SGHMC:

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - \mathbf{A} \mathbf{p} h_l + \sqrt{2\mathbf{A} h_l} \mathcal{N}(\mathbf{0}, \mathbf{I}),$$

- 2 In the existence of stochastic gradient noise, e.g., $\nabla_{\theta} \tilde{U}(\theta_l) = \nabla_{\theta} U(\theta_l) + \mathcal{N}(\mathbf{0}, \mathbf{B}\mathbf{I})$, the update of \mathbf{p} :

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} U(\theta_l) h_l - \mathbf{A} \mathbf{p} h_l + \sqrt{2(\mathbf{A} + \mathbf{B}) h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 3 The friction coefficient should be set to $\mathbf{A} + \mathbf{B}$ instead of \mathbf{A} , to correctly sample from true posteriors¹⁵:
- ▶ \mathbf{B} is usually unknown, needs a good estimation
 - ▶ could it be learned from the algorithm?

¹⁵According to the Fokker-Planck equation in stochastic differential equation theory.

Stochastic gradient Noé-Hoover thermostats

1 How to adaptively learn the noise coefficient B ?

2 Use the Noé-Hoover thermostat:

- ▶ a physical system (e.g., rolling ball) embedded in a heat bath for energy exchange
- ▶ when the system temperature is high, the heat bath absorbs heat/energy by increasing the friction, thus slows down the movement
- ▶ when the system temperature is low, the heat bath releases heat/energy by decreasing the friction, thus speeds up the movement
- ▶ the energy absorbing/releasing keeps the system steady (sampling from the true posterior distribution)

Stochastic gradient Noé-Hoover thermostats

- 1 How to adaptively learn the noise coefficient B ?
- 2 Use the Noé-Hoover thermostat:
 - ▶ a physical system (*e.g.*, rolling ball) embedded in a heat bath for energy exchange
 - ▶ when the system temperature is high, the heat bath absorbs heat/energy by increasing the friction, thus slows down the movement
 - ▶ when the system temperature is low, the heat bath releases heat/energy by decreasing the friction, thus speeds up the movement
 - ▶ the energy absorbing/releasing keeps the system steady (sampling from the true posterior distribution)

Stochastic gradient Noé-Hoover thermostats

- 1 How to adaptively learn the noise coefficient B ?
- 2 Use the Noé-Hoover thermostat:
 - ▶ a physical system (*e.g.*, rolling ball) embedded in a heat bath for energy exchange
 - ▶ when the system temperature is high, the heat bath absorbs heat/energy by increasing the friction, thus slows down the movement
 - ▶ when the system temperature is low, the heat bath releases heat/energy by decreasing the friction, thus speeds up the movement
 - ▶ the energy absorbing/releasing keeps the system steady (sampling from the true posterior distribution)

Stochastic gradient Noé-Hoover thermostats

- 1 How to adaptively learn the noise coefficient B ?
- 2 Use the Noé-Hoover thermostat:
 - ▶ a physical system (*e.g.*, rolling ball) embedded in a heat bath for energy exchange
 - ▶ when the system temperature is high, the heat bath absorbs heat/energy by increasing the friction, thus slows down the movement
 - ▶ when the system temperature is low, the heat bath releases heat/energy by decreasing the friction, thus speeds up the movement
 - ▶ the energy absorbing/releasing keeps the system steady (sampling from the true posterior distribution)

Stochastic gradient Noé-Hoover thermostats

- 1 How to adaptively learn the noise coefficient B ?
- 2 Use the Noé-Hoover thermostat:
 - ▶ a physical system (*e.g.*, rolling ball) embedded in a heat bath for energy exchange
 - ▶ when the system temperature is high, the heat bath absorbs heat/energy by increasing the friction, thus slows down the movement
 - ▶ when the system temperature is low, the heat bath releases heat/energy by decreasing the friction, thus speeds up the movement
 - ▶ the energy absorbing/releasing keeps the system steady (sampling from the true posterior distribution)

A little bit of statistical physics

- 1 Statistical physics describes the probability of states (θ, \mathbf{p}) of a system in thermal equilibrium with a heat bath at temperature T .
- 2 The probability follows the canonical distribution:

$$\rho(\theta, \mathbf{p}) \propto \exp(-H(\theta, \mathbf{p}) / (k_B T)) \triangleq \exp\left(-\frac{E(\theta, \mathbf{p}) + K(\mathbf{p})}{k_B T}\right),$$

where k_B is the Boltzmann constant, $E(\theta, \mathbf{p})$ the potential energy, $K(\mathbf{p})$ the kinetic energy.

- 3 Thermal equilibrium condition:

$$k_B T / 2 = \mathbb{E}[K(\mathbf{p})] / D \rightarrow k_B T = \mathbb{E}[\mathbf{p}^T \mathbf{p}] / D$$

A little bit of statistical physics

- 1 Statistical physics describes the probability of states (θ, \mathbf{p}) of a system in thermal equilibrium with a heat bath at temperature T .
- 2 The probability follows the canonical distribution:

$$\rho(\theta, \mathbf{p}) \propto \exp(-H(\theta, \mathbf{p}) / (k_B T)) \triangleq \exp\left(-\frac{E(\theta, \mathbf{p}) + K(\mathbf{p})}{k_B T}\right),$$

where k_B is the Boltzmann constant, $E(\theta, \mathbf{p})$ the potential energy, $K(\mathbf{p})$ the kinetic energy.

- 3 Thermal equilibrium condition:

$$k_B T / 2 = \mathbb{E}[K(\mathbf{p})] / D \rightarrow k_B T = \mathbb{E}[\mathbf{p}^T \mathbf{p}] / D$$

A little bit of statistical physics

- 1 Statistical physics describes the probability of states (θ, \mathbf{p}) of a system in thermal equilibrium with a heat bath at temperature T .
- 2 The probability follows the canonical distribution:

$$\rho(\theta, \mathbf{p}) \propto \exp(-H(\theta, \mathbf{p}) / (k_B T)) \triangleq \exp\left(-\frac{E(\theta, \mathbf{p}) + K(\mathbf{p})}{k_B T}\right),$$

where k_B is the Boltzmann constant, $E(\theta, \mathbf{p})$ the potential energy, $K(\mathbf{p})$ the kinetic energy.

- 3 Thermal equilibrium condition:

$$k_B T / 2 = \mathbb{E}[K(\mathbf{p})] / D \rightarrow k_B T = \mathbb{E}[\mathbf{p}^T \mathbf{p}] / D$$

- 1 In Bayesian setting, the equilibrium distribution $\rho(\theta, \mathbf{p}) \propto \exp(-H(\theta, \mathbf{p}))$, thus $k_B T = 1$

$$\mathbb{E} [\mathbf{p}^T \mathbf{p}] / D = k_B T = 1$$

- 2 In SGHMC with stochastic gradients $\nabla_{\theta} \tilde{U}(\theta, \mathbf{p})$:
- ▶ the dynamic may drift away from thermal equilibrium if stochastic gradients exhibit too much noise
 - ▶ need to adaptively control the friction
 - ▶ idea is to replace the friction coefficient A in SGHMC with a thermostat variable ξ , which is adaptively estimated using thermal equilibrium condition

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - \xi_{l-1} \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

- 1 In Bayesian setting, the equilibrium distribution $\rho(\boldsymbol{\theta}, \mathbf{p}) \propto \exp(-H(\boldsymbol{\theta}, \mathbf{p}))$, thus $k_B T = 1$

$$\mathbb{E} [\mathbf{p}^T \mathbf{p}] / D = k_B T = 1$$

- 2 In SGHMC with stochastic gradients $\nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}, \mathbf{p})$:
- ▶ the dynamic may drift away from thermal equilibrium if stochastic gradients exhibit too much noise
 - ▶ need to adaptively control the friction
 - ▶ idea is to replace the friction coefficient A in SGHMC with a thermostat variable ξ , which is adaptively estimated using thermal equilibrium condition

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}_l) h_l - \xi_{l-1} \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - \xi_{l-1} \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

- 1 If the kinetic energy is higher than 1/2 (high temperature), ξ gets bigger, friction gets bigger, momentum \mathbf{p} gets lower, vice versa.
- 2 The equilibrium is reached when $\mathbb{E} [\mathbf{p}_l^T \mathbf{p}_l] / D = 1$:
 - ▶ exactly the thermal equilibrium condition
- 3 Samples generated from the true posterior distribution.

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - \xi_{l-1} \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

- 1 If the kinetic energy is higher than 1/2 (high temperature), ξ gets bigger, friction gets bigger, momentum \mathbf{p} gets lower, vice versa.
- 2 The equilibrium is reached when $\mathbb{E} [\mathbf{p}_l^T \mathbf{p}_l] / D = 1$:
 - ▶ exactly the thermal equilibrium condition
- 3 Samples generated from the true posterior distribution.

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla_{\theta} \tilde{U}(\theta_l) h_l - \xi_{l-1} \mathbf{p} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

- 1 If the kinetic energy is higher than 1/2 (high temperature), ξ gets bigger, friction gets bigger, momentum \mathbf{p} gets lower, vice versa.
- 2 The equilibrium is reached when $\mathbb{E} [\mathbf{p}_l^T \mathbf{p}_l] / D = 1$:
 - ▶ exactly the thermal equilibrium condition
- 3 Samples generated from the true posterior distribution.

SGNHT in algorithm

Input: Parameters $A, \{h_l\}$

Output: Approximate samples $\{\theta_l\}$

Initialize $\theta_0 \in \mathbb{R}^n$

for $l = 1, 2, \dots$ **do**

 Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l - \xi_{l-1} \mathbf{p}_{l-1} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + (\mathbf{p}^T \mathbf{p} / D - 1) h_l$$

end

Return $\{\theta_l\}$

Algorithm 3: Stochastic Gradient Noé-Hoover Thermostat

Comparison: SGHMC vs. SGNHT¹⁶




Figure: SGHMC with $A = 1$, $A = 10$, $A = 0.1$, and the SGNHT.

¹⁶N. Ding et al. "Bayesian Sampling Using Stochastic Gradient Thermostats". In: *NIPS*. 2014.

Relation with stochastic optimization

- 1 SG-MCMC is essentially stochastic optimization with **appropriate** injected noise:
 - ▶ large noise tends to make samples uniform, small noise tends to stuck algorithms on local modes
- 2 SGLD vs. SGD.
- 3 SGHMC vs. SGD with momentum.
- 4 No traditional stochastic optimization counterpart for SGNHT yet¹⁷.

¹⁷Some new algorithm such as Santa could be considered as the counterpart, discussed later.

Relation with stochastic optimization

- 1 SG-MCMC is essentially stochastic optimization with **appropriate** injected noise:
 - ▶ large noise tends to make samples uniform, small noise tends to stuck algorithms on local modes
- 2 SGLD vs. SGD.
- 3 SGHMC vs. SGD with momentum.
- 4 No traditional stochastic optimization counterpart for SGNHT yet¹⁷.

¹⁷Some new algorithm such as Santa could be considered as the counterpart, discussed later.

$$\nabla_{\theta} \tilde{U}(\theta_{l-1}) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta_{l-1}) - \nabla_{\theta} \log p(\theta_{l-1}),$$

for $l = 1, 2, \dots$ **do**

 Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$\theta_l = \theta_{l-1} - \nabla_{\theta} \tilde{U}(\theta_{l-1}) h_l + \sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$

end

$$\nabla_{\theta} \tilde{U}(\theta_l) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta_l) - \nabla_{\theta} \log p(\theta_l),$$

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the
 l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l -$$

$$A \mathbf{p}_{l-1} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

$$\nabla_{\theta} \tilde{U}(\theta_l) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta_l) - \nabla_{\theta} \log p(\theta_l),$$

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the
 l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l -$$

$$A \mathbf{p}_{l-1} h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

- Reparametrization: $\epsilon = h^2$, $m = Ah$, $\mathbf{v} = \mathbf{p} h$

$$\nabla_{\theta} \tilde{U}(\theta_l) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta_l) - \nabla_{\theta} \log p(\theta_l),$$

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l -$$

$$A \mathbf{p}_{l-1} h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{v}_{l-1}$$

$$\mathbf{v}_l = (1 - m) \mathbf{v}_{l-1} - \nabla \tilde{U}(\theta_l) \epsilon_l +$$

$$\sqrt{2m\epsilon_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

- Reparametrization: $\epsilon = h^2$, $m = Ah$, $\mathbf{v} = \mathbf{p} h$

SGHMC vs. SGD-M

$$\nabla_{\theta} \tilde{U}(\theta_l) \triangleq -\frac{N}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{x}_{\pi_i} | \theta_l) - \nabla_{\theta} \log p(\theta_l),$$

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = \mathbf{p}_{l-1} - \nabla \tilde{U}(\theta_l) h_l -$$

$$A \mathbf{p}_{l-1} h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

for $l = 1, 2, \dots$ **do**

Evaluate $\nabla_{\theta} \tilde{U}(\theta_{l-1})$ from the l -th minibatch

$$\theta_l = \theta_{l-1} + \mathbf{v}_{l-1}$$

$$\mathbf{v}_l = (1 - m) \mathbf{v}_{l-1} - \nabla \tilde{U}(\theta_l) \epsilon_l +$$

$$\sqrt{2m\epsilon_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

end

- Reparametrization: $\epsilon = h^2$, $m = Ah$, $\mathbf{v} = \mathbf{p} h$
- ϵ : learning rate; m : momentum weight

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)


2 Theory

Manifold information geometry

- 1 Higher-order gradient information have proven helpful in training high-dimensional, complex optimization problems, *e.g.*, deep learning:
 - ▶ quasi-Newton methods
 - ▶ rescale parameters so that the loss function has similar curvature along all directions: Adagrad, Adadelta, Adam and RMSprop algorithms
 - ▶ approximation to using Riemannian information geometry
- 2 Geometry information is encoded with a Riemannian metric $G(\theta)$:
 - reflects the curvature property, *e.g.*, inner product of two vectors \mathbf{v} and \mathbf{w} on a tangent space is $\mathbf{v}^T G(\theta) \mathbf{w}^T$

Manifold information geometry

- 1 Higher-order gradient information have proven helpful in training high-dimensional, complex optimization problems, *e.g.*, deep learning:
 - ▶ quasi-Newton methods
 - ▶ rescale parameters so that the loss function has similar curvature along all directions: Adagrad, Adadelata, Adamand RMSprop algorithms
 - ▶ approximation to using Riemannian information geometry
- 2 Geometry information is encoded with a Riemannian metric $G(\theta)$:
 - reflects the curvature property, *e.g.*, inner product of two vectors \mathbf{v} and \mathbf{w} on a tangent space is $\mathbf{v}^T G(\theta) \mathbf{w}^T$



Stochastic gradient Riemannian Langevin dynamics

- 1 Adding Riemannian information geometry into SGLD:

$$\theta_{l+1} = \theta_l - h_{l+1} \left(G(\theta_l) \nabla_{\theta} \tilde{U}(\theta_l) + \Gamma(\theta_l) \right) + \sqrt{2h_{l+1} G(\theta_l)} \zeta_{l+1}$$

- ▶ $G(\theta)$: Riemannian metric, sometimes refer to as preconditioner
- ▶ $\Gamma_i(\theta) \triangleq \sum_j \frac{\partial G_{ij}(\theta)}{\partial \theta_j}$: change of manifold curvature
- ▶ In SGLD, $G(\theta) = \mathbf{I}$, $\Gamma(\theta) = \mathbf{0}$

- 2 SGRLD for LDA¹⁸ is a good example of SGRLD.
- 3 Imposing Riemannian geometry into other SG-MCMC algorithms follows similarly.
- 4 Challenge: $G(\theta)$ is usually intractable:
 - ▶ need a computational efficient way to approximate $G(\theta)$

¹⁸S. Patterson and Y. W. Teh. "Stochastic Gradient Riemannian Langevin Dynamics on the Probability Simplex". In: *NIPS*. 2013.

Stochastic gradient Riemannian Langevin dynamics

- 1 Adding Riemannian information geometry into SGLD:

$$\theta_{l+1} = \theta_l - h_{l+1} \left(G(\theta_l) \nabla_{\theta} \tilde{U}(\theta_l) + \Gamma(\theta_l) \right) + \sqrt{2h_{l+1} G(\theta_l)} \zeta_{l+1}$$

- ▶ $G(\theta)$: Riemannian metric, sometimes refer to as preconditioner
 - ▶ $\Gamma_i(\theta) \triangleq \sum_j \frac{\partial G_{ij}(\theta)}{\partial \theta_j}$: change of manifold curvature
 - ▶ In SGLD, $G(\theta) = \mathbf{I}$, $\Gamma(\theta) = \mathbf{0}$
- 2 SGRLD for LDA¹⁸ is a good example of SGRLD.
 - 3 Imposing Riemannian geometry into other SG-MCMC algorithms follows similarly.
 - 4 Challenge: $G(\theta)$ is usually intractable:
 - ▶ need a computational efficient way to approximate $G(\theta)$

¹⁸S. Patterson and Y. W. Teh. "Stochastic Gradient Riemannian Langevin Dynamics on the Probability Simplex". In: *NIPS*. 2013.

Stochastic gradient Riemannian Langevin dynamics

- 1 Adding Riemannian information geometry into SGLD:

$$\theta_{l+1} = \theta_l - h_{l+1} \left(G(\theta_l) \nabla_{\theta} \tilde{U}(\theta_l) + \Gamma(\theta_l) \right) + \sqrt{2h_{l+1} G(\theta_l)} \zeta_{l+1}$$

- ▶ $G(\theta)$: Riemannian metric, sometimes refer to as preconditioner
 - ▶ $\Gamma_i(\theta) \triangleq \sum_j \frac{\partial G_{ij}(\theta)}{\partial \theta_j}$: change of manifold curvature
 - ▶ In SGLD, $G(\theta) = \mathbf{I}$, $\Gamma(\theta) = \mathbf{0}$
- 2 SGRLD for LDA¹⁸ is a good example of SGRLD.
 - 3 Imposing Riemannian geometry into other SG-MCMC algorithms follows similarly.
 - 4 Challenge: $G(\theta)$ is usually intractable:
 - ▶ need a computational efficient way to approximate $G(\theta)$

¹⁸S. Patterson and Y. W. Teh. "Stochastic Gradient Riemannian Langevin Dynamics on the Probability Simplex". In: *NIPS*. 2013.

Stochastic Gradient Markov Chain Monte Carlo

1 SG-MCMC algorithms

- Stochastic Gradient Langevin Dynamics (SGLD)
- Stochastic Gradient Hamiltonian Monte Carlo (SGHMC)
- Stochastic Gradient Thermostats (SGNHT)
- Stochastic Gradient MCMC with Riemannian Geometry
 - ▶ stochastic gradient Riemannian Langevin dynamics (SGRLD)
 - ▶ preconditioned stochastic gradient Langevin dynamics (PSGLD)

2 Theory

Preconditioned stochastic gradient Langevin dynamics

- 1 RMSprop as the Preconditioner (Riemannian metric).
- 2 $\bar{g}(\theta_l) = \frac{1}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{d}_{\pi_i} | \theta_l)$: sample mean of gradient.
- 3 Preconditioner construction:

$$V(\theta_{l+1}) = \alpha V(\theta_l) + (1 - \alpha) \bar{g}(\theta_l) \odot \bar{g}(\theta_l)$$
$$G(\theta_{l+1}) = \text{diag} \left(1 \oslash \left(\lambda + \sqrt{V(\theta_{l+1})} \right) \right)$$

- 4 Intuitive interpretations:
 - ▶ the preconditioner equalizes the gradient so that a constant stepsize is adequate for all dimensions
 - ▶ the stepsizes are adaptive, in that flat directions have larger stepsizes while curved directions have smaller stepsizes

Preconditioned stochastic gradient Langevin dynamics

- 1 RMSprop as the Preconditioner (Riemannian metric).
- 2 $\bar{g}(\theta_l) = \frac{1}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{d}_{\pi_i} | \theta_l)$: sample mean of gradient.
- 3 Preconditioner construction:

$$V(\theta_{l+1}) = \alpha V(\theta_l) + (1 - \alpha) \bar{g}(\theta_l) \odot \bar{g}(\theta_l)$$
$$G(\theta_{l+1}) = \text{diag} \left(1 \oslash \left(\lambda + \sqrt{V(\theta_{l+1})} \right) \right)$$

- 4 Intuitive interpretations:
 - ▶ the preconditioner equalizes the gradient so that a constant stepsize is adequate for all dimensions
 - ▶ the stepsizes are adaptive, in that flat directions have larger stepsizes while curved directions have smaller stepsizes

Preconditioned stochastic gradient Langevin dynamics

- 1 RMSprop as the Preconditioner (Riemannian metric).
- 2 $\bar{g}(\theta_l) = \frac{1}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{d}_{\pi_i} | \theta_l)$: sample mean of gradient.
- 3 Preconditioner construction:

$$V(\theta_{l+1}) = \alpha V(\theta_l) + (1 - \alpha) \bar{g}(\theta_l) \odot \bar{g}(\theta_l)$$
$$G(\theta_{l+1}) = \text{diag} \left(\mathbf{1} \oslash \left(\lambda + \sqrt{V(\theta_{l+1})} \right) \right)$$

- 4 Intuitive interpretations:
 - ▶ the preconditioner equalizes the gradient so that a constant stepsize is adequate for all dimensions
 - ▶ the stepsizes are adaptive, in that flat directions have larger stepsizes while curved directions have smaller stepsizes

Preconditioned stochastic gradient Langevin dynamics

- 1 RMSprop as the Preconditioner (Riemannian metric).
- 2 $\bar{g}(\theta_l) = \frac{1}{n} \sum_{i=1}^n \nabla_{\theta} \log p(\mathbf{d}_{\pi_i} | \theta_l)$: sample mean of gradient.
- 3 Preconditioner construction:

$$V(\theta_{l+1}) = \alpha V(\theta_l) + (1 - \alpha) \bar{g}(\theta_l) \odot \bar{g}(\theta_l)$$
$$G(\theta_{l+1}) = \text{diag} \left(1 \oslash \left(\lambda + \sqrt{V(\theta_{l+1})} \right) \right)$$

- 4 Intuitive interpretations:
 - ▶ the preconditioner equalizes the gradient so that a constant stepsize is adequate for all dimensions
 - ▶ the stepsizes are adaptive, in that flat directions have larger stepsizes while curved directions have smaller stepsizes

- 2 Stochastic Gradient Markov Chain Monte Carlo
 - 1 SG-MCMC algorithms
 - 2 Theory

Stochastic Gradient Markov Chain Monte Carlo

- 1 SG-MCMC algorithms
- 2 Theory
 - Itô diffusion
 - Convergence theory

Stochastic Gradient Markov Chain Monte Carlo

- 1 SG-MCMC algorithms
- 2 Theory
 - Itô diffusion
 - Convergence theory

Itô diffusion

- 1 Itô diffusion is a continuous-time stochastic process, governed by stochastic differential equations of the form:

$$d\mathbf{x}_t = F(\mathbf{x}_t)dt + \sigma(\mathbf{x}_t)d\mathbf{w}_t$$

- ▶ t : time index
- ▶ \mathbf{x}_t : model states, typically includes θ
- ▶ \mathbf{w}_t : standard Brownian motion, *e.g.*, $\forall t, \Delta h > 0$, $\Delta \mathbf{w}_t \triangleq \mathbf{w}_{t+\Delta h} - \mathbf{w}_t$ are zero-mean Gaussian random variables with standard deviation Δh
- ▶ $F(\mathbf{x}_t)$: drift coefficient
- ▶ $\sigma(\mathbf{x}_t)$: diffusion coefficient

Itô diffusion

- 1 Itô diffusion typically endows an invariant measure, *i.e.*, the probability distribution of \mathbf{x}_t , $\forall t$ (time invariant).
- 2 Ornstein-Uhlenbeck (OU) process:

$$dx_t = \underbrace{\beta(\mu - x_t)}_{F(x_t)} dt + \underbrace{\alpha}_{\sigma(x_t)} dw_t, \quad \beta, \alpha > 0$$

- invariant measure: $\rho(x) = \sqrt{\frac{\beta}{\pi\alpha^2}} e^{-\beta(x-\mu)^2/\alpha^2}$

Itô diffusion

- 1 Itô diffusion typically endows an invariant measure, *i.e.*, the probability distribution of $\mathbf{x}_t, \forall t$ (time invariant).
- 2 Ornstein-Uhlenbeck (OU) process:

$$dx_t = \underbrace{\beta(\mu - x_t)}_{F(x_t)} dt + \underbrace{\alpha}_{\sigma(x_t)} dw_t, \quad \beta, \alpha > 0$$

- invariant measure: $\rho(x) = \sqrt{\frac{\beta}{\pi\alpha^2}} e^{-\beta(x-\mu)^2/\alpha^2}$




Figure: OU process with $\mu = 0, \beta = 0.5, \alpha = 1$.

Fokker-Planck equation

- 1 Also known as the Kolmogorov forward equation.
- 2 It describes the time-evolving probability density function $p(\mathbf{x}, t)$ on the random variable \mathbf{x} , driven by the Itô diffusion:
$$d\mathbf{x}_t = F(\mathbf{x}_t)dt + \sigma(\mathbf{x}_t)d\mathbf{w}_t.$$
- 3 Let $D_{ij}(\mathbf{x}_t) \triangleq \sum_k \sigma_{ik}(\mathbf{x}_t)\sigma_{jk}(\mathbf{x}_t)$, then $p(\mathbf{x}, t)$ satisfies the Fokker-Planck equation:

$$\frac{\partial p(\mathbf{x}, t)}{\partial t} = - \sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x}, t)] + \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x}, t)] .$$

- 4 In stationary region, $p(\mathbf{x}, t)$ is independent of t , thus $\frac{\partial p(\mathbf{x}, t)}{\partial t} = 0$, the Fokker-Planck equation becomes:

$$\sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x})] = \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x})] .$$

Fokker-Planck equation

- 1 Also known as the Kolmogorov forward equation.
- 2 It describes the time-evolving probability density function $p(\mathbf{x}, t)$ on the random variable \mathbf{x} , driven by the Itô diffusion:
$$d\mathbf{x}_t = F(\mathbf{x}_t)dt + \sigma(\mathbf{x}_t)d\mathbf{w}_t.$$
- 3 Let $D_{ij}(\mathbf{x}_t) \triangleq \sum_k \sigma_{ik}(\mathbf{x}_t)\sigma_{jk}(\mathbf{x}_t)$, then $p(\mathbf{x}, t)$ satisfies the Fokker-Planck equation:

$$\frac{\partial p(\mathbf{x}, t)}{\partial t} = - \sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x}, t)] + \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x}, t)] .$$

- 4 In stationary region, $p(\mathbf{x}, t)$ is independent of t , thus $\frac{\partial p(\mathbf{x}, t)}{\partial t} = 0$, the Fokker-Planck equation becomes:

$$\sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x})] = \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x})] .$$

Fokker-Planck equation

- 1 Also known as the Kolmogorov forward equation.
- 2 It describes the time-evolving probability density function $p(\mathbf{x}, t)$ on the random variable \mathbf{x} , driven by the Itô diffusion:
$$d\mathbf{x}_t = F(\mathbf{x}_t)dt + \sigma(\mathbf{x}_t)d\mathbf{w}_t.$$
- 3 Let $D_{ij}(\mathbf{x}_t) \triangleq \sum_k \sigma_{ik}(\mathbf{x}_t)\sigma_{jk}(\mathbf{x}_t)$, then $p(\mathbf{x}, t)$ satisfies the Fokker-Planck equation:

$$\frac{\partial p(\mathbf{x}, t)}{\partial t} = - \sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x}, t)] + \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x}, t)] .$$

- 4 In stationary region, $p(\mathbf{x}, t)$ is independent of t , thus $\frac{\partial p(\mathbf{x}, t)}{\partial t} = 0$, the Fokker-Planck equation becomes:

$$\sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x})] = \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x})] .$$

Fokker-Planck equation

- 1 Also known as the Kolmogorov forward equation.
- 2 It describes the time-evolving probability density function $p(\mathbf{x}, t)$ on the random variable \mathbf{x} , driven by the Itô diffusion:
$$d\mathbf{x}_t = F(\mathbf{x}_t)dt + \sigma(\mathbf{x}_t)d\mathbf{w}_t.$$
- 3 Let $D_{ij}(\mathbf{x}_t) \triangleq \sum_k \sigma_{ik}(\mathbf{x}_t)\sigma_{jk}(\mathbf{x}_t)$, then $p(\mathbf{x}, t)$ satisfies the Fokker-Planck equation:

$$\frac{\partial p(\mathbf{x}, t)}{\partial t} = - \sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x}, t)] + \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x}, t)] .$$

- 4 In stationary region, $p(\mathbf{x}, t)$ is independent of t , thus $\frac{\partial p(\mathbf{x}, t)}{\partial t} = 0$, the Fokker-Planck equation becomes:

$$\sum_i \frac{\partial}{\partial \mathbf{x}_i} [F_i(\mathbf{x}_t)p(\mathbf{x})] = \frac{1}{2} \sum_{i,j} \frac{\partial^2}{\partial \mathbf{x}_i \partial \mathbf{x}_j} [D_{ij}(\mathbf{x}_t)p(\mathbf{x})] .$$

Fokker-Planck equation

- 1 The Fokker-Planck equation is useful in verifying the stationary distribution for some specify Itô diffusions.
- 2 We can use it to verify that the stationary distribution of the following Itô diffusion is $p(\mathbf{x}) \propto e^{-U(\mathbf{x})}$:

$$d\mathbf{x}_t = -\nabla_{\mathbf{x}}U(\mathbf{x}_t) + \frac{1}{2}d\mathbf{w}_t$$

Diffusion form for SGLD

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} - \nabla_{\boldsymbol{\theta}} \tilde{U}_l(\boldsymbol{\theta}_{l-1}) h_l + \sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 1 SGLD is based on 1st-order Langevin dynamics, with $\mathbf{x} = \boldsymbol{\theta}$:

$$d\boldsymbol{\theta}_t = \underbrace{-\nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_t)}_{F(\mathbf{x}_t)} + \underbrace{\frac{1}{2} \mathbf{I}}_{\sigma(\mathbf{x}_t)} d\mathbf{w}_t$$

- invariant measure: $\rho(\boldsymbol{\theta}) \propto e^{-U(\boldsymbol{\theta})}$

Diffusion form for SGHMC

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = (1 - Ah_l) \mathbf{p}_{l-1} - \nabla \tilde{U}_l(\boldsymbol{\theta}_l) h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 1 SGHMC is based on 2nd-order Langevin dynamics, with $\mathbf{x} = \{\boldsymbol{\theta}, \mathbf{p}\}$:

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \end{pmatrix} = \underbrace{\begin{pmatrix} \mathbf{p}_t \\ -A\mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix}}_{F(\mathbf{x}_t)} dt + \underbrace{\sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix}}_{\sigma(\mathbf{x}_t)} d\mathbf{w}_t$$

- invariant measure: $\rho(\boldsymbol{\theta}, \mathbf{p}) \propto \exp \left\{ -U(\boldsymbol{\theta}) - \frac{\mathbf{p}^T \mathbf{p}}{2} \right\}$

Diffusion form for SGNHT

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p} h_l$$

$$\mathbf{p}_l = (1 - \xi_{l-1} h_l) \mathbf{p}_{l-1} - \nabla \tilde{U}_l(\boldsymbol{\theta}_l) h_l + \sqrt{2A h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

$$\xi_l = \xi_{l-1} + \left(\mathbf{p}_l^T \mathbf{p}_l / D - 1 \right) h_l$$

- 1 SGNHT is based on the Nosé-Hoover thermostat, with $\mathbf{x} = \{\boldsymbol{\theta}, \mathbf{p}, \xi\}$:

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \\ \xi_t \end{pmatrix} = \underbrace{\begin{pmatrix} \mathbf{p}_t \\ -\xi_t \mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_t) \\ \mathbf{p}_t^T \mathbf{p}_t / D - 1 \end{pmatrix}}_{F(\mathbf{x}_t)} dt + \underbrace{\sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{0} \end{pmatrix}}_{\sigma(\mathbf{x}_t)} d\mathbf{w}_t$$

- invariant measure:

$$\rho(\boldsymbol{\theta}, \mathbf{p}, \xi) \propto \exp \left\{ -U(\boldsymbol{\theta}) - \frac{\mathbf{p}^T \mathbf{p}}{2} - \frac{D}{2} (\xi - D)^2 \right\}$$

A complete recipe to construct appropriate Itô diffusions

- 1 Ma *et al.*¹⁹ gave a complete recipe to construct $F(\mathbf{x})$ and $\sigma(\mathbf{x})$:

$$F(\mathbf{x}) = - (D(\mathbf{x}) + Q(\mathbf{x})) \nabla_{\mathbf{x}} H(\mathbf{x}) + \Gamma(\mathbf{x})$$

$$\sigma(\mathbf{x}) = \sqrt{2D(\mathbf{x})},$$

- ▶ $Q(\mathbf{x})$: a skew-symmetric curl matrix, *e.g.*, $-\mathbf{M} = \mathbf{M}^T$
- ▶ $D(\mathbf{x})$: a positive semidefinite diffusion matrix

- 2 Any diffusion with the above form endows a marginal invariant measure: $\rho(\theta) \propto e^{-U(\theta)}$.

- 3 In SGHMC, $D(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & A \cdot \mathbf{I} \end{pmatrix}$, $Q(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & -\mathbf{I} \\ \mathbf{I} & \mathbf{0} \end{pmatrix}$.

¹⁹Y. A. Ma, T. Chen, and E. B. Fox. "A Complete Recipe for Stochastic Gradient MCMC". In: *NIPS*. 2015.

A complete recipe to construct appropriate Itô diffusions

- 1 Ma *et al.*¹⁹ gave a complete recipe to construct $F(\mathbf{x})$ and $\sigma(\mathbf{x})$:

$$F(\mathbf{x}) = - (D(\mathbf{x}) + Q(\mathbf{x})) \nabla_{\mathbf{x}} H(\mathbf{x}) + \Gamma(\mathbf{x})$$

$$\sigma(\mathbf{x}) = \sqrt{2D(\mathbf{x})},$$

- ▶ $Q(\mathbf{x})$: a skew-symmetric curl matrix, e.g., $-\mathbf{M} = \mathbf{M}^T$
- ▶ $D(\mathbf{x})$: a positive semidefinite diffusion matrix

- 2 Any diffusion with the above form endows a marginal invariant measure: $\rho(\boldsymbol{\theta}) \propto e^{-U(\boldsymbol{\theta})}$.

- 3 In SGHMC, $D(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & A \cdot \mathbf{I} \end{pmatrix}$, $Q(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & -\mathbf{I} \\ \mathbf{I} & \mathbf{0} \end{pmatrix}$.

¹⁹Y. A. Ma, T. Chen, and E. B. Fox. "A Complete Recipe for Stochastic Gradient MCMC". In: *NIPS*. 2015.

A complete recipe to construct appropriate Itô diffusions

- 1 Ma *et al.*¹⁹ gave a complete recipe to construct $F(\mathbf{x})$ and $\sigma(\mathbf{x})$:

$$F(\mathbf{x}) = - (D(\mathbf{x}) + Q(\mathbf{x})) \nabla_{\mathbf{x}} H(\mathbf{x}) + \Gamma(\mathbf{x})$$

$$\sigma(\mathbf{x}) = \sqrt{2D(\mathbf{x})},$$

- ▶ $Q(\mathbf{x})$: a skew-symmetric curl matrix, *e.g.*, $-\mathbf{M} = \mathbf{M}^T$
- ▶ $D(\mathbf{x})$: a positive semidefinite diffusion matrix


- 2 Any diffusion with the above form endows a marginal invariant measure: $\rho(\boldsymbol{\theta}) \propto e^{-U(\boldsymbol{\theta})}$.

- 3 In SGHMC, $D(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & A \cdot \mathbf{I} \end{pmatrix}$, $Q(\mathbf{x}) = \begin{pmatrix} \mathbf{0} & -\mathbf{I} \\ \mathbf{I} & \mathbf{0} \end{pmatrix}$.

¹⁹Y. A. Ma, T. Chen, and E. B. Fox. "A Complete Recipe for Stochastic Gradient MCMC". In: *NIPS*. 2015.


From diffusions to algorithms: numerical integrator

- 1 The diffusions defined previously are continuous-time Markov processes.
- 2 SG-MCMC algorithms approximate solutions of these Markov processes via numerical integrators/methods.
- 3 Characterize how accurate the algorithms approximate the continuous-time processes in terms of orders:
 - ▶ e.g., a 1st-order numerical integrator approximates the true process, with an error bounded by $O(h)$, when evolving the process for time h



From diffusions to algorithms: numerical integrator

- 1 The diffusions defined previously are continuous-time Markov processes.
- 2 SG-MCMC algorithms approximate solutions of these Markov processes via numerical integrators/methods.
- 3 Characterize how accurate the algorithms approximate the continuous-time processes in terms of orders:
 - ▶ e.g., a 1st-order numerical integrator approximates the true process, with an error bounded by $O(h)$, when evolving the process for time h



Example: SGHMC

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \end{pmatrix} = \begin{pmatrix} \mathbf{p}_t \\ -A\mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}_t$$

- 1 Use a 1st-order Euler integrator to solve the SDE:
 - ▶ divide the time into L small intervals, each with a duration h
 - ▶ in each interval, solve $(\boldsymbol{\theta}_l, \mathbf{p}_l)$ sequentially, while fixing the others

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} h_l$$

$$\mathbf{p}_l = (1 - Ah_l)\mathbf{p}_{l-1} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_l) h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 2 Induce an error of $O(h_l)$ compared to exactly solving the SDE.
- 3 Also induce a global bias of $O(h)$ if $h_l = h, \forall l$ (introduced next).

Example: SGHMC

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \end{pmatrix} = \begin{pmatrix} \mathbf{p}_t \\ -A\mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}_t$$

- 1 Use a 1st-order Euler integrator to solve the SDE:
 - ▶ divide the time into L small intervals, each with a duration h
 - ▶ in each interval, solve $(\boldsymbol{\theta}_l, \mathbf{p}_l)$ sequentially, while fixing the others

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} h_l$$

$$\mathbf{p}_l = (1 - Ah_l)\mathbf{p}_{l-1} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_l) h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 2 Induce an error of $O(h_l)$ compared to exactly solving the SDE.
- 3 Also induce a global bias of $O(h)$ if $h_l = h, \forall l$ (introduced next).

Example: SGHMC

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \end{pmatrix} = \begin{pmatrix} \mathbf{p}_t \\ -A\mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}_t$$

- 1 Use a 1st-order Euler integrator to solve the SDE:
 - ▶ divide the time into L small intervals, each with a duration h
 - ▶ in each interval, solve $(\boldsymbol{\theta}_l, \mathbf{p}_l)$ sequentially, while fixing the others

$$\boldsymbol{\theta}_l = \boldsymbol{\theta}_{l-1} + \mathbf{p}_{l-1} h_l$$

$$\mathbf{p}_l = (1 - Ah_l)\mathbf{p}_{l-1} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_l) h_l + \sqrt{2Ah_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 2 Induce an error of $O(h_l)$ compared to exactly solving the SDE.
- 3 Also induce a global bias of $O(h)$ if $h_l = h, \forall l$ (introduced next).

High-order numerical integrators

- 1 Start an Itô diffusion from \mathbf{x}_0 , let \mathbf{x}_h be the random variable after evolving the diffusion for time h , $\tilde{\mathbf{x}}_h$ be the value obtained from a numerical method.
- 2 If $\mathbb{E} |f(\mathbf{x}_h) - f(\tilde{\mathbf{x}}_h)| = O(h^K)$, then the numerical integrator is said to be order K .
- 3 The Euler method is a 1st-order numerical integrator.
- 4 The symmetric splitting integrator²⁰ is a 2nd-order numerical integrator:
 - ▶ the idea is to split the infeasible SDE into several sub-SDEs, such that each of the sub-SDE can be solved exactly

²⁰C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*. 2015.

High-order numerical integrators

- 1 Start an Itô diffusion from \mathbf{x}_0 , let \mathbf{x}_h be the random variable after evolving the diffusion for time h , $\tilde{\mathbf{x}}_h$ be the value obtained from a numerical method.
- 2 If $\mathbb{E} |f(\mathbf{x}_h) - f(\tilde{\mathbf{x}}_h)| = O(h^K)$, then the numerical integrator is said to be order K .
- 3 The Euler method is a 1st-order numerical integrator.
- 4 The symmetric splitting integrator²⁰ is a 2nd-order numerical integrator:
 - ▶ the idea is to split the infeasible SDE into several sub-SDEs, such that each of the sub-SDE can be solved exactly

²⁰C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*. 2015.

High-order numerical integrators

- 1 Start an Itô diffusion from \mathbf{x}_0 , let \mathbf{x}_h be the random variable after evolving the diffusion for time h , $\tilde{\mathbf{x}}_h$ be the value obtained from a numerical method.
- 2 If $\mathbb{E} |f(\mathbf{x}_h) - f(\tilde{\mathbf{x}}_h)| = O(h^K)$, then the numerical integrator is said to be order K .
- 3 The Euler method is a 1st-order numerical integrator.
- 4 The symmetric splitting integrator²⁰ is a 2nd-order numerical integrator:
 - ▶ the idea is to split the infeasible SDE into several sub-SDEs, such that each of the sub-SDE can be solved exactly

²⁰C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*. 2015.

SGHMC using symmetric splitting integrators

$$d \begin{pmatrix} \boldsymbol{\theta} \\ \mathbf{p} \end{pmatrix} = \begin{pmatrix} \mathbf{p} \\ -A\mathbf{p} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}$$

- 1 Split the above SDE into the following sub-SDEs:

$$A: \begin{cases} d\boldsymbol{\theta} = \mathbf{p} dt \\ d\mathbf{p} = 0 \end{cases}, B: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -D\mathbf{p} dt \end{cases}$$
$$O: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -\nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}) dt + \sqrt{2D} d\mathbf{w} \end{cases}$$

- 2 Solve the sub-SDEs in a symmetric way, e.g., *ABOBA*, resulting in the following updates:
- 3 Induce $O(h^2)$ error, more accurate than the Euler integrator.

SGHMC using symmetric splitting integrators

$$d \begin{pmatrix} \boldsymbol{\theta} \\ \mathbf{p} \end{pmatrix} = \begin{pmatrix} \mathbf{p} \\ -A\mathbf{p} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}$$

- 1 Split the above SDE into the following sub-SDEs:

$$A: \begin{cases} d\boldsymbol{\theta} = \mathbf{p} dt \\ d\mathbf{p} = 0 \end{cases}, B: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -D\mathbf{p} dt \end{cases}$$
$$O: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -\nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}) dt + \sqrt{2D} d\mathbf{w} \end{cases}$$

- 2 Solve the sub-SDEs in a symmetric way, e.g., *ABOBA*, resulting in the following updates:

$$\boldsymbol{\theta}_i^{(1)} \stackrel{A}{=} \boldsymbol{\theta}_{i-1} + \mathbf{p}_{i-1} h/2 \Rightarrow \mathbf{p}_i^{(1)} \stackrel{B}{=} e^{-Dh/2} \mathbf{p}_{i-1} \Rightarrow \mathbf{p}_i^{(2)} \stackrel{O}{=} \mathbf{p}_i^{(1)} - \nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}_i^{(1)}) h$$
$$+ \sqrt{2Dh} \mathcal{N}(\mathbf{0}, \mathbf{I}) \Rightarrow \mathbf{p}_i \stackrel{B}{=} e^{-Dh/2} \mathbf{p}_i^{(2)} \Rightarrow \boldsymbol{\theta}_i \stackrel{A}{=} \boldsymbol{\theta}_i^{(1)} + \mathbf{p}_i h/2$$

- 3 Induce $O(h^2)$ error, more accurate than the Euler integrator.

SGHMC using symmetric splitting integrators

$$d \begin{pmatrix} \boldsymbol{\theta} \\ \mathbf{p} \end{pmatrix} = \begin{pmatrix} \mathbf{p} \\ -A\mathbf{p} - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}) \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} \end{pmatrix} d\mathbf{w}$$

- 1 Split the above SDE into the following sub-SDEs:

$$A: \begin{cases} d\boldsymbol{\theta} = \mathbf{p} dt \\ d\mathbf{p} = 0 \end{cases}, B: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -D\mathbf{p} dt \end{cases}$$
$$O: \begin{cases} d\boldsymbol{\theta} = 0 \\ d\mathbf{p} = -\nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}) dt + \sqrt{2D} d\mathbf{w} \end{cases}$$

- 2 Solve the sub-SDEs in a symmetric way, e.g., *ABOBA*, resulting in the following updates:

$$\boldsymbol{\theta}_i^{(1)} \stackrel{A}{=} \boldsymbol{\theta}_{i-1} + \mathbf{p}_{i-1} h/2 \Rightarrow \mathbf{p}_i^{(1)} \stackrel{B}{=} e^{-Dh/2} \mathbf{p}_{i-1} \Rightarrow \mathbf{p}_i^{(2)} \stackrel{O}{=} \mathbf{p}_i^{(1)} - \nabla_{\boldsymbol{\theta}} \tilde{U}(\boldsymbol{\theta}_i^{(1)}) h$$
$$+ \sqrt{2Dh} \mathcal{N}(\mathbf{0}, \mathbf{I}) \Rightarrow \mathbf{p}_i \stackrel{B}{=} e^{-Dh/2} \mathbf{p}_i^{(2)} \Rightarrow \boldsymbol{\theta}_i \stackrel{A}{=} \boldsymbol{\theta}_i^{(1)} + \mathbf{p}_i h/2$$

- 3 Induce $O(h^2)$ error, more accurate than the Euler integrator.

Outline: Stochastic Gradient Markov Chain Monte Carlo

① SG-MCMC algorithms

② Theory

- ▶ Itô diffusion
- ▶ Convergence theory

Setup

- 1 $\rho(\mathbf{x})$: stationary distribution of an Itô diffusion.
- 2 $\{\mathbf{x}_1, \dots, \mathbf{x}_L\}$: samples from the corresponding SG-MCMC algorithm.
- 3 $\phi(\mathbf{x})$: a test function.
- 4 $\bar{\phi} \triangleq \int \phi(\mathbf{x})\rho(\mathbf{x})d\mathbf{x}$: posterior average.
- 5 $\hat{\phi}_L \triangleq \frac{1}{L} \sum_{l=1}^L \phi(\mathbf{x}_l)$: sample average (fixed step size).
- 6 $\tilde{\phi}_L \triangleq \frac{1}{\sum_{l=1}^L h_l} \sum_{l=1}^L h_l \phi(\mathbf{x}_l)$: sample average (decreasing step sizes).
- 7 In weak convergence analysis, we study how $\hat{\phi}_L$ approximates $\bar{\phi}$, in terms of:
 - ▶ bias: $|\mathbb{E}\hat{\phi}_L - \bar{\phi}|$, or $|\mathbb{E}\tilde{\phi}_L - \bar{\phi}|$
 - ▶ mean square error (MSE): $\mathbb{E}(\hat{\phi}_L - \bar{\phi})^2$, or $\mathbb{E}(\tilde{\phi}_L - \bar{\phi})^2$

Setup

- 1 $\rho(\mathbf{x})$: stationary distribution of an Itô diffusion.
- 2 $\{\mathbf{x}_1, \dots, \mathbf{x}_L\}$: samples from the corresponding SG-MCMC algorithm.
- 3 $\phi(\mathbf{x})$: a test function.
- 4 $\bar{\phi} \triangleq \int \phi(\mathbf{x})\rho(\mathbf{x})d\mathbf{x}$: posterior average.
- 5 $\hat{\phi}_L \triangleq \frac{1}{L} \sum_{l=1}^L \phi(\mathbf{x}_l)$: sample average (fixed step size).
- 6 $\tilde{\phi}_L \triangleq \frac{1}{\sum_{l=1}^L h_l} \sum_{l=1}^L h_l \phi(\mathbf{x}_l)$: sample average (decreasing step sizes).
- 7 In weak convergence analysis, we study how $\hat{\phi}_L$ approximates $\bar{\phi}$, in terms of:
 - ▶ bias: $|\mathbb{E}\hat{\phi}_L - \bar{\phi}|$, or $|\mathbb{E}\tilde{\phi}_L - \bar{\phi}|$
 - ▶ mean square error (MSE): $\mathbb{E}(\hat{\phi}_L - \bar{\phi})^2$, or $\mathbb{E}(\tilde{\phi}_L - \bar{\phi})^2$

Typical assumptions

- The convergence theory relies on some assumptions on the continuous-time Itô diffusions and the numerical methods.
- 1 **Ellipticity/hypoellipticity**: the noise from Brownian motion could spread out over the whole space (diffusion coefficient).
- 2 **Smoothness and boundedness**: the drift coefficient $F(\mathbf{x})$ is smooth and bounded by some function.
- 3 **Ergodicity**: numerical methods are able to explore the whole parameter space.
- 4 **Nice properties (smooth, bounded) of ψ** : ψ is the solution functional of $\frac{1}{L} \sum_{l=1}^L \mathcal{L}\psi(\mathbf{x}_l) = \hat{\phi}_L - \bar{\phi}$, with \mathcal{L} the infinite generator of the corresponding Itô diffusion.

Typical assumptions

- The convergence theory relies on some assumptions on the continuous-time Itô diffusions and the numerical methods.

Informally:

- 1 **Ellipticity/hypoellipticity**: the noise from Brownian motion could spread out over the whole space (diffusion coefficient).
- 2 **Smoothness and boundedness**: the drift coefficient $F(\mathbf{x})$ is smooth and bounded by some function.
- 3 **Ergodicity**: numerical methods are able to explore the whole parameter space.
- 4 **Nice properties (smooth, bounded) of ψ** : ψ is the solution functional of $\frac{1}{L} \sum_{l=1}^L \mathcal{L}\psi(\mathbf{x}_l) = \hat{\phi}_L - \bar{\phi}$, with \mathcal{L} the infinite generator of the corresponding Itô diffusion.

Typical assumptions

- The convergence theory relies on some assumptions on the continuous-time Itô diffusions and the numerical methods.

Informally:

- 1 **Ellipticity/hypoellipticity**: the noise from Brownian motion could spread out over the whole space (diffusion coefficient).
- 2 **Smoothness and boundedness**: the drift coefficient $F(\mathbf{x})$ is smooth and bounded by some function.
- 3 **Ergodicity**: numerical methods are able to explore the whole parameter space.
- 4 **Nice properties (smooth, bounded) of ψ** : ψ is the solution functional of $\frac{1}{L} \sum_{l=1}^L \mathcal{L}\psi(\mathbf{x}_l) = \hat{\phi}_L - \bar{\phi}$, with \mathcal{L} the infinite generator of the corresponding Itô diffusion.

Typical assumptions

- The convergence theory relies on some assumptions on the continuous-time Itô diffusions and the numerical methods.

Informally:

- 1 **Ellipticity/hypoellipticity**: the noise from Brownian motion could spread out over the whole space (diffusion coefficient).
- 2 **Smoothness and boundedness**: the drift coefficient $F(\mathbf{x})$ is smooth and bounded by some function.
- 3 **Ergodicity**: numerical methods are able to explore the whole parameter space.
- 4 **Nice properties (smooth, bounded) of ψ** : ψ is the solution functional of $\frac{1}{L} \sum_{l=1}^L \mathcal{L}\psi(\mathbf{x}_l) = \hat{\phi}_L - \bar{\phi}$, with \mathcal{L} the infinite generator of the corresponding Itô diffusion.

Typical assumptions

- The convergence theory relies on some assumptions on the continuous-time Itô diffusions and the numerical methods.

Informally:

- 1 **Ellipticity/hypoellipticity**: the noise from Brownian motion could spread out over the whole space (diffusion coefficient).
- 2 **Smoothness and boundedness**: the drift coefficient $F(\mathbf{x})$ is smooth and bounded by some function.
- 3 **Ergodicity**: numerical methods are able to explore the whole parameter space.
- 4 **Nice properties (smooth, bounded) of ψ** : ψ is the solution functional of $\frac{1}{L} \sum_{l=1}^L \mathcal{L}\psi(\mathbf{x}_l) = \hat{\phi}_L - \bar{\phi}$, with \mathcal{L} the infinite generator of the corresponding Itô diffusion.

Revisit orders of numerical integrators

- 1 SG-MCMC algorithms are discretized approximation of continuous-time Itô diffusions.
- 2 The accuracy of the samples generated from SG-MCMC algorithms is described by their orders of numerical methods.

For example:

1. Use an SG-MCMC algorithm to generate \mathbf{x}_l from \mathbf{x}_{l-1} with stepsize h .
2. Evolve the corresponding Itô diffusion exactly for time period h , starting from \mathbf{x}_{l-1} , and ending up with $\tilde{\mathbf{x}}_l$.
3. Calculate the difference: $D_f(\mathbf{x}_l, \tilde{\mathbf{x}}_l) \triangleq \mathbb{E} |f(\mathbf{x}_l) - f(\tilde{\mathbf{x}}_l)|$, where f is a test function.
4. If $D_f(\mathbf{x}_l, \tilde{\mathbf{x}}_l) = O(h^K)$, then the numerical integrator is called an K th-order integrator.

Revisit orders of numerical integrators

- 1 SG-MCMC algorithms are discretized approximation of continuous-time Itô diffusions.
- 2 The accuracy of the samples generated from SG-MCMC algorithms is described by their orders of numerical methods.
- 3 The popular Euler method is a 1st-order integrator.
- 4 The symmetric splitting integrator^a is a 2nd-order integrator.
- 5 We will present results with general K th-order integrators.

^aC. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*. 2015.

Convergence bounds of bias and MSE²¹

Theorem (Fixed step size)

Under standard assumptions, the bias and MSE of a fixed-step-size SG-MCMC with a K th-order integrator at time $T = hL$ are bounded as:

$$\text{Bias: } \left| \mathbb{E} \hat{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{Lh} + h^K \right)$$

$$\text{MSE: } \mathbb{E} \left(\hat{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{Lh} + h^{2K} \right)$$

²¹C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*, 2015.

Convergence bounds of bias and MSE²¹

Theorem (Decreasing step sizes)

Under standard assumptions, the bias and MSE of a decreasing-step-size SG-MCMC with a K th-order integrator at time $S_L \triangleq \sum_{l=1}^L h_l$ are bounded as:

$$\text{Bias: } \left| \mathbb{E} \tilde{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{S_L} + \frac{\sum_{l=1}^L h_l^{K+1}}{S_L} \right)$$

$$\text{MSE: } \mathbb{E} \left(\tilde{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{S_L} + \frac{(\sum_{l=1}^L h_l^{K+1})^2}{S_L^2} + \frac{\sum_{l=1}^L h_l^2}{S_L^2} \right)$$

- To ensure the bias and MSE asymptotically approach zero, we need:

$$S_L \rightarrow \infty, \quad \frac{\sum_{l=1}^L h_l^{K+1}}{S_L} \rightarrow 0, \quad \frac{\sum_{l=1}^L h_l^2}{S_L^2} \rightarrow 0$$

²¹C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*, 2015.

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Fixed step size:

$$\text{Bias: } \left| \mathbb{E} \hat{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{Lh} + h^K \right) \Rightarrow C_1 L^{-K/(K+1)}$$

$$\text{MSE: } \mathbb{E} \left(\hat{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{Lh} + h^{2K} \right) \Rightarrow C_2 L^{-2K/(2K+1)}$$

- 2 Slower than stochastic optimization:
 - ▶ bias typically decreases as L^{-1}
- 3 Also slower than standard MCMC:
 - ▶ square root of MSE typically decreases as $L^{-1/2}$
 - ▶ however, standard MCMC is typically computationally infeasible for even a single iteration

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Fixed step size:

$$\text{Bias: } \left| \mathbb{E} \hat{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{Lh} + h^K \right) \Rightarrow C_1 L^{-K/(K+1)}$$

$$\text{MSE: } \mathbb{E} \left(\hat{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{Lh} + h^{2K} \right) \Rightarrow C_2 L^{-2K/(2K+1)}$$

- 2 Slower than stochastic optimization:

- ▶ bias typically decreases as L^{-1}

- 3 Also slower than standard MCMC:

- ▶ square root of MSE typically decreases as $L^{-1/2}$

- ▶ however, standard MCMC is typically computationally infeasible for even a single iteration

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Fixed step size:

$$\text{Bias: } \left| \mathbb{E} \hat{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{Lh} + h^K \right) \Rightarrow C_1 L^{-K/(K+1)}$$

$$\text{MSE: } \mathbb{E} \left(\hat{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{Lh} + h^{2K} \right) \Rightarrow C_2 L^{-2K/(2K+1)}$$

- 2 Slower than stochastic optimization:
 - ▶ bias typically decreases as L^{-1}
- 3 Also slower than standard MCMC:
 - ▶ square root of MSE typically decreases as $L^{-1/2}$
 - ▶ however, standard MCMC is typically computationally infeasible for even a single iteration

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Decreasing step sizes: consider $h_l \propto l^{-\alpha}$

$$\text{Bias: } \left| \mathbb{E} \tilde{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{S_L} + \frac{\sum_{l=1}^L h_l^{K+1}}{S_L} \right)$$
$$\implies C_1 L^{-K/(K+1)}, \text{ with } \alpha = 1/(K+1)$$

$$\text{MSE: } \mathbb{E} \left(\tilde{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{S_L} + \frac{(\sum_{l=1}^L h_l^{K+1})^2}{S_L^2} + \frac{\sum_{l=1}^L h_l^2}{S_L^2} \right)$$
$$\implies C_2 L^{-2K/(2K+1)}, \text{ with } \alpha = 1/(2K+1)$$

- 2 Behave similarly to the fixed-step-size case

Optimal convergence rates

- 1 When optimizing the bounds over step size, we get the optimal convergence rates.

Decreasing step sizes: consider $h_l \propto l^{-\alpha}$

$$\text{Bias: } \left| \mathbb{E} \tilde{\phi}_L - \bar{\phi} \right| \leq C_1 \left(\frac{1}{S_L} + \frac{\sum_{l=1}^L h_l^{K+1}}{S_L} \right)$$
$$\implies C_1 L^{-K/(K+1)}, \text{ with } \alpha = 1/(K+1)$$

$$\text{MSE: } \mathbb{E} \left(\tilde{\phi}_L - \bar{\phi} \right)^2 \leq C_2 \left(\frac{1}{S_L} + \frac{(\sum_{l=1}^L h_l^{K+1})^2}{S_L^2} + \frac{\sum_{l=1}^L h_l^2}{S_L^2} \right)$$
$$\implies C_2 L^{-2K/(2K+1)}, \text{ with } \alpha = 1/(2K+1)$$

- 2 Behave similarly to the fixed-step-size case

Synthetic experiments²²

- 1 A standard Gaussian model:

$$x_i \sim \mathcal{N}(\theta, 1), \quad \theta \sim \mathcal{N}(0, 1), \quad i = 1, \dots, 1000$$

- 2 Test function: $\phi(\theta) = \theta^2$.

²²C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*, 2015.

Synthetic experiments²²


- 1 A standard Gaussian model:

$$x_i \sim \mathcal{N}(\theta, 1), \quad \theta \sim \mathcal{N}(0, 1), \quad i = 1, \dots, 1000$$

- 2 Test function: $\phi(\theta) = \theta^2$.

Fixed step size:

- Use a 2nd-order symmetric splitting integrator.
- Optimal step size: $h \propto L^{-\alpha}$ with $\alpha = 0.2$ for the MSE.



²²C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*, 2015.

Synthetic experiments²²


- 1 A standard Gaussian model:

$$x_i \sim \mathcal{N}(\theta, 1), \quad \theta \sim \mathcal{N}(0, 1), \quad i = 1, \dots, 1000$$

- 2 Test function: $\phi(\theta) = \theta^2$.

Decreasing step sizes:

- Use step size sequence $h_l \propto l^{-\alpha}$.
- Optimal $\alpha = 1/3$ for the bias.



²²C. Chen, N. Ding, and L. Carin. "On the Convergence of Stochastic Gradient MCMC Algorithms with High-Order Integrators". In: *NIPS*, 2015.

Large-Scale Bayesian Learning with Stochastic Gradient Markov Chain Monte Carlo Methods

Part Three: SG-MCMC for Stochastic Optimization

- ④ SG-MCMC for Stochastic Optimization
 - Bridging the Gap between SG-MCMC and Stochastic Optimization

Motivation

- 1 A key problem in big-data era, especially in deep learning, is to design algorithms that better solve a complex and high-dimensional problem.
- 2 Stochastic optimization:
 - ▶ computationally efficient, fast convergence, prone to local optimal
- 3 Stochastic gradient MCMC:
 - ▶ computationally efficient, slower convergence, able to explore the parameter space
- 4 Can we combine advantages from both?
- 5 What is in between them?

Motivation

- 1 A key problem in big-data era, especially in deep learning, is to design algorithms that better solve a complex and high-dimensional problem.
- 2 Stochastic optimization:
 - ▶ computationally efficient, fast convergence, prone to local optimal
- 3 Stochastic gradient MCMC:
 - ▶ computationally efficient, slower convergence, able to explore the parameter space
- 4 Can we combine advantages from both?
- 5 What is in between them?

Motivation

- 1 A key problem in big-data era, especially in deep learning, is to design algorithms that better solve a complex and high-dimensional problem.
- 2 Stochastic optimization:
 - ▶ computationally efficient, fast convergence, prone to local optimal
- 3 Stochastic gradient MCMC:
 - ▶ computationally efficient, slower convergence, able to explore the parameter space
- 4 Can we combine advantages from both?
- 5 What is in between them?

Motivation

- 1 A key problem in big-data era, especially in deep learning, is to design algorithms that better solve a complex and high-dimensional problem.
- 2 Stochastic optimization:
 - ▶ computationally efficient, fast convergence, prone to local optimal
- 3 Stochastic gradient MCMC:
 - ▶ computationally efficient, slower convergence, able to explore the parameter space
- 4 Can we combine advantages from both?
- 5 What is in between them?

Stochastic optimization

- 1 Stochastic gradient descent (SGD):
 - ▶ basic stochastic optimization algorithm, without considering neither momentum and preconditioning
- 2 SGD with momentum (SGD-M):
 - ▶ extending SGD with momentum
- 3 RMSProp, Adadelta . . . :
 - ▶ extending SGD with preconditioner
- 4 Adam:
 - ▶ extending SGD with both momentum and preconditioner

Stochastic optimization

- 1 Stochastic gradient descent (SGD):
 - ▶ basic stochastic optimization algorithm, without considering neither momentum and preconditioning
- 2 SGD with momentum (SGD-M):
 - ▶ extending SGD with momentum
- 3 RMSProp, Adadelta . . . :
 - ▶ extending SGD with preconditioner
- 4 Adam:
 - ▶ extending SGD with both momentum and preconditioner

Stochastic optimization

- 1 Stochastic gradient descent (SGD):
 - ▶ basic stochastic optimization algorithm, without considering neither momentum and preconditioning
- 2 SGD with momentum (SGD-M):
 - ▶ extending SGD with momentum
- 3 RMSProp, Adadelta . . . :
 - ▶ extending SGD with preconditioner
- 4 Adam:
 - ▶ extending SGD with both momentum and preconditioner

Stochastic optimization

- 1 Stochastic gradient descent (SGD):
 - ▶ basic stochastic optimization algorithm, without considering neither momentum and preconditioning
- 2 SGD with momentum (SGD-M):
 - ▶ extending SGD with momentum
- 3 RMSProp, Adadelta . . . :
 - ▶ extending SGD with preconditioner
- 4 Adam:
 - ▶ extending SGD with both momentum and preconditioner

Stochastic gradient MCMC

- 1 Stochastic gradient Langevin dynamics (SGLD):
 - ▶ Bayesian analog of SGD, without considering neither momentum and preconditioning
- 2 Stochastic gradient Hamiltonian Monte Carlo (SGHMC):
 - ▶ Bayesian analog of SGD-M, with momentum
- 3 Preconditioned stochastic gradient Langevin dynamics (PSGLD):
 - ▶ Bayesian analog of RMSProp, with preconditioner
- 4 Stochastic gradient thermostats (SGNHT):
 - ▶ Bayesian sampling with adaptive momentum, does not have a stochastic optimization analog

Stochastic gradient MCMC

- 1 Stochastic gradient Langevin dynamics (SGLD):
 - ▶ Bayesian analog of SGD, without considering neither momentum and preconditioning
- 2 Stochastic gradient Hamiltonian Monte Carlo (SGHMC):
 - ▶ Bayesian analog of SGD-M, with momentum
- 3 Preconditioned stochastic gradient Langevin dynamics (PSGLD):
 - ▶ Bayesian analog of RMSProp, with preconditioner
- 4 Stochastic gradient thermostats (SGNHT):
 - ▶ Bayesian sampling with adaptive momentum, does not have a stochastic optimization analog

Stochastic gradient MCMC

- 1 Stochastic gradient Langevin dynamics (SGLD):
 - ▶ Bayesian analog of SGD, without considering neither momentum and preconditioning
- 2 Stochastic gradient Hamiltonian Monte Carlo (SGHMC):
 - ▶ Bayesian analog of SGD-M, with momentum
- 3 Preconditioned stochastic gradient Langevin dynamics (PSGLD):
 - ▶ Bayesian analog of RMSProp, with preconditioner
- 4 Stochastic gradient thermostats (SGNHT):
 - ▶ Bayesian sampling with adaptive momentum, does not have a stochastic optimization analog

Stochastic gradient MCMC

- 1 Stochastic gradient Langevin dynamics (SGLD):
 - ▶ Bayesian analog of SGD, without considering neither momentum and preconditioning
- 2 Stochastic gradient Hamiltonian Monte Carlo (SGHMC):
 - ▶ Bayesian analog of SGD-M, with momentum
- 3 Preconditioned stochastic gradient Langevin dynamics (PSGLD):
 - ▶ Bayesian analog of RMSProp, with preconditioner
- 4 Stochastic gradient thermostats (SGNHT):
 - ▶ Bayesian sampling with adaptive momentum, does not have a stochastic optimization analog

Bridging the gap

- 1 Santa: the Stochastic AnNealing Thermostats with Adaptive momentum algorithm.

Table: SG-MCMC algorithms and their optimization counterparts.

Algorithms	SG-MCMC		Optimization
<i>Basic</i>	SGLD	\iff	SGD
<i>Precondition</i>	pSGLD	\iff	RMSprop
<i>Momentum</i>	SGHMC	\iff	SGD-M
<i>Thermostat</i>	SGNHT	\approx	Santa

- 1 What is in between them?
 - ▶ it is about the noise

Example: noise in SGLD

- 1 Update equation for SGLD:

$$\theta_{l+1} = \theta_l - \nabla_{\theta} \tilde{U}_l(\theta) h_l + \sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$




- 2 How about adding $\sqrt{2h_l/\beta} \mathcal{N}(\mathbf{0}, \mathbf{I})$ noise instead of $\sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$?
 - ▶ it would end up sampling from an annealed distribution:
 $\rho_{\beta}(\theta) \propto e^{-\beta U(\theta)}$
 - ▶ when $\beta = 0$, $\rho_{\beta}(\theta)$ is a uniform distribution
 - ▶ when $\beta = \infty$, $\rho_{\beta}(\theta)$ is a spike located at $\theta^* = \arg \min_{\theta} U(\theta)$

Example: noise in SGLD

- 1 Update equation for SGLD:

$$\theta_{l+1} = \theta_l - \nabla_{\theta} \tilde{U}_l(\theta) h_l + \sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$$

- 2 How about adding $\sqrt{2h_l/\beta} \mathcal{N}(\mathbf{0}, \mathbf{I})$ noise instead of $\sqrt{2h_l} \mathcal{N}(\mathbf{0}, \mathbf{I})$?
 - ▶ it would end up sampling from an annealed distribution:
 $\rho_{\beta}(\theta) \propto e^{-\beta U(\theta)}$
 - ▶ when $\beta = 0$, $\rho_{\beta}(\theta)$ is a uniform distribution
 - ▶ when $\beta = \infty$, $\rho_{\beta}(\theta)$ is a spike located at $\theta^* = \arg \min_{\theta} U(\theta)$



A more expressive framework

- 1 What is lacking in recent stochastic optimization algorithms?
 - ▶ lacking of simultaneously element-wise adaptive preconditioner and adaptive momentum
- 2 SGNHT comes to rescue:
 - ▶ the thermostat variable adaptively learns the momentum
 - ▶ the annealing idea turns the SG-MCMC algorithm into stochastic optimization

A more expressive framework

- 1 What is lacking in recent stochastic optimization algorithms?
 - ▶ lacking of simultaneously element-wise adaptive preconditioner and adaptive momentum
- 2 SGNHT comes to rescue:
 - ▶ the thermostat variable adaptively learns the momentum
 - ▶ the annealing idea turns the SG-MCMC algorithm into stochastic optimization

$$d \begin{pmatrix} \boldsymbol{\theta}_t \\ \mathbf{p}_t \\ \xi_t \end{pmatrix} = \begin{pmatrix} \mathbf{p}_t \\ -\xi_t \mathbf{p}_t - \nabla_{\boldsymbol{\theta}} U(\boldsymbol{\theta}_t) \\ \mathbf{p}_t^T \mathbf{p}_t / D - 1 \end{pmatrix} dt + \sqrt{2A} \begin{pmatrix} \mathbf{0} & \mathbf{0} & \mathbf{0} \\ \mathbf{0} & \mathbf{I} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} & \mathbf{0} \end{pmatrix} d\mathbf{w}_t$$

The Santa algorithm

- 1 The Stochastic AnNealing Thermostats with Adaptive momentum (Santa) algorithm extends SGNHT with preconditioners and annealing temperature.

- 2 Itô diffusion form:

$$\begin{cases} d\theta &= \mathbf{G}_1(\theta)\mathbf{p}dt \\ d\mathbf{p} &= \left(-\mathbf{G}_1(\theta)\nabla_{\theta}U(\theta) - \Xi\mathbf{p} + \frac{1}{\beta}\nabla_{\theta}\mathbf{G}_1(\theta) \right. \\ &\quad \left. + \mathbf{G}_1(\theta)(\Xi - \mathbf{G}_2(\theta))\nabla_{\theta}\mathbf{G}_2(\theta) \right) dt + \left(\frac{2}{\beta}\mathbf{G}_2(\theta) \right)^{\frac{1}{2}}d\mathbf{w} \\ d\Xi &= \left(\text{diag}(\mathbf{p} \odot \mathbf{p}) - \frac{1}{\beta}I \right) dt, \end{cases} \quad (1)$$

where $\mathbf{G}_1(\theta)$ and $\mathbf{G}_2(\theta)$ are some preconditioners, typically constructed using RMSProp.

- 3 Santa algorithm is derived by solving (1) numerically with an increasing sequence of inverse temperatures β .

The Santa algorithm

- 1 The Stochastic AnNealing Thermostats with Adaptive momentum (Santa) algorithm extends SGNHT with preconditioners and annealing temperature.
- 2 Itô diffusion form:

$$\begin{cases} d\boldsymbol{\theta} &= \mathbf{G}_1(\boldsymbol{\theta})\mathbf{p}dt \\ d\mathbf{p} &= \left(-\mathbf{G}_1(\boldsymbol{\theta})\nabla_{\boldsymbol{\theta}}U(\boldsymbol{\theta}) - \boldsymbol{\Xi}\mathbf{p} + \frac{1}{\beta}\nabla_{\boldsymbol{\theta}}\mathbf{G}_1(\boldsymbol{\theta}) \right. \\ &\quad \left. + \mathbf{G}_1(\boldsymbol{\theta})(\boldsymbol{\Xi} - \mathbf{G}_2(\boldsymbol{\theta}))\nabla_{\boldsymbol{\theta}}\mathbf{G}_2(\boldsymbol{\theta}) \right) dt + \left(\frac{2}{\beta}\mathbf{G}_2(\boldsymbol{\theta}) \right)^{\frac{1}{2}}d\mathbf{w} \\ d\boldsymbol{\Xi} &= \left(\text{diag}(\mathbf{p} \odot \mathbf{p}) - \frac{1}{\beta}\mathbf{I} \right) dt, \end{cases} \quad (1)$$

where $\mathbf{G}_1(\boldsymbol{\theta})$ and $\mathbf{G}_2(\boldsymbol{\theta})$ are some preconditioners, typically constructed using RMSProp.

- 3 Santa algorithm is derived by solving (1) numerically with an increasing sequence of inverse temperatures β .

The Santa algorithm

- 1 The Stochastic AnNealing Thermostats with Adaptive momentum (Santa) algorithm extends SGNHT with preconditioners and annealing temperature.

- 2 Itô diffusion form:

$$\begin{cases} d\boldsymbol{\theta} &= \mathbf{G}_1(\boldsymbol{\theta})\mathbf{p}dt \\ d\mathbf{p} &= \left(-\mathbf{G}_1(\boldsymbol{\theta})\nabla_{\boldsymbol{\theta}}U(\boldsymbol{\theta}) - \boldsymbol{\Xi}\mathbf{p} + \frac{1}{\beta}\nabla_{\boldsymbol{\theta}}\mathbf{G}_1(\boldsymbol{\theta}) \right. \\ &\quad \left. + \mathbf{G}_1(\boldsymbol{\theta})(\boldsymbol{\Xi} - \mathbf{G}_2(\boldsymbol{\theta}))\nabla_{\boldsymbol{\theta}}\mathbf{G}_2(\boldsymbol{\theta}) \right) dt + \left(\frac{2}{\beta}\mathbf{G}_2(\boldsymbol{\theta}) \right)^{\frac{1}{2}}d\mathbf{w} \\ d\boldsymbol{\Xi} &= \left(\text{diag}(\mathbf{p} \odot \mathbf{p}) - \frac{1}{\beta}\mathbf{I} \right) dt, \end{cases} \quad (1)$$

where $\mathbf{G}_1(\boldsymbol{\theta})$ and $\mathbf{G}_2(\boldsymbol{\theta})$ are some preconditioners, typically constructed using RMSProp.

- 3 Santa algorithm is derived by solving (1) numerically with an increasing sequence of inverse temperatures β .

The Santa algorithm

Input: η_t (learning rate), σ , λ , *burnin*, $\beta = \{\beta_1, \beta_2, \dots\} \rightarrow \infty$,
 $\{\zeta_t \in \mathbb{R}^p\} \sim N(\mathbf{0}, \mathbf{I}_p)$.

Initialize θ_0 , $\mathbf{u}_0 = \sqrt{\eta} \times N(\mathbf{0}, \mathbf{I}_p)$, $\alpha_0 = \sqrt{\eta}C$, $\mathbf{v}_0 = \mathbf{0}$;

for $t = 1, 2, \dots$ **do**

Evaluate $\tilde{\mathbf{f}}_t \triangleq \nabla_{\theta} \tilde{U}(\theta_{t-1})$ on the t^{th} mini-batch;

$$\mathbf{v}_t = \sigma \mathbf{v}_{t-1} + \frac{1-\sigma}{N^2} \tilde{\mathbf{f}}_t \odot \tilde{\mathbf{f}}_t ;$$

$$\mathbf{g}_t = \mathbf{1} \odot \sqrt{\lambda + \sqrt{\mathbf{v}_t}} ;$$

if $t < \textit{burnin}$ **then**

 /* exploration

*/

$$\alpha_t = \alpha_{t-1} + (\mathbf{u}_{t-1} \odot \mathbf{u}_{t-1} - \eta / \beta_t) ;$$

$$\mathbf{u}_t = \frac{\eta}{\beta_t} (1 - \mathbf{g}_{t-1} \odot \mathbf{g}_t) \odot \mathbf{u}_{t-1} + \sqrt{\frac{2\eta}{\beta_t} \mathbf{g}_{t-1}} \odot \zeta_t$$

else

 /* refinement

*/

$$\alpha_t = \alpha_{t-1}; \quad \mathbf{u}_t = \mathbf{0};$$

end

$$\mathbf{u}_t = \mathbf{u}_t + (1 - \alpha_t) \odot \mathbf{u}_{t-1} - \eta \mathbf{g}_t \odot \tilde{\mathbf{f}}_t; \quad \theta_t = \theta_{t-1} + \mathbf{g}_t \odot \mathbf{u}_t;$$

end

The Santa algorithm

- 1 It is an stochastic optimization algorithm that starts from Bayesian sampling.
- 2 It is able to jump out of local modes easier than traditional stochastic optimization algorithms.
- 3 Under certain conditions, it is proved to converge in expectation to the global mode.
- 4 It converges fast in empirical studies.

Illustration

- 1 Optimizing the double-well potential:

$$U(\theta) = (\theta + 4)(\theta + 1)(\theta - 1)(\theta - 3)/14 + 0.5 .$$

- 2 Start close to a local mode.
- 3 RMSProp gets stuck, while Santa is able to jump out of the local mode.




Figure: (Left) Double-well potential. (Right) The evolution of θ using Santa and RMSprop algorithms.

Illustration

- 1 Optimizing the double-well potential:

$$U(\theta) = (\theta + 4)(\theta + 1)(\theta - 1)(\theta - 3)/14 + 0.5 .$$

- 2 Start close to a local mode.
- 3 RMSProp gets stuck, while Santa is able to jump out of the local mode.




Figure: (Left) Double-well potential. (Right) The evolution of θ using Santa and RMSprop algorithms.

Feedforward neural networks and convolutional neural networks

- Detailed parameter setting is given in the paper²³.
- Santa outperforms other algorithms in most cases.

Table: Test error on MNIST classification using FNN and CNN.

Algorithms	FNN-400	FNN-800	CNN
Santa	1.21%	1.16%	0.47%
Adam	1.53%	1.47%	0.59%
RMSprop	1.59%	1.43%	0.64%
SGD-M	1.66%	1.72%	0.77%
SGD	1.72%	1.47%	0.81%
SGLD	1.64%	1.41%	0.71%
BPB [◇]	1.32%	1.34%	—
SGD, Dropout [◇]	1.51%	1.33%	—
Stoc. Pooling [▷]	—	—	0.47%
NIN, Dropout [◇]	—	—	0.47%
Maxout, Dropout [*]	—	—	0.45%

²³C. Chen et al. "Bridging the Gap between Stochastic Gradient MCMC and Stochastic Optimization". In: *AISTATS*. 2016.

Recurrent neural networks (RNN)


- 1 Language modeling with vanilla RNN.
- 2 Test on four publicly available datasets.

Table: Test negative log-likelihood on 4 datasets.

Algorithms	Piano.	Nott.	Muse.	JSB.
Santa	7.60	3.39	7.20	8.46
Adam	8.00	3.70	7.56	8.51
RMSprop	7.70	3.48	7.22	8.52
SGD-M	8.32	3.60	7.69	8.59
SGD	11.13	5.26	10.08	10.81
HF \diamond	7.66	3.89	7.19	8.58
SGD-M \diamond	8.37	4.46	8.13	8.71

ImageNet visual recognition challenge²⁴

- 1 More than 10 million annotated natural images, with 1000 classes.
- 2 Use to compete different machine learning algorithms, dominated by deep learning recent years.



²⁴J. Deng et al. "ImageNet: A Large-Scale Hierarchical Image Database". In: *CVPR*. 2009.

GoogleNet for ImageNet classification

- 1 Use ILSVRC 2012 for training and testing.
- 2 Compared with SGD with momentum, other algorithms did not seem to work.
- 3 Did not tune the parameters, use the default setting for GoogleNet provided in the Caffe package.

GoogleNet for ImageNet classification

- 1 Santa converges much faster than SGD-M.
- 2 Use the default step size: $h_t = a\sqrt{1 - t/T}$, can not run more than T iterations.




Figure: Santa vs. SGD with momentum on ImageNet.

Why adding gradient noise improves DNN training ?

- 1 A recent paper²⁵ finds that adding gradient noise helps train very deep network:
 - ▶ the reason was not very clear
- 2 It essentially adds small random Gaussian noise in parameter updates.
- 3 Equivalent to sampling from an annealed distribution:
 $\rho_{\beta}(\theta) \propto e^{-\beta U(\theta)}$, with some large β .
- 4 The good performance can be explained by the Santa algorithm:
 - ▶ noise makes the algorithm jump out of local modes easier
 - ▶ large β smooths the objective function heavier, thus ends up better local modes
- 5 Conclusion holds when the gradient noise is not Gaussian:
 - ▶ as long as it has zero mean and finite variance
 - ▶ theoretical analysis follows similarly, with a little modification

²⁵A. Neelakantan et al. "Adding Gradient Noise Improves Learning for Very Deep Networks". In: *ICLR workshop*. 2016.

Conclusion

I have covered:

- 1 Basic concepts in MCMC.
- 2 Basic ideas in SG-MCMC, a review of basic SG-MCMC algorithms.
- 3 Theory related to stochastic differential equations and Itô diffusions.
- 4 Convergence theory.
- 5 How to extend SG-MCMC for stochastic optimization.

Thank You