

XML databases

Jan Chomicki
University at Buffalo

Outline

- 1 XML data model
- 2 XPath
- 3 XQuery

XML documents (simplified)

XML tree

- finite, ordered, unranked tree
- element, attribute and text nodes
- element and attribute node labels from a finite label alphabet Σ
- attribute and text string values
- only element nodes have children
- document order (left-to-right prefix order)

XML trees represent **well-formed documents**:

- matching, properly nested opening and closing tags
- single root element

Regular expressions over Σ

$$E := \varepsilon \mid a \mid E \cup E \mid E E \mid E^* \text{ where } a \in \Sigma.$$

Defining valid XML documents

XML schema definitions

- **Document Type Definitions (DTDs)**
- XML Schema
- automata-based approaches

DTD (over Σ)

- **element-only** content: a function mapping node labels from Σ to a regular expression to which the concatenated children of the node must conform
- also text-only (**#PCDATA**), mixed, empty, and unrestricted (**ANY**) content
- attributes: text-valued (**CDATA**), enumerations, ID, IDREF
- attributes can be required (**#REQUIRED**) or optional (**#IMPLIED**)

Data model

- tree-based
- nodes: document root, element, attribute, text,...
- root element is a child of document root
- document order: left-to-right prefix traversal

Path expression

- describes a set of paths in a document
- returns a sequence of nodes in document order
- evaluated in a **context**: (current) node, position, size
- absolute (starting at document root) or relative
- consists of steps separated by /
- wildcards
- union (|), intersection, difference

XPath axes

axis::nodeTest stepQualifiers

- **axis**:
 - ▶ **forward**: child, descendant, following-sibling, following, self, descendant-or-self
 - ▶ **backward**: parent, ancestor, preceding-sibling, preceding, ancestor-or-self
 - ▶ attribute
- **node test**: name test (name or wildcard), kind test
- **step qualifiers**: predicate expressions (in square brackets)

Abbreviated syntax

- 1 child is the default axis, can be omitted
- 2 the attribute axis can be abbreviated to @
- 3 // is short for /descendant-or-self::node()/
- 4 . is short for self::node()
- 5 .. is short for parent::node()
- 6 a positive integer K is short for [position()=K]

Features

- functional
- compositional: expressions can be nested arbitrarily
- recursion
- declarative: influenced by SQL

XQuery expressions

- Constants: numbers, strings,...
- Variables
- XPath expressions
- Element/attribute constructors
- Operators and functions: arithmetic,...
- FLWOR expressions
- Quantifiers
- Aggregation
- User-defined functions

FLWOR expressions

```
for variableRangeSpecifications
let variableDefinitions
where condition
order by orderExpression
return resultExpression
```

User-defined functions

```
declare function Name(Arguments)
as Type
{Expression}
```

Storing XML documents in relational databases

Storing as text

- hard to query and manipulate

Storing nodes and edges of the document tree

- a binary edge relation
- implementing XPath requires recursion (SQL3)

Encoding the tree structure using ranges

- range of child \subset range of parent
- queries w/o recursive functions can be translated to SQL2