

CSE 431/531: Algorithm Analysis and Design (Fall 2022)

# Introduction and Syllabus

Lecturer: Shi Li

*Department of Computer Science and Engineering  
University at Buffalo*

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times

- Course Webpage (contains schedule, policies, and slides):  
<http://www.cse.buffalo.edu/~shil/courses/CSE531/>
- Please sign up course on Piazza via link on course webpage  
- homeworks, solutions, announcements, polls, asking/answering questions

# CSE 431/531: Algorithm Analysis and Design

- Time & Location : TuTh, 5:00pm - 6:20pm, Cooke 121
- Instructor:
  - Shi Li, shil@buffalo.edu
- TAs and Graders: TBD

You **should** already have/know:

- Mathematical Background
  - basic reasoning skills, inductive proofs
- Basic data Structures
  - linked lists, arrays
  - stacks, queues
- Some Programming Experience
  - Python, C, C++ or Java

# You Will Learn

- Classic algorithms for classic problems
  - Sorting, shortest paths, minimum spanning tree, ...
- How to analyze algorithms
  - Correctness
  - Running time (efficiency)
- Meta techniques to design algorithms
  - Greedy algorithms
  - Divide and conquer
  - Dynamic programming
  - ...
- NP-completeness


# Tentative Schedule

- 80 Minutes/Lecture  $\times$  29 Lectures

Introduction	3 lectures
Graph Basics	2 lectures
Greedy Algorithms	5 lectures
Divide and Conquer	4 lectures
Dynamic Programming	5 lectures
Graph Algorithms	5 lectures
NP-Completeness	4 lectures
Final Review	1 lectures

Textbook (Highly Recommended):

- Algorithm Design, 1st Edition, by *Jon Kleinberg* and *Eva Tardos*



Other Reference Books

- Introduction to Algorithms, Third Edition, *Thomas Cormen*, *Charles Leiserson*, *Ronald Rivest*, *Clifford Stein*

# Reading Before Classes

- Highly recommended: read the correspondent sections from the textbook (or reference book) before classes
  - Sections for each lecture can be found on the course webpage.
- Slides are posted on course webpage. They may get updated before the classes start.
- In last lecture of a major topic (Greedy Algorithms, Divide and Conquer, Dynamic Programming, Graph Algorithms), I will discuss exercise problems, which will be posted on the course webpage before class.

# Grading

- 10% for participation
  - In-class quizzes will be given randomly.
- 40% for theory homeworks
  - 8 points  $\times$  5 theory homeworks
- 20% for programming problems
  - 10 points  $\times$  2 programming assignments
- 30% for final exam

# For Homeworks, You Are Allowed to

- Use course materials (textbook, reference books, lecture notes, etc)
- Post questions on Piazza
- Ask me or TAs for hints
- Collaborate with classmates
  - Think about each problem for enough time before discussions
  - **Must write down solutions on your own, in your own words**
  - Write down names of students you collaborated with

# For Homeworks, You Are **Not** Allowed to

- Use external resources
  - Can't Google or ask questions online for solutions
  - Can't read posted solutions from other algorithm course webpages
- Copy solutions from other students

# For Programming Problems

- Need to implement the algorithms by yourself
- Can not copy codes from others or the Internet
- We use Moss (<https://theory.stanford.edu/~aiken/moss/>) to detect similarity of programs

# Late Policy

- You have 1 “late credit”, using it allows you to submit an assignment solution / project for three days. It can not be split across different assignments.
- With no special reasons, no other late submissions will be accepted

- Final Exam will be closed-book

## Academic Integrity (AI) Policy for the Course

- minor violation:
  - 0 score for the involved homework/prog. assignment, and
  - 1-letter grade down
- 2 minor violations = 1 major violation
  - failure for the course
  - case will be reported to the department and university
  - further sanctions may include a dishonesty mark on transcript or expulsion from university

Questions?

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times

# What is an Algorithm?

- Donald Knuth: An algorithm is a finite, definite effective procedure, with some input and some output.
- Computational problem: specifies the input/output relationship.
- An algorithm **solves** a computational problem if it produces the correct output for any given input.

# Examples

## Greatest Common Divisor

**Input:** two integers  $a, b > 0$

**Output:** the greatest common divisor of  $a$  and  $b$

## Example:

- Input: 210, 270
- Output: 30
  
- Algorithm: Euclidean algorithm
- $\text{gcd}(270, 210) = \text{gcd}(210, 270 \bmod 210) = \text{gcd}(210, 60)$
- $(270, 210) \rightarrow (210, 60) \rightarrow (60, 30) \rightarrow (30, 0)$

# Examples

## Sorting

**Input:** sequence of  $n$  numbers  $(a_1, a_2, \dots, a_n)$

**Output:** a permutation  $(a'_1, a'_2, \dots, a'_n)$  of the input sequence such that  $a'_1 \leq a'_2 \leq \dots \leq a'_n$

## Example:


- Input: 53, 12, 35, 21, 59, 15
- Output: 12, 15, 21, 35, 53, 59
- Algorithms: insertion sort, merge sort, quicksort, ...

# Examples

## Shortest Path

**Input:** directed graph  $G = (V, E)$ ,  $s, t \in V$

**Output:** a shortest path from  $s$  to  $t$  in  $G$



- Algorithm: Dijkstra's algorithm

# Algorithm = Computer Program?

- Algorithm: “abstract”, can be specified using computer program, English, pseudo-codes or flow charts.
- Computer program: “concrete”, implementation of algorithm, using a particular programming language

# Pseudo-Code

Pseudo-Code:

**Euclidean**( $a, b$ )

- 1: **while**  $b > 0$  **do**
- 2:      $(a, b) \leftarrow (b, a \bmod b)$
- 3: **return**  $a$

C++ program:

- `int Euclidean(int a, int b){`
- `int c;`
- `while (b > 0){`
- `c = b;`
- `b = a % b;`
- `a = c;`
- `}`
- `return a;`
- `}`

# Theoretical Analysis of Algorithms

- Main focus: correctness, running time (efficiency)
- Sometimes: memory usage
- Not covered in the course: engineering side
  - extensibility
  - modularity
  - object-oriented model
  - user-friendliness (e.g, GUI)
  - ...
- Why is it important to study the running time (efficiency) of an algorithm?
  - ① feasible vs. infeasible
  - ② efficient algorithms: less engineering tricks needed, can use languages aiming for easy programming (e.g, python)
  - ③ fundamental
  - ④ it is fun!

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - **Example: Insertion Sort**
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times

## Sorting Problem

**Input:** sequence of  $n$  numbers  $(a_1, a_2, \dots, a_n)$

**Output:** a permutation  $(a'_1, a'_2, \dots, a'_n)$  of the input sequence such that  $a'_1 \leq a'_2 \leq \dots \leq a'_n$

### Example:

- Input: 53, 12, 35, 21, 59, 15
- Output: 12, 15, 21, 35, 53, 59

# Insertion-Sort

- At the end of  $j$ -th iteration, the first  $j$  numbers are sorted.

iteration 1: 53, 12, 35, 21, 59, 15

iteration 2: 12, 53, 35, 21, 59, 15

iteration 3: 12, 35, 53, 21, 59, 15

iteration 4: 12, 21, 35, 53, 59, 15

iteration 5: 12, 21, 35, 53, 59, 15

iteration 6: 12, 15, 21, 35, 53, 59

## Example:

- Input: 53, 12, 35, 21, 59, 15
- Output: 12, 15, 21, 35, 53, 59

## insertion-sort( $A, n$ )

```
1: for  $j \leftarrow 2$  to  $n$  do  
2:    $key \leftarrow A[j]$   
3:    $i \leftarrow j - 1$   
4:   while  $i > 0$  and  $A[i] > key$  do  
5:      $A[i + 1] \leftarrow A[i]$   
6:      $i \leftarrow i - 1$   
7:    $A[i + 1] \leftarrow key$ 
```

- $j = 6$

- $key = 15$

12   15   21   35   53   59  
↑  
 $i$

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times

# Analysis of Insertion Sort

- Correctness
- Running time

# Correctness of Insertion Sort

- Invariant: after iteration  $j$  of outer loop,  $A[1..j]$  is the sorted array for the original  $A[1..j]$ .

after  $j = 1$  : 53, 12, 35, 21, 59, 15

after  $j = 2$  : 12, 53, 35, 21, 59, 15

after  $j = 3$  : 12, 35, 53, 21, 59, 15

after  $j = 4$  : 12, 21, 35, 53, 59, 15

after  $j = 5$  : 12, 21, 35, 53, 59, 15

after  $j = 6$  : 12, 15, 21, 35, 53, 59

# Analyzing Running Time of Insertion Sort

- Q1: what is the size of input?
- A1: Running time as the function of **size**
- possible definition of size :
  - Sorting problem: # integers,
  - Greatest common divisor: total length of two integers
  - Shortest path in a graph: # edges in graph
- Q2: Which input?
  - For the insertion sort algorithm: if input array is already sorted in ascending order, then algorithm runs much faster than when it is sorted in descending order.
- A2: Worst-case analysis:
  - Running time for size  $n$  = worst running time over all possible arrays of length  $n$

# Analyzing Running Time of Insertion Sort

- Q3: How fast is the computer?
- Q4: Programming language?
- A: **They do not matter!**

**Important idea:** asymptotic analysis

- Focus on growth of running-time as a function, not any particular value.

# Asymptotic Analysis: $O$ -notation

Informal way to define  $O$ -notation:

- Ignoring lower order terms
- Ignoring leading constant
- $3n^3 + 2n^2 - 18n + 1028 \Rightarrow 3n^3 \Rightarrow n^3$
- $3n^3 + 2n^2 - 18n + 1028 = O(n^3)$
- $n^2/100 - 3n + 10 \Rightarrow n^2/100 \Rightarrow n^2$
- $n^2/100 - 3n + 10 = O(n^2)$

# Asymptotic Analysis: $O$ -notation

- $3n^3 + 2n^2 - 18n + 1028 = O(n^3)$
- $n^2/100 - 3n^2 + 10 = O(n^2)$

$O$ -notation allows us to ignore

- architecture of computer
- programming language
- how we measure the running time: seconds or # instructions?
- to execute  $a \leftarrow b + c$ :
  - program 1 requires 10 instructions, or  $10^{-8}$  seconds
  - program 2 requires 2 instructions, or  $10^{-9}$  seconds
  - they only change by a constant in the running time, which will be hidden by the  $O(\cdot)$  notation

# Asymptotic Analysis: $O$ -notation

- Algorithm 1 runs in time  $O(n^2)$
- Algorithm 2 runs in time  $O(n)$
- Does not tell which algorithm is faster for a specific  $n$ !
- Algorithm 2 will eventually beat algorithm 1 as  $n$  increases.
- For Algorithm 1: if we increase  $n$  by a factor of 2, running time increases by a factor of 4
- For Algorithm 2: if we increase  $n$  by a factor of 2, running time increases by a factor of 2

# Asymptotic Analysis of Insertion Sort

## insertion-sort( $A, n$ )

```
1: for  $j \leftarrow 2$  to  $n$  do  
2:    $key \leftarrow A[j]$   
3:    $i \leftarrow j - 1$   
4:   while  $i > 0$  and  $A[i] > key$  do  
5:      $A[i + 1] \leftarrow A[i]$   
6:      $i \leftarrow i - 1$   
7:    $A[i + 1] \leftarrow key$ 
```

- Worst-case running time for iteration  $j$  of the outer loop?  
Answer:  $O(j)$
- Total running time =  $\sum_{j=2}^n O(j) = O(\sum_{j=2}^n j)$   
 $= O(\frac{n(n+1)}{2} - 1) = O(n^2)$

# Computation Model

- Random-Access Machine (RAM) model
  - reading and writing  $A[j]$  takes  $O(1)$  time
- Basic operations such as addition, subtraction and multiplication take  $O(1)$  time
- Each integer (word) has  $c \log n$  bits,  $c \geq 1$  large enough
  - Reason: often we need to read the integer  $n$  and handle integers within range  $[-n^c, n^c]$ , it is convenient to assume this takes  $O(1)$  time.
- What is the precision of real numbers?  
Most of the time, we only consider integers.
- Can we do better than insertion sort asymptotically?
- Yes: merge sort, quicksort and heap sort take  $O(n \log n)$  time

- Remember to sign up for Piazza.

Questions?

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations**
- 4 Common Running times

# Asymptotically Positive Functions

**Def.**  $f : \mathbb{N} \rightarrow \mathbb{R}$  is an **asymptotically positive function** if:


- $\exists n_0 > 0$  such that  $\forall n > n_0$  we have  $f(n) > 0$
- In other words,  $f(n)$  is positive for large enough  $n$ .
- $n^2 - n - 30$       **Yes**
- $2^n - n^{20}$       **Yes**
- $100n - n^2/10 + 50?$       **No**
- We only consider asymptotically positive functions.

# $O$ -Notation: Asymptotic Upper Bound

**$O$ -Notation** For a function  $g(n)$ ,

$$O(g(n)) = \left\{ \text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \right. \\ \left. f(n) \leq cg(n), \forall n \geq n_0 \right\}.$$

- In other words,  $f(n) \in O(g(n))$  if  $f(n) \leq cg(n)$  for **some**  $c > 0$  and **every** large enough  $n$ .



# O-Notation: Asymptotic Upper Bound

**O-Notation** For a function  $g(n)$ ,

$$O(g(n)) = \{ \text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \\ f(n) \leq cg(n), \forall n \geq n_0 \}.$$

- In other words,  $f(n) \in O(g(n))$  if  $f(n) \leq cg(n)$  for **some**  $c > 0$  and **every** large enough  $n$ .
- $3n^2 + 2n \in O(n^2 - 10n)$

## Proof.

Let  $c = 4$  and  $n_0 = 50$ , for every  $n > n_0 = 50$ , we have,

$$\begin{aligned} 3n^2 + 2n - c(n^2 - 10n) &= 3n^2 + 2n - 4(n^2 - 10n) \\ &= -n^2 + 42n \leq 0. \end{aligned}$$

$$3n^2 + 2n \leq c(n^2 - 10n)$$

□

**$O$ -Notation** For a function  $g(n)$ ,

$$O(g(n)) = \{ \text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \\ f(n) \leq cg(n), \forall n \geq n_0 \}.$$

- In other words,  $f(n) \in O(g(n))$  if  $f(n) \leq cg(n)$  for some  $c$  and large enough  $n$ .
- $3n^2 + 2n \in O(n^2 - 10n)$
- $3n^2 + 2n \in O(n^3 - 5n^2)$
- $n^{100} \in O(2^n)$
- $n^3 \notin O(10n^2)$

Asymptotic Notations	$O$	$\Omega$	$\Theta$
Comparison Relations	$\leq$		

# Conventions

- We use “ $f(n) = O(g(n))$ ” to denote “ $f(n) \in O(g(n))$ ”
- $3n^2 + 2n = O(n^3 - 10n)$
- $3n^2 + 2n = O(n^2 + 5n)$
- $3n^2 + 2n = O(n^2)$

“=” is asymmetric! Following equalities are wrong:

- $O(n^3 - 10n) = 3n^2 + 2n$
- $O(n^2 + 5n) = 3n^2 + 2n$
- $O(n^2) = 3n^2 + 2n$
- Analogy: Mike is a student. ~~A student is Mike.~~

# $\Omega$ -Notation: Asymptotic Lower Bound

**$O$ -Notation** For a function  $g(n)$ ,

$$O(g(n)) = \{\text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \\ f(n) \leq cg(n), \forall n \geq n_0\}.$$

**$\Omega$ -Notation** For a function  $g(n)$ ,


$$\Omega(g(n)) = \{\text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \\ f(n) \geq cg(n), \forall n \geq n_0\}.$$

- In other words,  $f(n) \in \Omega(g(n))$  if  $f(n) \geq cg(n)$  for some  $c$  and large enough  $n$ .

# $\Omega$ -Notation: Asymptotic Lower Bound

**$\Omega$ -Notation** For a function  $g(n)$ ,

$$\Omega(g(n)) = \{ \text{function } f : \exists c > 0, n_0 > 0 \text{ such that} \\ f(n) \geq cg(n), \forall n \geq n_0 \}.$$



# $\Omega$ -Notation: Asymptotic Lower Bound

- Again, we use “=” instead of  $\in$ .
  - $4n^2 = \Omega(n - 10)$
  - $3n^2 - n + 10 = \Omega(n^2 - 20)$

Asymptotic Notations	$O$	$\Omega$	$\Theta$
Comparison Relations	$\leq$	$\geq$	


**Theorem**  $f(n) = O(g(n)) \Leftrightarrow g(n) = \Omega(f(n)).$

# $\Theta$ -Notation: Asymptotic Tight Bound

**$\Theta$ -Notation** For a function  $g(n)$ ,

$$\Theta(g(n)) = \left\{ \text{function } f : \exists c_2 \geq c_1 > 0, n_0 > 0 \text{ such that} \right. \\ \left. c_1g(n) \leq f(n) \leq c_2g(n), \forall n \geq n_0 \right\}.$$

- $f(n) = \Theta(g(n))$ , then for large enough  $n$ , we have “ $f(n) \approx g(n)$ ”.



# $\Theta$ -Notation: Asymptotic Tight Bound

**$\Theta$ -Notation** For a function  $g(n)$ ,

$$\Theta(g(n)) = \left\{ \text{function } f : \exists c_2 \geq c_1 > 0, n_0 > 0 \text{ such that} \right. \\ \left. c_1 g(n) \leq f(n) \leq c_2 g(n), \forall n \geq n_0 \right\}.$$

- $3n^2 + 2n = \Theta(n^2 - 20n)$
- $2^{n/3+100} = \Theta(2^{n/3})$

Asymptotic Notations	$O$	$\Omega$	$\Theta$
Comparison Relations	$\leq$	$\geq$	$=$

**Theorem**  $f(n) = \Theta(g(n))$  if and only if  
 $f(n) = O(g(n))$  and  $f(n) = \Omega(g(n))$ .

Asymptotic Notations	$O$	$\Omega$	$\Theta$
Comparison Relations	$\leq$	$\geq$	$=$

## Trivial Facts on Comparison Relations

- $a \leq b \Leftrightarrow b \geq a$
- $a = b \Leftrightarrow a \leq b$  and  $a \geq b$
- $a \leq b$  or  $a \geq b$

## Correct Analogies

- $f(n) = O(g(n)) \Leftrightarrow g(n) = \Omega(f(n))$
- $f(n) = \Theta(g(n)) \Leftrightarrow f(n) = O(g(n))$  and  $f(n) = \Omega(g(n))$

## Incorrect Analogy

- $f(n) = O(g(n))$  or  $f(n) = \Omega(g(n))$

## Incorrect Analogy

- $f(n) = O(g(n))$  or  $f(n) = \Omega(g(n))$

$$f(n) = n^2$$

$$g(n) = \begin{cases} 1 & \text{if } n \text{ is odd} \\ n^3 & \text{if } n \text{ is even} \end{cases}$$

## Recall: Informal way to define $O$ -notation

- ignoring lower order terms:  $3n^2 - 10n - 5 \rightarrow 3n^2$
- ignoring leading constant:  $3n^2 \rightarrow n^2$
- $3n^2 - 10n - 5 = O(n^2)$
- Indeed,  $3n^2 - 10n - 5 = \Omega(n^2)$ ,  $3n^2 - 10n - 5 = \Theta(n^2)$
- In the formal definition of  $O(\cdot)$ , nothing tells us to ignore lower order terms and leading constant.
- $3n^2 - 10n - 5 = O(5n^2 - 6n + 5)$  is correct, though weird
- $3n^2 - 10n - 5 = O(n^2)$  is the most natural since  $n^2$  is the simplest term we can have inside  $O(\cdot)$ .

## Notice that $O$ denotes asymptotic **upper** bound

- $n^2 + 2n = O(n^3)$  is correct.
- The following sentence is correct: the running time of the insertion sort algorithm is  $O(n^4)$ .
- We say: the running time of the insertion sort algorithm is  $O(n^2)$  and **the bound is tight**.
- We do not use  $\Omega$  and  $\Theta$  very often when we upper bound running times.

## Exercise

For each pair of functions  $f, g$  in the following table, indicate whether  $f$  is  $O, \Omega$  or  $\Theta$  of  $g$ .

$f$	$g$	$O$	$\Omega$	$\Theta$
$n^3 - 100n$	$5n^2 + 3n$	No	Yes	No
$3n - 50$	$n^2 - 7n$	Yes	No	No
$n^2 - 100n$	$5n^2 + 30n$	Yes	Yes	Yes
$\log_2 n$	$\log_{10} n$	Yes	Yes	Yes
$\log^{10} n$	$n^{0.1}$	Yes	No	No
$2^n$	$2^{n/2}$	No	Yes	No
$\sqrt{n}$	$n^{\sin n}$	No	No	No

We often use  $\log n$  for  $\log_2 n$ . But for  $O(\log n)$ , the base is not important.

Asymptotic Notations	$O$	$\Omega$	$\Theta$	$o$	$\omega$
Comparison Relations	$\leq$	$\geq$	$=$	$<$	$>$

Questions?

# Outline

- 1 Syllabus
- 2 Introduction
  - What is an Algorithm?
  - Example: Insertion Sort
  - Analysis of Insertion Sort
- 3 Asymptotic Notations
- 4 Common Running times**

# $O(n)$ (Linear) Running Time


Computing the sum of  $n$  numbers

**sum**( $A, n$ )

- 1:  $S \leftarrow 0$
- 2: for  $i \leftarrow 1$  to  $n$
- 3:      $S \leftarrow S + A[i]$
- 4: return  $S$

# $O(n)$ (Linear) Running Time

- Merge two sorted arrays



# $O(n)$ (Linear) Running Time

$\text{merge}(B, C, n_1, n_2)$       $\backslash \backslash$   $B$  and  $C$  are sorted, with length  $n_1$  and  $n_2$

```
1:  $A \leftarrow []$ ;  $i \leftarrow 1$ ;  $j \leftarrow 1$ 
2: while  $i \leq n_1$  and  $j \leq n_2$  do
3:   if  $B[i] \leq C[j]$  then
4:     append  $B[i]$  to  $A$ ;  $i \leftarrow i + 1$ 
5:   else
6:     append  $C[j]$  to  $A$ ;  $j \leftarrow j + 1$ 
7: if  $i \leq n_1$  then append  $B[i..n_1]$  to  $A$ 
8: if  $j \leq n_2$  then append  $C[j..n_2]$  to  $A$ 
9: return  $A$ 
```

Running time =  $O(n)$  where  $n = n_1 + n_2$ .


# $O(n \log n)$ Running Time

## merge-sort( $A, n$ )

- 1: **if**  $n = 1$  **then**
- 2:     **return**  $A$
- 3:  $B \leftarrow$  merge-sort( $A[1..\lfloor n/2 \rfloor], \lfloor n/2 \rfloor$ )
- 4:  $C \leftarrow$  merge-sort( $A[\lfloor n/2 \rfloor + 1..n], n - \lfloor n/2 \rfloor$ )
- 5: **return** merge( $B, C, \lfloor n/2 \rfloor, n - \lfloor n/2 \rfloor$ )

# $O(n \log n)$ Running Time

- Merge-Sort




- Each level takes running time  $O(n)$
- There are  $O(\log n)$  levels
- Running time =  $O(n \log n)$

# $O(n^2)$ (Quadratic) Running Time

## Closest Pair

**Input:**  $n$  points in plane:  $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$

**Output:** the pair of points that are closest



# $O(n^2)$ (Quadratic) Running Time

## Closest Pair

**Input:**  $n$  points in plane:  $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$

**Output:** the pair of points that are closest

## closest-pair( $x, y, n$ )

```
1:  $bestd \leftarrow \infty$ 
2: for  $i \leftarrow 1$  to  $n - 1$  do
3:   for  $j \leftarrow i + 1$  to  $n$  do
4:      $d \leftarrow \sqrt{(x[i] - x[j])^2 + (y[i] - y[j])^2}$ 
5:     if  $d < bestd$  then
6:        $besti \leftarrow i, bestj \leftarrow j, bestd \leftarrow d$ 
7: return  $(besti, bestj)$ 
```

Closest pair can be solved in  $O(n \log n)$  time!

# $O(n^3)$ (Cubic) Running Time


Multiply two matrices of size  $n \times n$

## matrix-multiplication( $A, B, n$ )

- 1:  $C \leftarrow$  matrix of size  $n \times n$ , with all entries being 0
- 2: **for**  $i \leftarrow 1$  to  $n$  **do**
- 3:     **for**  $j \leftarrow 1$  to  $n$  **do**
- 4:         **for**  $k \leftarrow 1$  to  $n$  **do**
- 5:              $C[i, k] \leftarrow C[i, k] + A[i, j] \times B[j, k]$
- 6: **return**  $C$

# Beyond Polynomial Time: $2^n$

**Def.** An **independent set** of a graph  $G = (V, E)$  is a subset  $S \subseteq V$  of vertices such that for every  $u, v \in S$ , we have  $(u, v) \notin E$ .



# Beyond Polynomial Time: $2^n$

## Maximum Independent Set Problem

**Input:** graph  $G = (V, E)$

**Output:** the maximum independent set of  $G$

### max-independent-set( $G = (V, E)$ )

```
1:  $R \leftarrow \emptyset$ 
2: for every set  $S \subseteq V$  do
3:    $b \leftarrow \text{true}$ 
4:   for every  $u, v \in S$  do
5:     if  $(u, v) \in E$  then  $b \leftarrow \text{false}$ 
6:   if  $b$  and  $|S| > |R|$  then  $R \leftarrow S$ 
7: return  $R$ 
```


Running time =  $O(2^n n^2)$ .

# Beyond Polynomial Time: $n!$

## Hamiltonian Cycle Problem

**Input:** a graph with  $n$  vertices

**Output:** a cycle that visits each node exactly once,  
or say no such cycle exists



# Beyond Polynomial Time: $n!$


## Hamiltonian( $G = (V, E)$ )

```
1: for every permutation  $(p_1, p_2, \dots, p_n)$  of  $V$  do  
2:    $b \leftarrow \text{true}$   
3:   for  $i \leftarrow 1$  to  $n - 1$  do  
4:     if  $(p_i, p_{i+1}) \notin E$  then  $b \leftarrow \text{false}$   
5:   if  $(p_n, p_1) \notin E$  then  $b \leftarrow \text{false}$   
6:   if  $b$  then return  $(p_1, p_2, \dots, p_n)$   
7: return "No Hamiltonian Cycle"
```

Running time =  $O(n! \times n)$

# $O(\log n)$ (Logarithmic) Running Time

- Binary search
  - Input: sorted array  $A$  of size  $n$ , an integer  $t$ ;
  - Output: whether  $t$  appears in  $A$ .
- E.g, search 35 in the following array:



3	8	10	25	29	37	38	42	46	52	59	61	63	75	79
---	---	----	----	----	----	----	----	----	----	----	----	----	----	----

# $O(\log n)$ (Logarithmic) Running Time

Binary search

- Input: sorted array  $A$  of size  $n$ , an integer  $t$ ;
- Output: whether  $t$  appears in  $A$ .

**binary-search**( $A, n, t$ )

```
1:  $i \leftarrow 1, j \leftarrow n$ 
2: while  $i \leq j$  do
3:    $k \leftarrow \lfloor (i + j)/2 \rfloor$ 
4:   if  $A[k] = t$  return true
5:   if  $t < A[k]$  then  $j \leftarrow k - 1$  else  $i \leftarrow k + 1$ 
6: return false
```

Running time =  $O(\log n)$

# Comparing the Orders

- Sort the functions from smallest to largest asymptotically  
 $\log n$ ,  $n$ ,  $n^2$ ,  $n \log n$ ,  $n!$ ,  $2^n$ ,  $e^n$ ,  $n^n$
- $\log n = O(n)$
- $n = O(n \log n)$
- $n \log n = O(n^2)$
- $n^2 = O(2^n)$
- $2^n = O(e^n)$
- $e^n = O(n!)$
- $n! = O(n^n)$

# Terminologies

When we talk about upper bound on running time:

- Logarithmic time:  $O(\log n)$
- Linear time:  $O(n)$
- Quadratic time  $O(n^2)$
- Cubic time  $O(n^3)$
- Polynomial time:  $O(n^k)$  for some constant  $k$ 
  - $O(n \log n) \subseteq O(n^{1.1})$ . So, an  $O(n \log n)$ -time algorithm is also a polynomial time algorithm.
- Exponential time:  $O(c^n)$  for some  $c > 1$
- Sub-linear time:  $o(n)$
- Sub-quadratic time:  $o(n^2)$

## Goal of Algorithm Design

- Design algorithms to minimize the order of the running time.
- Using asymptotic analysis allows us to ignore the leading constants and lower order terms
- Makes our life much easier! (E.g., the leading constant depends on the implementation, compiler and computer architecture of computer.)

**Q:** Does ignoring the leading constant cause any issues?

- e.g, how can we compare an algorithm with running time  $0.1n^2$  with an algorithm with running time  $1000n$ ?

**A:**

- Sometimes yes
- However, when  $n$  is big enough,  $1000n < 0.1n^2$
- For “natural” algorithms, constants are not so big!
- So, for reasonably large  $n$ , algorithm with lower order running time beats algorithm with higher order running time.