

## CSE 486/586 Distributed Systems Distributed Hash Tables

Steve Ko  
Computer Sciences and Engineering  
University at Buffalo

CSE 486/586, Spring 2013

### Last Time

- Evolution of peer-to-peer
  - Central directory (Napster)
  - Query flooding (Gnutella)
  - Hierarchical overlay (Kazaa, modern Gnutella)
- BitTorrent
  - Focuses on parallel download
  - Prevents free-riding

CSE 486/586, Spring 2013

2

### Today's Question

- How do we organize the nodes in a distributed system?
- Up to the 90's
  - Prevalent architecture: **client-server** (or master-slave)
  - Unequal** responsibilities
- Now
  - Emerged architecture: **peer-to-peer**
  - Equal** responsibilities
- Studying an example of client-server: DNS
- Today: studying **peer-to-peer as a paradigm**


CSE 486/586, Spring 2013

3

### What We Want

- Functionality: **lookup-response**

E.g., Gnutella



CSE 486/586, Spring 2013

4

### What We Don't Want

- Cost (scalability) & no guarantee for lookup**

	Memory	Lookup Latency	#Messages for a lookup
Napster	$O(1)$ ( $O(N)$ @server)	$O(1)$	$O(1)$
Gnutella	$O(N)$	$O(N)$	$O(N)$


- Napster: cost not balanced, too much for the server-side
- Gnutella: cost still not balanced, just too much, no guarantee for lookup

CSE 486/586, Spring 2013

5

### What We Want

- What data structure provides lookup-response?
- Hash table: data structure that associates keys with values



- Name-value pairs (or key-value pairs)
  - E.g., "http://www.cnn.com/foo.html" and the Web page
  - E.g., "BritneyHitMe.mp3" and "12.78.183.2"

CSE 486/586, Spring 2013

6

## Hashing Basics


- Hash function
  - Function that maps a large, possibly variable-sized datum into a small datum, often a single integer that serves to index an associative array
  - In short: **maps n-bit datum into k buckets** ( $k \ll 2^n$ )
  - Provides time- & space-saving data structure for lookup
- Main goals:
  - Low cost
  - Deterministic
  - Uniformity (load balanced)
- E.g., mod
  - $k$  buckets ( $k \ll 2^n$ ), data  $d$  (*n-bit*)
  - $b = d \bmod k$
  - Distributes load uniformly only when data is distributed uniformly

CSE 486/586, Spring 2013

7

## DHT: Goal

- Let's build a distributed system with a hash table abstraction!



CSE 486/586, Spring 2013

8

## Where to Keep the Hash Table

- Server-side → Napster
- Client-local → Gnutella
- What are the requirements?
  - Deterministic lookup
  - Low lookup time (**shouldn't grow linearly** with the system size)
  - Should balance load **even with node join/leave**
- What we'll do: **partition the hash table and distribute them** among the nodes in the system
- We need to choose **the right hash function**
- We also need to somehow partition the table and distribute the partitions with minimal **relocation of partitions** in the presence of join/leave

CSE 486/586, Spring 2013

9

## Where to Keep the Hash Table


- Consider problem of data partition:
  - Given document X, choose one of  $k$  servers to use
- **Two-level mapping**
  - Map one (or more) data item(s) to a hash value (**the distribution should be balanced**)
  - Map a hash value to a server (**each server load should be balanced even with node join/leave**)

CSE 486/586, Spring 2013

10

## Using Basic Hashing?

- Suppose we use modulo hashing
  - Number servers 1.. $k$
- Place X on server  $i = (X \bmod k)$ 
  - Problem? Data may not be uniformly distributed




CSE 486/586, Spring 2013

11

## Using Basic Hashing?

- Place X on server  $i = \text{hash}(X) \bmod k$
- Problem?
  - What happens if a server fails or joins ( $k \rightarrow k \pm 1$ )?
  - Answer: **(Almost) all entries get remapped to new nodes!**



CSE 486/586, Spring 2013

12

## CSE 486/586 Administrivia

- PA2 due in ~2 weeks
- PA1 grades will be out soon (only 1 TA's missing it).
- AWS codes are on UBLearn.
  - Setup instructions have been posted as well.
- Practice problem set 1 & midterm example posted on the course website.
- Midterm on Wednesday (3/6) @ 3pm
  - Not Friday (3/8)
- Come talk to me!

CSE 486/586, Spring 2013

13

## Chord DHT

- A distributed hash table system using consistent hashing
- Organizes nodes in a ring
- Maintains neighbors for correctness and shortcuts for performance
- DHT in general
  - DHT systems are "structured" peer-to-peer as opposed to "unstructured" peer-to-peer such as Napster, Gnutella, etc.
  - Used as a base system for other systems, e.g., many "trackerless" BitTorrent clients, Amazon Dynamo, distributed repositories, distributed file systems, etc.

CSE 486/586, Spring 2013

14

## Chord: Consistent Hashing


- Represent the hash key space as a ring
- Use a hash function that evenly distributes items over the hash space, e.g., SHA-1
- Map nodes (buckets) in the same ring
- Used in DHTs, memcached, etc.

Id space  
represented  
as a ring.

Hash(name)  $\rightarrow$  object\_id  
Hash(IP\_address)  $\rightarrow$  node\_id

CSE 486/586, Spring 2013

15



## Chord: Consistent Hashing

- Maps data items to its "successor" node
- Advantages
  - Even distribution
  - Few changes as nodes come and go...

Hash(name)  $\rightarrow$  object\_id  
Hash(IP\_address)  $\rightarrow$  node\_id



CSE 486/586, Spring 2013

16


## Chord: When nodes come and go...

- Small changes when nodes come and go
  - Only affects mapping of keys mapped to the node that comes or goes

Hash(name)  $\rightarrow$  object\_id  
Hash(IP\_address)  $\rightarrow$  node\_id


CSE 486/586, Spring 2013

17



## Chord: Node Organization

- Maintain a circularly linked list around the ring
  - Every node has a predecessor and successor




CSE 486/586, Spring 2013

18

## Chord: Basic Lookup

```
lookup (id):
    if ( id > pred.id &&
        id <= my.id )
        return my.id;
    else
        return succ.lookup(id);
```

- Route hop by hop via successors
  - $O(n)$  hops to find destination id



CSE 486/586, Spring 2013


19

## Chord: Efficient Lookup --- Fingers

- $i$ th entry at peer with id  $n$  is first peer with:
  - $id \geq n + 2^i \pmod{2^m}$

Finger Table at N80

$i$	$ft[i]$
0	96
1	96
2	96
3	96
4	96
5	114
6	20




CSE 486/586, Spring 2013

20

## Recap: Finger Table

- Finding a  $\langle$ key, value $\rangle$  using fingers



CSE 486/586, Spring 2013

21

## Chord: Efficient Lookup --- Fingers

```
lookup (id):
    if ( id > pred.id &&
        id <= my.id )
        return my.id;
    else
        // fingers() by decreasing distance
        for finger in fingers():
            if id >= finger.id
                return finger.lookup(id);
        return succ.lookup(id);
```

- Route greedily via distant "finger" nodes
  - $O(\log n)$  hops to find destination id

CSE 486/586, Spring 2013

22

## Chord: Node Joins and Leaves

- When a node joins
  - Node does a lookup on its own id
  - And learns the node responsible for that id
  - This node becomes the new node's successor
  - And the node can learn that node's predecessor (which will become the new node's predecessor)
- Monitor
  - If doesn't respond for some time, find new
- Leave
  - Clean (planned) leave: notify the neighbors
  - Unclean leave (failure): need an extra mechanism to handle lost (key, value) pairs

CSE 486/586, Spring 2013

23

## Summary

- DHT
  - Gives a hash table as an abstraction
  - Partitions the hash table and distributes them over the nodes
  - "Structured" peer-to-peer
- Chord DHT
  - Based on consistent hashing
  - Balances hash table partitions over the nodes
  - Basic lookup based on successors
  - Efficient lookup through fingers

CSE 486/586, Spring 2013

24

## Acknowledgements

- These slides contain material developed and copyrighted by Indranil Gupta (UIUC), Michael Freedman (Princeton), and Jennifer Rexford (Princeton).