


CSE 486/586 Distributed Systems

Consistency --- 1

Steve Ko
Computer Sciences and Engineering
University at Buffalo

CSE 486/586

Consistency with Data Replicas



- Consider that this is a distributed storage system that serves read/write requests.
- Multiple copies of a same object stored at different servers
- Question: How to maintain consistency across different data replicas?

CSE 486/586

2

Consistency

- Why replicate?
- Increased availability of service. When servers fail or when the network is partitioned.
 - P : probability that one server fails $\rightarrow 1 - P$ = availability of service. e.g. $P = 5\% \Rightarrow$ service is available 95% of the time.
 - P^n : probability that n servers fail $\rightarrow 1 - P^n$ = availability of service. e.g. $P = 5\%$, $n = 3 \Rightarrow$ service available 99.875% of the time
- Fault tolerance
 - Under the fail-stop model, if up to f of $f+1$ servers crash, at least one is alive.
- Load balancing
 - One approach: Multiple server IPs can be assigned to the same name in DNS, which returns answers round-robin.

CSE 486/586

3

This Week

- We will look at different consistency guarantees (models).
- We'll start from the strongest guarantee, and gradually relax the guarantees.
 - Linearizability (or sometimes called strong consistency)
 - Sequential consistency
 - Causal consistency
 - Eventual consistency
- Different applications need different consistency guarantees.
- This is all about client-side perception.
 - When a read occurs, what do you return?
- First
 - Linearizability: we'll look at the concept first, then how to implement it later.

CSE 486/586

4

Our Expectation with Data

- Consider a single process using a filesystem
- What do you expect to read?




- Our expectation (as a user or a developer)
 - A read operation returns the most recent write.
 - This forms our basic expectation from any file or storage system.
- Linearizability meets this basic expectation.
 - But it extends the expectation to handle multiple processes...
 - ...and multiple replicas.
 - The strongest consistency model

CSE 486/586

5

Expectation with Multiple Processes

- What do you expect to read?
 - A single filesystem with multiple processes



- Our expectation (as a user or a developer)
 - A read operation returns the most recent write, regardless of the clients.
 - We expect that a read operation returns the most recent write according to the single actual-time order.
 - In other words, read/write should behave as if there were a single (combined) client making all the requests.
 - It's easiest to understand and program for a developer if your storage appears to process one request at a time.

CSE 486/586

6

Expectation with Multiple Copies

- What do you expect to read?
 - A single process with multiple servers with copies



- Our expectation (as a user or a developer)
 - A read operation returns the most recent write, **regardless of how many copies there are.**
 - Read/write should behave **as if there were a single copy.**

CSE 486/586

7

Linearizability

- Three aspects
 - A read operation returns the most recent write,
 - ...regardless of the clients,
 - ...according to the single actual-time ordering of requests.
- Or, put it differently, read/write should behave as if there were,
 - ...a single client making all the (combined) requests in their original actual-time order (i.e., with a **single stream of ops**),
 - ...over a single copy.
- You can say that **your storage system guarantees linearizability when it provides single-client, single-copy semantics where a read returns the most recent write.**
 - It should **appear** to all clients that there is **a single order (actual-time order) that your storage uses** to process all requests.

CSE 486/586

8

Linearizability Exercise

- Assume that the following happened with object x over a linearizable storage.
 - C1: x.write(A)
 - C2: x.write(B)
 - C3: x.read() → B, x.read() → A
 - C4: x.read() → B, x.read() → A
- What would be an actual-time ordering of the events?
 - One possibility: C2 (write B) → C3 (read B) → C4 (read B) → C1 (write A) → C3 (read A) → C4 (read A)
- How about the following?
 - C1: x.write(A)
 - C2: x.write(B)
 - C3: x.read() → B, x.read() → A
 - C4: x.read() → A, x.read() → B

CSE 486/586

9

CSE 486/586 Administrivia



- PA4 deadline: 5/10 (Friday)
- No recitation today
 - Will hold office hours for undergrads from 2:30 pm to 4 pm
 - Regular office hours from 4 pm to 5 pm for midterm questions
- Academic integrity for PA2B

CSE 486/586

10

Linearizability Subtleties

- Notice any problem with the representation?




CSE 486/586

11

Linearizability Subtleties

- A read/write operation is never a dot!
 - It takes time. Many things are involved, e.g., network, multiple disks, etc.
 - Read/write latency: the time measured right before the call and right after the call from the client making the call.
- Clear-cut (e.g., black---write & red---read)

- Not-so-clear-cut (parallel)



CSE 486/586

12

Linearizability Subtleties

- With a single process and a single copy, can overlaps happen?
 - No, these are cases that do not arise with a single process and a single copy.
 - "Most recent write" becomes unclear when there are overlapping operations.
- Thus, we (as a system designer) have freedom to impose an order.
 - As long as it appears to all clients that there is a single, interleaved ordering for all (overlapping and non-overlapping) operations that your implementation uses to process all requests, it's fine.
 - I.e., this ordering should still provide the single-client, single-copy semantics.
 - Again, it's all about how clients perceive the behavior of your system.

CSE 486/586

13

Linearizability Subtleties

- Definite guarantee
- Relaxed guarantee when overlap
- Case 1
- Case 2
- Case 3

CSE 486/586


14

Linearizability Examples

- Example 1: if your system behaves this way with 3 clients...


```

a.write(x)
a.read() -> x
a.read() -> x
      
```
- Example 2: if your system behaves this way with 3 clients...



CSE 486/586

15

Linearizability Examples

- In example 2, what are the constraints?


```

a.write(x)
a.read() -> 0
a.read() -> x
a.read() -> x
      
```
- Constraints (some ops don't overlap)
 - a.read() -> 0 happens before a.read() -> x (you need to be able to explain why that happens that way).
 - a.read() -> x happens before a.read() -> x (you need to be able to explain why that happens that way).
 - The rest are up for grabs.
- Scenario
 - Every client deals with a different copy of a.
 - a.write(x) gets propagated to (last client's) a.read() -> x first.
 - a.write(x) gets propagated to (the second process's) a.read() -> x, right after a.read() -> 0 is done.

CSE 486/586

16

Linearizability Examples

- In example 2, why would a.read() return 0 and x when they're overlapping?


```

a.write(x)
a.read() -> 0
a.read() -> x
a.read() -> x
      
```
- This assumes that there's a particular storage system that shows this behavior.
- At some point between a read/write request sent and returned, the result becomes visible.
 - E.g., you read a value from physical storage, *prepare it for return* (e.g., putting it in a return packet, i.e., making it visible), and actually return it.
 - Or you *actually write a value to a physical disk, making it visible* (out of multiple disks, which might actually write at different points).

CSE 486/586

17

Linearizability Examples

- Example 3


```

a.write(x)
a.read() -> x
a.read() -> x
a.read() -> y
a.write(y)
      
```
- Constraints (ops that don't overlap)
 - a.read() -> x and a.read() -> x: we cannot change these.
 - a.read() -> y and a.read() -> x: we cannot change these.
 - The rest is up for grabs.

CSE 486/586

18

Linearizability (Textbook Definition)

- Let the sequence of read and update operations that client i performs in some execution be oi_1, oi_2, \dots
 - "Program order" for the client
- A replicated shared object service is **linearizable** if for any execution (real), there is some interleaving of operations (virtual) issued by all clients that:
 - meets the specification of a single correct copy of objects
 - is consistent with the actual times at which each operation occurred during the execution
- Main goal: any client will see (at any point of time) a copy of the object that is correct and consistent
- The strongest form of consistency

CSE 486/586

19

Summary

- Linearizability
 - Single-client, Single-copy semantics
- A read operation returns **the most recent** write, **regardless of the clients, according to their actual-time ordering**.

CSE 486/586

20

Acknowledgements

- These slides contain material developed and copyrighted by Indranil Gupta (UIUC).

CSE 486/586

21