

# CSE 486/586 Distributed Systems

## Leader Election

Steve Ko  
Computer Sciences and Engineering  
University at Buffalo

CSE 486/586

## Recap: Mutual Exclusion

- Centralized
- Ring-based
- Ricart and Agrawala's
- Maekawa's

CSE 486/586

2

## Why Election?

- Example 1: sequencer for TO multicast
- Example 2: leader for mutual exclusion
- Example 3: group of NTP servers: who is the root server?

CSE 486/586

3

## What is Election?

- In a group of processes, elect a *leader* to undertake special tasks.
- What happens when a leader fails (crashes)
  - Some process detects this (how?)
  - Then what?
- Focus of this lecture: **election algorithms**
  - 1. Elect one leader only among the non-faulty processes
  - 2. All non-faulty processes agree on who is the leader
- We'll look at 3 algorithms

CSE 486/586

4

## Assumptions

- Any process can **call** for an **election**.
- A process can call for **at most one** election at a time.
- Multiple processes can call an election **simultaneously**.
  - All of them together must yield a **single leader** only
  - The result of an election should not depend on which process calls for it.
- Messages are **eventually** delivered.

CSE 486/586

5

## Problem Specification


- At the end of the election protocol, the non-faulty process with the **best (highest)** election attribute value is elected.
  - Attribute examples: CPU speed, load, disk space, ID
  - Must be **unique**
- Each process has a variable **elected**.
- A run (execution) of the election algorithm should ideally guarantee at the end:
  - **Safety**:  $\forall$  non-faulty  $p$ : ( $p$ 's *elected* = ( $q$ : a particular non-faulty process with the best attribute value) or null)
  - **Liveness**:  $\forall$  election: (election terminates) &  $\forall$   $p$ : non-faulty process,  $p$ 's *elected* is eventually not null

CSE 486/586

6

### Ring-Based Election: Example

- An election message is sent & contains the highest ID encountered so far.
- Scenario
  - The election was started by process 17.
  - The highest process identifier encountered so far is 24.
  - (final leader will be 33)
- Q: when do we stop?



CSE 486/586

7

### Algorithm 1: Ring Election [Chang & Roberts'79]


- N Processes are organized in a logical ring
  - $p_i$  has a communication channel to  $p_{i+1 \text{ mod } N}$ .
  - All messages are sent clockwise around the ring.
- To start election
  - Send *election* message with my ID
- When receiving message (*election*, id)
  - If id > my ID: forward message
    - » Set state to *participating*
  - If id < my ID: send (*election*, my ID)
    - » Skip if already *participating*
    - » Set state to *participating*
  - If id = my ID: I am elected (why?) send *elected* message
    - » *elected* message forwarded until it reaches leader

CSE 486/586

8

### Ring-Based Election: Example

- The election was started by process 17.
- The highest process identifier encountered so far is 24.
- (final leader will be 33)




CSE 486/586

9

### Ring-Based Election: Example

- The worst-case scenario occurs when?
  - the counter-clockwise neighbor (@ the initiator) has the highest attr.
- In the example:
  - The election was started by process 17.
  - The highest process identifier encountered so far is 24.
  - (final leader will be 33)




CSE 486/586

10

### Ring-Based Election: Analysis

- In a ring of N processes, in the worst case:
  - N-1 *election* messages to reach the new coordinator
  - Another N *election* messages before coordinator decides it's elected
  - Another N *elected* messages to announce winner
- Total Message Complexity = 3N-1
- Turnaround time = 3N-1



CSE 486/586

11


### Correctness?

- Safety: highest process elected
- Liveness: complete after 3N-1 messages

CSE 486/586

12

### Example: Ring Election



May not terminate when process failure occurs during the election!  
Consider above example where attr==highest id

CSE 486/586

13

### CSE 486/586 Administrivia

- PA2B
  - 20% penalty deadline: 4/6 11:59 pm
- PA3 and PA4
  - No penalty deadline: 5/17 11:59 pm
  - 20% penalty deadline: 5/19 11:59 pm
  - No more extension will be given.
- Zoom for office hours
  - Please check the information on Piazza
- Midterm grading is done and we'll post mid-semester grades soon, hopefully by this week or early next week.
- Final
  - Will make a decision

CSE 486/586

14


### Algorithm 2: Modified Ring Election

- *election* message tracks *all* IDs of nodes that forwarded it, not just the highest
  - Each node appends its ID to the list
- Once message goes all the way around a circle, new *coordinator* message is sent out
  - Coordinator chosen by highest ID in *election* message
  - Each node appends its own ID to *coordinator* message
- When *coordinator* message returns to initiator
  - Election a success if coordinator among ID list
  - Otherwise, start election anew

CSE 486/586

15

### Example: Ring Election



CSE 486/586

16

### Modified Ring Election

- How many messages?
  - 2N
- Is this better than original ring protocol?
  - Messages are larger

CSE 486/586

17

### Algorithm 3: Bully Algorithm

- Assumptions:
  - Synchronous system
  - attr=id
  - Each process knows all the other processes in the system (and thus their id's)

CSE 486/586

18


### Algorithm 3: Bully Algorithm

- 3 message types
  - election* – starts an election
  - answer* – acknowledges a message
  - coordinator* – declares a winner
- Start an election
  - Send *election* messages *only* to processes with higher IDs than self
  - If no one replies after timeout: declare self winner
  - If someone replies, wait for *coordinator* message
    - Restart election after timeout
- When receiving *election* message
  - Send *answer*
  - Start an election yourself
    - If not already running

CSE 486/586

19


### Example: Bully Election



CSE 486/586

20

### The Bully Algorithm



CSE 486/586

21

### Analysis of The Bully Algorithm

- Best case scenario?
- The process with the second highest id notices the failure of the coordinator and elects itself.
  - N-2 *coordinator* messages are sent.
  - Turnaround time is one message transmission time.

CSE 486/586

22

### Analysis of The Bully Algorithm

- Worst case scenario?
- When the process with the lowest id in the system detects the failure.
  - N-1 processes altogether begin elections, each sending messages to processes with higher ids.
  - The message overhead is  $O(N^2)$ .

CSE 486/586

23

### Turnaround time

- T: Message bound---all messages arrive within T units of time (synchronous)
- $T_{process}$ : Processing bound---bound on the processing time at each process
- Turnaround time:
  - election* message from lowest process (T)
  - Timeout at 2<sup>nd</sup> highest process (X)
  - coordinator* message from 2<sup>nd</sup> highest process (T)
- How long should the timeout be?
  - $X = 2T + T_{process}$
  - Total turnaround time:  $4T + 3T_{process}$

CSE 486/586

24

## Summary

- Coordination in distributed systems sometimes requires a leader process
- Leader process might fail
- Need to (re-) elect leader process
- Three Algorithms
  - Ring algorithm
  - Modified Ring algorithm
  - Bully Algorithm

CSE 486/586

25

## Acknowledgements

- These slides contain material developed and copyrighted by Indranil Gupta (UIUC).

CSE 486/586

26