

CSE 486/586 Distributed Systems Case Study: Amazon Dynamo

Steve Ko
Computer Sciences and Engineering
University at Buffalo

CSE 486/586

Recap

- CAP Theorem?
 - Consistency, Availability, Partition Tolerance
 - P then C? A?
- Eventual consistency?
 - Availability and partition tolerance over consistency

CSE 486/586

2

Amazon Dynamo

- Distributed key-value storage
 - Only accessible with the primary key
 - put(key, value) & get(key)
- Used for many Amazon services (“applications”)
 - Shopping cart, best seller lists, customer preferences, product catalog, etc.
 - Now in AWS as well (DynamoDB) (if interested, read <http://www.allthingsdistributed.com/2012/01/amazon-dynamodb.html>)
- With other Google systems (GFS & Bigtable), Dynamo marks one of the first non-relational storage systems (a.k.a. NoSQL)

CSE 486/586

3

Amazon Dynamo

- A synthesis of techniques we discuss in class
 - Very good example of developing a principled distributed system
 - Comprehensive picture of what it means to design a distributed storage system
- Main motivation: shopping cart service
 - 3 million checkouts in a single day
 - Hundreds of thousands of concurrent active sessions
- Properties (in the CAP theorem sense)
 - Eventual consistency
 - Partition tolerance
 - Availability (“always-on” experience)

CSE 486/586

4

Necessary Pieces?

- We want to design a storage service on a cluster of servers
- What do we need?
 - Membership maintenance
 - Object insert/lookup/delete
 - (Some) Consistency with replication
 - Partition tolerance
- Dynamo is a good example as a working system.

CSE 486/586

5

Overview of Key Design Techniques

- **Gossiping** for membership and failure detection
 - Eventually-consistent membership
- **Consistent hashing** for node & key distribution
 - Similar to Chord
 - But there’s no ring-based routing; everyone knows everyone else
- **Object versioning** for eventually-consistent data objects
 - A vector clock associated with each object
- **Quorums** for partition/failure tolerance
 - Called “sloppy” quorum
- **Merkel tree** for resynchronization after failures/partitions
 - (This was not covered in class yet)

CSE 486/586

6

Membership

- Nodes are organized as a ring just like Chord using consistent hashing
- But everyone knows everyone else.
- **Node join/leave**
 - Manually done
 - An operator uses a console to add/delete a node
 - Reason: it's a well-maintained system; nodes come back pretty quickly and don't depart permanently most of the time
- **Membership change propagation**
 - Each node maintains its own view of the membership & the history of the membership changes
 - Propagated using gossiping (every second, pick random targets)
- **Eventually-consistent membership protocol**

CSE 486/586

7

Failure Detection


- **Does not use a separate protocol**; each request serves as a ping
 - Dynamo has enough requests at any moment anyway
- If a node doesn't respond to a request, it is considered to be failed.

CSE 486/586

8

Node & Key Distribution

- Original consistent hashing
- Load becomes uneven
 - With a small number of nodes and/or as nodes come and go, each partition size becomes uneven.




CSE 486/586

9

Node & Key Distribution

- Consistent hashing with "virtual nodes" for better load balancing
- Start with a static number of virtual nodes uniformly distributed over the ring




CSE 486/586

10

Node & Key Distribution

- One node joins and gets all virtual nodes

● Node 1




CSE 486/586

11

Node & Key Distribution

- One more node joins and gets 1/2

● Node 1
● Node 2




CSE 486/586

12

Node & Key Distribution

- One more node joins and gets 1/3 (roughly) from the other two

- Node 1
- Node 2
- Node 3



CSE 486/586

13

CSE 486/586 Administrivia


- PA3 grading is going on.
- PA4 deadline: 5/10
 - Please start early. Grader takes a long, long time.

CSE 486/586

14

Replication

- N: # of replicas; configurable
- The first is stored regularly with consistent hashing
- N-1 replicas are stored in the N-1 (physical) successor nodes (called preference list)




CSE 486/586

15

Replication

- Any server can handle read/write in the preference list, but it walks over the ring
 - E.g., try B first, then C, then D, etc.
- Update propagation: by the server that handled the request




CSE 486/586

16

Replication

- Dynamo's replication is lazy.
 - A put() request is returned "right away" (more on this later); it does not wait until the update is propagated to the replicas.
 - As long as there's one reachable server, a write is done.
 - This could lead to inconsistency



CSE 486/586

17

Object Versioning


- Writes should succeed all the time
 - E.g., "Add to Cart" as long as there's at least one reachable server
- Object versioning is used to reconcile inconsistency.
- Each object has a vector clock
 - E.g., D1 ([Sx, 1], [Sy, 1]): Object D (version 1) has written once by server Sx and Sy.
 - Each node keeps all versions until the data becomes consistent
 - I.e., no overwrite, almost like each write creates a new object
- Causally concurrent versions: inconsistency
 - I.e., there are writes not causally related.
- If inconsistent, reconcile later.
 - E.g., deleted items might reappear in the shopping cart.

CSE 486/586

18

Object Versioning

- Example



CSE 486/586

19

Conflict Detection & Resolution

- Object versioning gives the ability to detect write conflicts.
- Reconciliation
 - Simple resolution done by the system (last-write-wins policy)
 - Complex resolution done by each application: System presents **all conflicting versions** of data to an application.

CSE 486/586

20

Object Versioning Experience

- Over a 24-hour period
- 99.94% of requests saw exactly one version
- 0.00057% saw 2 versions
- 0.00047% saw 3 versions
- 0.00009% saw 4 versions
- Usually triggered by many concurrent requests issued by robots, not human clients

CSE 486/586

21

Quorums

- Parameters
 - N replicas
 - R readers
 - W writers
- Static quorum approach: $R + W > N$
- Typical Dynamo configuration: $(N, R, W) == (3, 2, 2)$
- But it depends
 - High performance read (e.g., write-once, read-many): $R == 1, W == N$
 - Low R & W might lead to more inconsistency
- Dealing with failures
 - Another node in the preference list handles the requests temporarily
 - Delivers the replicas to the original node upon recovery

CSE 486/586

22

Replica Synchronization


- Key ranges are replicated.
- Say, a node fails and recovers, a node needs to quickly determine whether it needs to resynchronize or not.
 - Transferring entire (key, value) pairs for comparison is not an option
- Merkle trees
 - Leaves are hashes of values of individual keys
 - Parents are hashes of (immediate) children
 - Comparison of parents at the same level tells the difference in children
 - Does not require transferring entire (key, value) pairs

CSE 486/586

23

Replica Synchronization

- Comparing two nodes that are *synchronized*
 - Two (key, value) pairs: (k_0, v_0) & (k_1, v_1)




CSE 486/586

24

Replica Synchronization

- Comparing two nodes that are *not synchronized*
 - One: (k_0, v_2) & (k_1, v_1)
 - The other: (k_0, v_0) & (k_1, v_1)



CSE 486/586

25

Summary

- Amazon Dynamo
 - Distributed key-value storage with eventual consistency
- Techniques
 - Gossiping for membership and failure detection
 - Consistent hashing for node & key distribution
 - Object versioning for eventually-consistent data objects
 - Quorums for partition/failure tolerance
 - Merkle tree for resynchronization after failures/partitions
- Very good example of developing a principled distributed system

CSE 486/586

26

Acknowledgements

- These slides contain material developed and copyrighted by Indranil Gupta (UIUC).

CSE 486/586

27